

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 160 条结果 (用时 0.65 秒)

Use of integrin alpha 6 transcripts in a stool mRNA assay for the ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)作者: JF Beaulieu - 2016 - [被引用次数: 1](#) - [相关文章](#)

2016年2月15日 - **Colorectal cancer** (CRC) remains an important cause of death in the Western world [1]. ... **Detection of ITGA6** in stool samples of controls and patients diagnosed on the **mRNA** source and isolation method as well as optimization of **PCR** conditions. ... **Quantification** of hemoglobin in **stools** using a single ...

缺少字词: droplet digital

MethyLight droplet digital PCR for detection and absolute ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)作者: M Yu - 2015 - [被引用次数: 8](#) - [相关文章](#)

2015年7月17日 - However, **detection** and precise **quantification** of the infrequent methylation events ... The MethyLight ddPCR **assay** detected as little as 19 and 38 haploid ... Keywords: **colorectal cancer**, **droplet digital PCR**, DNA methylation, field ... **Stool** samples were obtained from the EDNR GLNE CVC at the University ...

缺少字词: itga6 mma

more - Express Submission and Peer-review System

www.wjgnet.com/esps/ManuscriptList.aspx ▾ [翻译此页](#)

Manuscript title: **Droplet digital PCR for quantification of ITGA6 in a stool mRNA assay for the detection of colorectal cancers**. Issue User: Jean-Francois Beaulieu ...

[PDF] Droplet Digital™ PCR: Multiplex Detection of KRAS ... - Bio-Rad

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 32073

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Droplet digital PCR for quantification of *ITGA6* ² in a stool mRNA assay for the detection of colorectal cancers

Herring E *et al.* ddPCR for colorectal cancer detection

Elizabeth Herring, Shigeru Kanaoka, Éric Tremblay, Jean-François Beaulieu

Abstract

AIM

To investigate the use of droplet digital polymerase chain reaction (ddPCR) for detecting host mRNA markers in stools as a non-invasive test for colorectal cancer screening.

Match Overview

1	Crossref 48 words Jimenez, C.R.. "Proteomics of colorectal cancer: Overview of discovery studies and identification of commonly identi ..."	1%
2	Internet 22 words crawled on 01-Oct-2016 f1000.com	1%
3	Internet 17 words crawled on 27-Apr-2011 livercirrhosis.researchtoday.net	<1%
4	Internet 15 words crawled on 03-Dec-2016 www.wjgnet.com	<1%
5	Crossref 12 words Yang, Rongchang, Andrea Papparini, Paul Monis, and Una Ryan. "Comparison of next-generation droplet digital PCR"	<1%
6	Internet 11 words crawled on 15-Nov-2016 www.mdpi.com	<1%

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 688 条结果 (用时 0.78 秒)

Use of integrin alpha 6 transcripts in a stool mRNA assay for the ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)作者: JF Beaulieu - 2016 - [被引用次数: 1](#) - [相关文章](#)

2016年2月15日 - **Colorectal cancer** (CRC) remains an important cause of death in the Western world [1]. ... **Detection** of **ITGA6** in **stool** samples of controls and patients diagnosed on the **mRNA** source and isolation method as well as optimization of **PCR** conditions. ... **Quantification** of hemoglobin in **stools** using a single ...

缺少字词: **droplet digital**

您已访问过该网页 2 次。最后访问日期: 16-12-26

MethyLight droplet digital PCR for detection and absolute ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)作者: M Yu - 2015 - [被引用次数: 11](#) - [相关文章](#)

2015年7月17日 - However, **detection** and precise **quantification** of the infrequent methylation events ... The MethyLight ddPCR **assay** detected as little as 19 and 38 haploid ... Keywords: **colorectal cancer**, **droplet digital PCR**, DNA methylation, field ... **Stool** samples were obtained from the EDNR GLNE CVC at the University ...

缺少字词: **itga6 mma**

MethyLight droplet digital PCR for detection and absolute ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/26186366> - [翻译此页](#)作者: M Yu - 2015 - [被引用次数: 11](#) - [相关文章](#)

2015年7月17日 - (1)a Clinical Research Division; Fred Hutchinson Cancer Research Center; Seattle, WA USA. ... to have potential to be used as **colorectal cancer** (CRC) risk biomarkers. However,

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 708 条结果 (用时 0.84 秒)

Use of integrin alpha 6 transcripts in a stool mRNA assay for the ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: JF Beaulieu - 2016 - 被引用次数: 1 - [相关文章](#)

2016年2月15日 - **Colorectal cancer** (CRC) remains an important cause of death in the Western world [1]. ... **Detection** of **ITGA6** in **stool** samples of controls and patients diagnosed on the **mRNA** source and isolation method as well as optimization of **PCR** conditions. ... **Quantification** of hemoglobin in **stools** using a single ...

缺少字词: droplet digital

MethyLight droplet digital PCR for detection and absolute ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: M Yu - 2015 - 被引用次数: 11 - [相关文章](#)

2015年7月17日 - However, detection and precise **quantification** of the infrequent methylation events ... The MethyLight ddPCR **assay detected** as little as 19 and 38 haploid ... Keywords: **colorectal cancer**, **droplet digital PCR**, DNA methylation, field ... **Stool** samples were obtained from the EDNRN GLNE CVC at the University ...

缺少字词: itga6 mrna

KRAS G12V Mutation Detection by Droplet Digital PCR in Circulating ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: SO López - 2016 - 被引用次数: 2 - [相关文章](#)

2016年4月1日 - **Detection** of KRAS mutations in circulating cell-free DNA in plasma ("liquid ... Keywords: KRAS, **colorectal cancer**, plasma, **droplet digital PCR**, circulating cell-free DNA ... A Poisson correction is then applied for **quantification** of the mean the Prime-PCR™ ddPCR™ Mutation **Detection Assay** Kit (Bio-Rad, ...

缺少字词: itga6 stool mrna