

Combination of corticosteroids and 5-aminosalicylates or corticosteroids alone fo



全部 图片 视频 新闻 购物 地图 图书

找到约 601 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Steroids and 5-aminosalicylic acids in moderate ulcerative colitis ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3539295/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3539295/>

Steroids have been a mainstay of ulcerative colitis (UC) therapy for many ... of severe colitis, intensive in-patient treatment with intravenous steroids is vital [ Mowat et al. ... specific measurement scales [for example, a Physician's Global Assessment .... With regard to combined oral and topical therapy with 5-ASA, two studies ...

[Optimizing clinical use of mesalazine \(5-aminosalicylic acid\) in ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3131170/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3131170/>

Recent studies of patient adherence to 5-ASA therapies in ulcerative colitis have ... Corticosteroids and aminosalicylates have been at the cornerstone of IBD .... either oral or rectal 5-ASA alone in patients whose disease was limited to the ... Initial treatment of active UC should be based on clinical severity [Hanauer, 1996] .

[Common misconceptions about 5-aminosalicylates and thiopurines ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3163244/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3163244/>

14 Aug 2011 ... World J Gastroenterol. ... Keywords: Crohn's disease, Ulcerative colitis, Inflammatory bowel disease, Aminosalicylates, Steroids, .... Accordingly, the ECCO states that "left-sided active ulcerative colitis of mild-moderate severity should initially ... option for patients who have relapsed on oral 5-ASA alone[44].

[Approach to adults with steroid-refractory and steroid-dependent ...](http://www.uptodate.com/.../approach-to-adults-with-steroid-refractory-and-steroid-dependent-ulcerative-colitis)

[www.uptodate.com/.../approach-to-adults-with-steroid-refractory-and-steroid-dependent-ulcerative-colitis](http://www.uptodate.com/.../approach-to-adults-with-steroid-refractory-and-steroid-dependent-ulcerative-colitis)

15 Jun 2016 ... A subset of patients with ulcerative colitis requires glucocorticoids to ... of mild to moderate and severe or fulminant ulcerative colitis and the .... (See " Sulfasalazine and 5-aminosalicylates in the treatment of inflammatory bowel disease".) ... exist that, when used alone or in combination with systemic steroids, ...

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 32111

Manuscript Type: ORIGINAL ARTICLE

*Observational Study*

**Combination of corticosteroids and 5-aminosalicylates or corticosteroids alone for patients with moderate-severe active ulcerative colitis: A global survey of physicians' practice**

Shomron Ben-Horin, Jane M Andrews, Konstantinos H Katsanos, Florian Rieder, Flavio Steinwurz, Konstantinos Karmiris, Jae Hee Cheon, Gordon William Moran, Monica Cesarini, Christian D Stone, Doron Schwartz, Marijana Protic, Xavier Roblin, Giulia Roda, Min-Hu Chen, Ofir Har-Noy, Charles N Bernstein

### Match Overview

1

Crossref 27 words

Henit Yanai. "Practice of gastroenterologists in treating flaring inflammatory bowel disease patients with clostridium ....

1%

Combination of corticosteroids and 5-aminosalicylates or corticosteroids alone for



全部 图片 视频 新闻 地图 图书

找到约 574 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[P341 Combination of corticosteroids and 5-aminosalicylates or ...](https://www.ecco-ibd.eu/.../p341-combination-of-corticosteroids-and-5-aminosalicylates-or-corticosteroids-alone-for-patients-with-moderate-severe-active-ulcerative-colitis-a-global-survey-of-physicians-practice)

<https://www.ecco-ibd.eu/.../p341-combination-of-corticosteroids-and-5-aminosalicylates-or-corticosteroids-alone-for-patients-with-moderate-severe-active-ulcerative-colitis-a-global-survey-of-physicians-practice>

... patients with moderate-severe active ulcerative colitis: a global survey of physicians' practice  
... P341 Combination of corticosteroids and 5-aminosalicylates or ... on whether 5-aminosalicylates (5ASA) confer additional benefit when combined ... physicians' attitude toward 5ASA+CS combination therapy versus CS alone ...

[Steroids and 5-aminosalicylic acids in moderate ulcerative colitis ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3539295/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3539295/>

Steroids have been a mainstay of ulcerative colitis (UC) therapy for many ... of severe colitis, intensive in-patient treatment with intravenous steroids is vital [ Mowat et al. ... specific measurement scales [for example, a Physician's Global Assessment .... With regard to combined oral and topical therapy with 5-ASA, two studies ...

[5-ASA Dose-Response - NCBI - NIH](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2886460/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2886460/>

The optimal number of doses per day for treating mild-to-moderate UC is an area of ... Physicians often move their patients to corticosteroids almost immediately ... of 5-ASA products, including combination oral and topical therapy if necessary. ... of mild-to-moderately active ulcerative colitis: efficacy and tolerability in specific ...

[Ulcerative Colitis: Pros and Cons of Medical Management of ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3134802/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3134802/>

5-Aminosalicylates continue to be used in mild to moderate UC and corticosteroids are mainly used for induction of remission with immunomodulators ...

[New Research in Ulcerative Colitis: Optimizing 5-ASA ... - NCBI - NIH](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2886447/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2886447/>



[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 243 条结果 (用时 0.83 秒)

### P341 Combination of corticosteroids and 5-aminosalicylates or ...

[www.ecco-ibd.eu/.../p341-combination-of-corticosteroids-and-5-aminosalicy...](http://www.ecco-ibd.eu/.../p341-combination-of-corticosteroids-and-5-aminosalicy...) ▼ [翻译此页](#)

... or corticosteroids alone for patients with moderate-severe active ulcerative colitis: a global survey of physicians' practice ... There are sparse data on whether 5-aminosalicylates (5ASA) confer additional benefit when combined with ...

### Steroids and 5-aminosalicylic acids in moderate ulcerative colitis - NCBI

<https://www.ncbi.nlm.nih.gov/.../Steroids-and-5-aminosalicylic-acids-in-moderate-ulcerative-colitis> - [翻译此页](#)

作者：C Probert - 2013 - 被引用次数：5 - [相关文章](#)

Steroids have been a mainstay of ulcerative colitis (UC) therapy for many ... of severe colitis, intensive in-patient treatment with intravenous steroids is vital [Mowat et al. ... specific measurement scales [for example, a Physician's Global Assessment .... With regard to combined oral and topical therapy with 5-ASA, two studies ...

### 5-ASA Dose-Response - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov/.../5-ASA-Dose-Response> - [翻译此页](#)

作者：S Katz - 2010 - 被引用次数：13 - [相关文章](#)

The optimal number of doses per day for treating mild-to-moderate UC is an area of ... Physicians often move their patients to corticosteroids almost immediately ... of 5-ASA products, including combination oral and topical therapy if necessary. ... of mild-to-moderately active ulcerative colitis: efficacy and tolerability in specific ...

### New Research in Ulcerative Colitis: Optimizing 5-ASA ... - NCBI

<https://www.ncbi.nlm.nih.gov/.../New-Research-in-Ulcerative-Colitis-Optimizing-5-ASA> - [翻译此页](#)

作者：CA Sninsky - 2010 - [相关文章](#)

Severity is defined as mild, moderate, severe, or fulminant depending on ... For patients whose disease is refractory to 5-ASA therapy, corticosteroids are ... Ulcerative colitis practice guidelines in