

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 10,600 条结果

**时间不限**

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

**所有结果**

精确匹配

[Guidelines for Surgical Treatment of Gastroesophageal Reflux ...](https://www.sages.org/.../guidelines-for-surgical-treatment-of-gastroesophageal-reflux-disease-gerd/)<https://www.sages.org/.../guidelines-for-surgical-treatment-of-gastroesophageal-reflux-disease-gerd/>

The guidelines for the surgical **treatment** of **gastroesophageal reflux** disease ... pH study after an H2-blocker and **proton pump inhibitor** (PPI) free interval should ... of **fundoplication** according to a **tailored** approach based on **esophageal** motility. .... surgery is subject to a learning curve, which may **impact patient** outcomes.

[Fundoplication vs PPIs for Treatment of GERD - Medscape](http://www.medscape.com/viewarticle/843357)[www.medscape.com/viewarticle/843357](http://www.medscape.com/viewarticle/843357)

Randomized **Controlled** Trial of Transoral Incisionless **Fundoplication** vs. **Proton Pump Inhibitors** for **Treatment** of **Gastroesophageal Reflux** Disease ... of the esophagus and include esophagitis, stricture formation, **Barrett's esophagus**, ... of the GEJ, with "**tailoring**" of the valve to the individual **patient** needs, seems crucial for ...

[Gastro-esophageal reflux disease \(GERD\) - Surgical Treatment - NCBI](https://www.ncbi.nlm.nih.gov/books/NBK6896/)<https://www.ncbi.nlm.nih.gov/books/NBK6896/>

Typical symptoms of **GERD** include heartburn, regurgitation and dysphagia. ... ( 11) studied **gastric** emptying in 76 **GERD patients** and 38 asymptomatic **controls**. .... dose of **proton pump inhibitors**, those with defective low **esophageal** sphincter, .... Therefore, **tailored** approach to **fundoplication** based on careful preoperative ...

[Refractory gastroesophageal reflux disease](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4324866/)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4324866/>

30 Sep 2014 ... **Patients** with partial response can be treated surgically or by using emerging endoscopic **therapies**. ... In some **patients**, when **acid reflux** damages the **esophageal** .... Potential outcomes of **proton pump inhibitor** (PPI) **therapy** in **patients** .... A randomized, **controlled** trial compared the long-term **effects** of PPI ...

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 30363

**Manuscript Type:** ORIGINAL ARTICLE

**Prospective Study**

**Impact of gastroesophageal reflux control through tailored proton pump inhibition therapy or fundoplication in patients with Barrett's esophagus**

Francisco Baldaque-Silva, Michael Vieth, Mumen Debel, Bengt Håkanson, Anders Thorell, Nuno Lunet, Huan Song, Miguel Mascarenhas-Saraiva, Gisela Pereira, Lars Lundell, Hanns-Ulrich Marschall

**Abstract**

**AIM**

To determine the impact of upwards titration of proton pump inhibition (PPI)

### Match Overview

1	Internet 68 words crawled on 10-Nov-2015 <a href="http://bib.irb.hr">bib.irb.hr</a>	2%
2	Internet 21 words crawled on 29-Nov-2016 <a href="http://jamanetwork.com">jamanetwork.com</a>	1%
3	Internet 16 words crawled on 03-Nov-2016 <a href="http://ueg.sagepub.com">ueg.sagepub.com</a>	<1%
4	Crossref 15 words D. K. Manifold, R. E. K. Marshall, A. "Effect of Omeprazole ... n Antral Duodenogastric Reflux in Barrett Oesophagus", Sc	<1%

[全部](#) [图片](#) [视频](#) [新闻](#) [购物](#) [地图](#) [图书](#)

找到约 10,600 条结果

**时间不限**

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

**所有结果**

精确匹配

[Guidelines for Surgical Treatment of Gastroesophageal Reflux ...](https://www.sages.org/.../guidelines-for-surgical-treatment-of-gastroesophageal-reflux-disease-gerd/)<https://www.sages.org/.../guidelines-for-surgical-treatment-of-gastroesophageal-reflux-disease-gerd/>

The guidelines for the surgical **treatment** of **gastroesophageal reflux** disease ... pH study after an H2-blocker and **proton pump inhibitor** (PPI) free interval should ... of **fundoplication** according to a **tailored** approach based on **esophageal** motility. .... surgery is subject to a learning curve, which may **impact patient** outcomes.

[Fundoplication vs PPIs for Treatment of GERD - Medscape](http://www.medscape.com/viewarticle/843357)[www.medscape.com/viewarticle/843357](http://www.medscape.com/viewarticle/843357)

Randomized **Controlled** Trial of Transoral Incisionless **Fundoplication** vs. **Proton Pump Inhibitors** for **Treatment** of **Gastroesophageal Reflux** Disease ... of the esophagus and include esophagitis, stricture formation, **Barrett's esophagus**, ... of the GEJ, with "**tailoring**" of the valve to the individual **patient** needs, seems crucial for ...

[Gastro-esophageal reflux disease \(GERD\) - Surgical Treatment - NCBI](https://www.ncbi.nlm.nih.gov/books/NBK6896/)<https://www.ncbi.nlm.nih.gov/books/NBK6896/>

Typical symptoms of **GERD** include heartburn, regurgitation and dysphagia. ... ( 11) studied **gastric** emptying in 76 **GERD patients** and 38 asymptomatic **controls**. .... dose of **proton pump inhibitors**, those with defective low **esophageal** sphincter, .... Therefore, **tailored** approach to **fundoplication** based on careful preoperative ...

[Refractory gastroesophageal reflux disease](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4324866/)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4324866/>

30 Sep 2014 ... **Patients** with partial response can be treated surgically or by using emerging endoscopic **therapies**. ... In some **patients**, when **acid reflux** damages the **esophageal** .... Potential outcomes of **proton pump inhibitor** (PPI) **therapy** in **patients** .... A randomized, **controlled** trial compared the long-term **effects** of PPI ...

找到约 11,300 条结果 (用时 1.06 秒)

## Guidelines for Surgical Treatment of Gastroesophageal Reflux Disease

<https://www.sages.org/.../guidelines-for-surgical-treatment-of-gastroesophag...> ▼ 翻译此页

作者 : U SAGES - 被引用次数 : 1 - 相关文章

The coexistence of **Barrett's esophagus** with **gastroesophageal reflux** symptoms ... pH study after an H2-blocker and **proton pump inhibitor** (PPI) free interval should .... surgery is subject to a learning curve, which may **impact patient** outcomes. .... The Nissen **fundoplication** length did not influence reflux **control**, but a trend for ...

## Aspects on endoscopic characterization and clinical management of ...

<https://openarchive.ki.se/xmlui/handle/10616/45415> ▼ 翻译此页

作者 : FB Silva - 2016

2016年12月30日 - **Impact of gastroesophageal reflux control through tailored proton pump inhibition therapy or fundoplication in patients with Barrett's esophagus.**

## Fundoplication vs PPIs for Treatment of GERD - Medscape

[www.medscape.com/viewarticle/843357](http://www.medscape.com/viewarticle/843357) ▼ 翻译此页

Randomized **Controlled** Trial of Transoral Incisionless **Fundoplication vs. Proton Pump Inhibitors** for **Treatment of Gastroesophageal Reflux Disease** ... Results A total of 60 **patients** (TIF n=40, PPI n=20, mean body mass index 26 kg/m<sup>2</sup>, ... include esophagitis, stricture formation, **Barrett's esophagus**, and esophageal cancer.

## Gastroesophageal Reflux Disease: Diagnosis and Patient Selection

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : V Singhal - 2014 - 被引用次数 : 8 - 相关文章

2014年5月15日 - Although **proton pump inhibitors** (PPIs) are effective in the majority of **patients**, but ... Keywords: **Gastroesophageal reflux** disease, Lower **esophageal** sphincter, Hiatal hernia, Nissen **fundoplication**, .... Once the studies are done, the results can be carefully analyzed to **tailor treatment** of the **patients** reflux.