

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 36,100 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Second and third line treatment options for Helicobacter pylori ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3925860/)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3925860/>

14 Feb 2014 ... **Antibiotic testing** is recommended **prior to** initiating third line ... that **antibiotic susceptibility testing** is unavailable, third line **treatment** ... a role for **triple therapy** as **first line therapy** for *H. pylori* infection[1]. ... Primary **antimicrobial resistance** However, eradication rate was 0 in **patients** with **dual resistance** to ...

[Second-Line Rescue Therapy of Helicobacter Pylori Infection - NCBI](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3002558/)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3002558/>

Antibiotic resistance to clarithromy-cin has been identified as one of the major factors ... An **antimicrobial susceptibility test** for *H. pylori* before second-line **treatment** is ... [2001], after failure of **first-line** eradication **treatment**, half of the **patients** were As previously mentioned, after failure of a combination of a PPI- based **triple** ...

[Optimal treatment strategy for Helicobacter pylori: Era of antibiotic ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4024773/)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4024773/>

21 May 2014 ... However, as a result of increased **resistance to antibiotics**, *H. pylori* eradication rates ... Currently, among the alternative **first-line** eradication regimens, ... The **patient** is required to switch from a **dual** to a **triple** regimen[32], which After failure of second-line **treatment**, **antimicrobial susceptibility testing** is ...

[Treatment of Helicobacter pylori infection: Meeting the challenge of ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4123371/)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4123371/>

7 Aug 2014 ... Keywords: *Helicobacter pylori*, **Antibiotic resistance**, Bismuth-quadruple, Concomitant, Sequential ... For the last 2 decades, standard **triple** therapies comprising of a ... In this same study (2204 **patients**), CAM-resistance was determined **susceptibility testing** should be carried out **before first-line treatment**.

[Treatment after failure: the problem of "non-responders" -- Huang ...](#)

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 32752

Manuscript Type: EVIDENCE-BASED MEDICINE

Antimicrobial susceptibility testing before first-line treatment for *Helicobacter pylori* infection in patients with dual or triple antibiotic resistance

Angel Cosme, Milagrosa Montes, Begoña Ibarra, Esther Tamayo, Horacio Alonso, Usua Mendarte, Jacobo Lizasoan, Marta Herreros-Villanueva, Luis Bujanda

Abstract

AIM

To evaluate the efficacy of antimicrobial susceptibility-guided therapy before first-line treatment for infection in patients with dual or triple antibiotic

Match Overview

1	Crossref 199 words Cosme, Angel, Jacobo Lizasoan, Milagrosa Montes, Esther Tamayo, Horacio Alonso, Usua Mendarte, Maider Martos, M	8%
2	Internet 26 words crawled on 14-Jun-2010 jac.oxfordjournals.org	1%
3	Crossref 21 words "Abstracts of the European Helicobacter Study Group XXVII International Workshop on Helicobacter and Related B..."	1%
4	Internet 19 words crawled on 03-Mar-2017 www.wjgnet.com	1%
5	Crossref 17 words Gisbert, J. P., A. Perez-Aisa, L. Rodrigo, J. Molina-Infante, I. Modolell, F. Bermejo, M. Castro-Fernández, R. Antón, B. Sa	1%
6	Crossref 14 words A. Cosme. "Usefulness of antimicrobial susceptibility in the eradication of <i>Helicobacter pylori</i> : Antimicrobial suscepti..."	1%

Antimicrobial susceptibility testing before first-line treatment for Helicobacter pylo

全部 图片 视频 新闻 购物 地图 图书

找到约 56,800 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Antimicrobial susceptibility testing for Helicobacter pylori in times of ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4123372/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4123372/>

7 Aug 2014 ... Keywords: Helicobacter pylori, Antibiotic resistance, Antimicrobial ... triple therapy to treat Helicobacter pylori (H. pylori) infection, largely due ... In addition, antimicrobials should be avoided for 4 wk prior to testing (UBT, stool antigen test or ... Most patients are prescribed initial H. pylori eradication treatment ...

[Choosing Optimal First-line Helicobacter pylori Therapy: a View from ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5314729/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5314729/>

17 Feb 2017 ... Alternative first-line regimens such as sequential and concomitant therapy ... Antibiotic resistance rates in Russia are high, however there is lack of data ... bismuth quadruple therapy, hybrid or dual-concomitant therapy and ... Amoxicillin is one of the most widely used antimicrobials for H. pylori infection.

[Second and third line treatment options for Helicobacter pylori ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3925860/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3925860/>

14 Feb 2014 ... Antibiotic testing is recommended prior to initiating third line ... that antibiotic susceptibility testing is unavailable, third line treatment ... a role for triple therapy as first line therapy for H. pylori infection[1]. ... Primary antimicrobial resistance However, eradication rate was 0 in patients with dual resistance to ...

[Treatment of Helicobacter pylori infection: Meeting the challenge of ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4123371/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4123371/>

7 Aug 2014 ... Keywords: Helicobacter pylori, Antibiotic resistance, Bismuth-quadruple, Concomitant, Sequential ... For the last 2 decades, standard triple therapies comprising of a ... In this same study (2204 patients), CAM-resistance was determined susceptibility testing should be carried out before first-line treatment.

[Treatment after failure: the problem of "non-responders" | Gut](#)

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 35,000 条结果 (用时 0.96 秒)

Antimicrobial susceptibility testing for Helicobacter pylori in times of ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者 : SM Smith - 2014 - 被引用次数 : 35 - [相关文章](#)

2014年8月7日 - Keywords: **Helicobacter pylori**, **Antibiotic resistance**, **Antimicrobial ... triple therapy to treat Helicobacter pylori (H. pylori) infection**, largely due to a ... In addition, **antimicrobials** should be avoided for 4 wk **prior to testing** (UBT, stool antigen **test** or ... The success rate of **first-line treatment** has fallen below the ...

Choosing Optimal First-line Helicobacter pylori Therapy: a View from a ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5314729/> - [翻译此页](#)

作者 : AA Nijevitch - 2014 - 被引用次数 : 4 - [相关文章](#)

2017年2月17日 - Alternative **first-line** regimens such as sequential and concomitant **therapy ... Antibiotic resistance** rates in Russia are high, however there is lack of data ... bismuth quadruple **therapy**, hybrid or **dual-concomitant therapy** and ... Amoxicillin is one of the most widely used **antimicrobials** for **H. pylori infection**.

Second and third line treatment options for Helicobacter pylori ... - NCBI

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者 : M Song - 2014 - 被引用次数 : 25 - [相关文章](#)

2014年2月14日 - **Antibiotic testing** is recommended **prior to** initiating third line ... that **antibiotic susceptibility testing** is unavailable, third line **treatment ... a role for triple therapy as first line therapy for H. pylori infection**[1]. ... Primary **antimicrobial resistance** However, eradication rate was 0 in **patients with dual resistance** to ...

Treatment of Helicobacter pylori infection: Meeting the challenge of ...

<https://www.ncbi.nlm.nih.gov> > [NCBI](#) > [Literature](#) > [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者 : V Papastergiou - 2014 - 被引用次数 : 36 - [相关文章](#)