

**Name of Journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 28046

**Manuscript Type:** BASIC STUDY

**Recombinant adeno-associated virus carrying thymosin  $\beta_4$  suppresses experimental colitis in mice**

**Xiao-Yan Zheng, Yi-Fei Lv, Shuang Li, Qian Li, Qian-Nan Zhang, Xue-Ting Zhang, Zhi-Ming Hao**

### Abstract

**AIM:** To investigate the protective effect of a recombinant adeno-associated virus carrying thymosin  $\beta_4$  (AAV-T $\beta_4$ ) on murine colitis via intracolonic administration.

**METHODS:** AAV-T $\beta_4$  was prepared and intracolonic (i.c.) used to mediate

### Match Overview

1	<b>Crossref</b> 35 words Hao, Zhiming, Xiaofei Yang, Yifei Lv, Shuang Li, Bibek Kumar Purbey, and Houqiang Su. "Intracolonic administered ade	1%
2	<b>Internet</b> 24 words crawled on 27-Jul-2016 <a href="http://www.spandidos-publications.com">www.spandidos-publications.com</a>	1%
3	<b>Internet</b> 14 words crawled on 06-Apr-2016 <a href="http://academicjournals.org">academicjournals.org</a>	<1%
4	<b>Internet</b> 31 words crawled on 15-Aug-2016 <a href="http://mdpi.com">mdpi.com</a>	1%
5	<b>Crossref</b> 8 words Nakagawa, Tomoo, Tatsuro Katsuno, Yoshiko Noguchi, Yasus hi Mandai, Sayuri Yoshihama, Keiko Saito, Daisuke Maruoka,	<1%

Recombinant adeno-associated virus carrying thymosin  $\beta$ 4 suppresses experime

全部 图片 视频 新闻 地图 图书

找到约 371 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Google 学术: Recombinant adeno-associated virus carrying thymosin  \$\beta\$ 4 suppresses experimental colitis in mice](#)

[... to chronic humoral autoimmunity in NZB/W mice](#) - Hoyer - 被引用次数: 314

[The rheumatoid arthritis specific Sa antigen is ...](#) - Vossenaar - 被引用次数: 455

[CD25brightCD4+ regulatory T cells accumulate in ...](#) - Cao - 被引用次数: 299

[Adeno-associated virus-mediated colonic secretory expression of ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/27572454>

Adeno-associated virus-mediated colonic secretory expression of HMGB1 A box attenuates experimental colitis in mice. ... METHODS: Self-complementary AAV-2 carrying mouse immunoglobulin Gk leader-human HMGB1 A box (AAV-HMGB1 ...

[Adeno-associated virus-mediated delivery of a mutant endostatin ...](#)

[www.ncbi.nlm.nih.gov/pubmed/15550927](http://www.ncbi.nlm.nih.gov/pubmed/15550927)

Adeno-associated virus-mediated delivery of a mutant endostatin suppresses ovarian carcinoma growth in mice. ... In the present study, we investigated the effect of recombinant adeno-associated virus (rAAV)-mediated gene delivery of ...

[Adeno-associated virus mediated delivery of Tregitope 167 ... - NCBI](#)

[www.ncbi.nlm.nih.gov/pubmed/22969191](http://www.ncbi.nlm.nih.gov/pubmed/22969191)

28 Aug 2012 ... Adeno-associated virus mediated delivery of Tregitope 167 ameliorates experimental colitis. van der Marel ... METHODS: The trinitrobenzene sulfonate (TNBS) model of induced colitis was used in Balb/c mice. Subsequently ...

[US20090317457A1 - Google Patents'](#)

<https://patents.google.com/patent/US20090317457A1/en>

In one embodiment, the lymphoid thymosin- $\beta$ 4 polypeptide comprises the amino acid .... 2A shows that a 24 h., mice that received LT $\beta$ 4 had a significantly reduced footpad .... is

学术搜索

找到约 175 条结果 (用时0.10秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利☒ 包含引用☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

### Host immune responses to salivary gland administration of recombinant adeno-associated virus serotype 2 vectors

MR Kok, A Voutetakis, S Yamano, J Wang... - Arthritis research & ..., 2004 - Springer  
... as HC gp-39-directed, IL-10-producing CD4+ T cell lines were able to suppress MHC class I ... In separate cell culture experiments Fc $\gamma$ RII and Fc $\gamma$ RIII were blocked. ... derived from human filaggrin, and the ArFA- ELISA that we developed using a citrullinated recombinant rat filaggrin ...

相关文章 所有 6 个版本 引用 保存

### Anti-inflammatory and wound healing effects of lymphoid thymosin b-4

M Girardi, RE Tigelaar, MA Sherling... - US Patent App. 12/ ..., 2009 - Google Patents  
... Approaches include insertion of the subject gene in viral vectors including recombinant retroviruses, adenovirus, adeno-associated virus, herpes simplex virus-1, lentivirus, mammalian baculovirus or recombinant bacterial or eukaryotic plasmids. ...

相关文章 所有 2 个版本 引用 保存

### Anti-inflammatory and wound healing effects of lymphoid thymosin beta-4

M Girardi, R Tigelaar, M Sherling, J Shires... - US Patent App. 10/ ..., 2003 - Google Patents  
... to a polypeptide produced by means of recombinant nucleic acids (eg, recombinant DNA or ... composition further comprises a compound in addition to lymphoid thymosin- $\beta$ 4 polypeptide ... filler, diluent, excipient, solvent or encapsulating material, involved in carrying or transporting ...

被引用次数: 1 相关文章 所有 2 个版本 引用 保存

### Short-lived plasmablasts and long-lived plasma cells contribute to chronic humoral autoimmunity in NZB/W mice

BF Hoyer, K Moser, AE Hauser... - Arthritis ..., 2004 - arthritis-research.biomedcentral.com  
... as HC gp-39-directed, IL-10-producing CD4+ T cell lines were able to suppress MHC class I ... In separate cell culture experiments Fc $\gamma$ RII and Fc $\gamma$ RIII were blocked. ... derived from human filaggrin, and the ArFA- ELISA that we developed using a citrullinated recombinant rat filaggrin ...

被引用次数: 314 相关文章 所有 17 个版本 引用 保存

### Differential regulation of mitogenic activated protein kinases by thymosin $\beta$ 4 sulphoxide (Tb4SO)

M Junghae, JD Young, JA Gracie... - Arthritis research & therapy, 2004 - Springer

[PDF] biomedcentral.com