

3-Dimensional liver volume assessment in patients with hepatitis B virus-related l

全部 图片 视频 新闻 地图 图书

找到约 5,290 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Hepatitis B virus-related decompensated liver cirrhosis: Benefits of ...](#)

www.sciencedirect.com/science/article/pii/S0168827812002504 ▼

12 Apr 2012 ... Oral antiviral agents are effective in restoring liver function and improving ... MELD, model for end stage liver disease;; Nuc, nucleos(t)ide analogue;; SBP ... Chronic hepatitis B virus (HBV) infection is a serious health problem because ... during long-term follow-up of patients with chronic hepatitis B (CHB) in ...

[Risk of hepatocellular carcinoma in chronic hepatitis B: Assessment ...](#)

www.sciencedirect.com/science/article/pii/S0168827815000045 ▼

13 Jan 2015 ... In the treatment of chronic hepatitis B (CHB), the ultimate goal is preventing hepatitis B virus (HBV)-associated liver disease, including ... Recently published studies show that in CHB patients treated with the currently recommended first- line nucleos(t)ide analogs (NAs) entecavir or tenofovir, annual HCC ...

[Prognosis of hepatitis B-related liver cirrhosis in the era of oral ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/22554121>

Prognosis of hepatitis B-related liver cirrhosis in the era of oral nucleos(t)ide analog ... long-term outcomes and prognostic factors in patients with hepatitis B virus ... were treated with lamivudine and second line nucleos(t)ide analogs. ... HBV-related cirrhosis who were managed without any antiviral treatment prior to 1999.

[Nucleos\(t\)ide analogs in the prevention of hepatitis B virus related ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4491903/>

8 Jul 2015 ... Newer nucleos(t)ide analogues (NAs) as entecavir and tenofovir are very potent ... In cirrhotic patients, surveillance for HCC increases the possibility of an earlier for CHB patients receiving long term oral antiviral treatment. during long- term lamivudine therapy in hepatitis B virus-related liver disease.

[Management of hepatitis B virus-related acute liver failure - Springer](#)

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 30469

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

3-Dimensional ¹liver volume assessment in patients with hepatitis B virus-related liver cirrhosis during long-term oral nucleos(t)ide analogues therapy

Chang Hun Lee, In Hee Kim, Jin Chang Moon, Seung Young Seo, Seong Hun Kim, Sang Wook Kim, Seung Ok Lee, Soo Teik Lee, Dae Ghon Kim, Jae Do Yang, Hee Chul Yu

Abstract

Match Overview

1	Crossref 190 words "23rd Annual Conference of APASL March 12–15, 2014, Brisbane, Australia", <i>Hepatology International</i> , 2014.	5%
2	Internet 50 words crawled on 02-Feb-2016 www.isradiology.org	1%
3	Internet 45 words crawled on 02-Mar-2016 www.wjgnet.com	1%
4	Crossref 32 words "The 22nd Conference of the Asian Pacific Association ... or the Study of the Liver : APASL 2012—Taipei, Taiwan—	1%
5	Crossref 17 words Shim, Jae-Jun, Jung Wook Kim, Chang Kyun Lee, Jae Y oung Jang, and Byung-Ho Kim. "Oral antiviral therapy im	<1%
6	Crossref 17 words Yim, Hyung Joon, Yeon Seok Seo, Eileen L. Yoon, Chang Wook Kim, Chang Don Lee, Sang Hoon Park, Myung Se	<1%
7	Crossref 15 words Liu, Wei, Hongxuan Song, Qian Chen, Chunli Xu, Wenjin g Zhang, Yutian Liu, Baoju Wang, Dongping Xu, Mengji L	<1%
8	Internet 14 words crawled on 17-May-2015 www.antimicrobe.org	<1%

3-Dimensional liver volume assessment in patients with hepatitis B virus-related l

全部 图片 视频 新闻 地图 图书

找到约 5,290 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Hepatitis B virus-related decompensated liver cirrhosis: Benefits of ...](#)

www.sciencedirect.com/science/article/pii/S0168827812002504 ▼

12 Apr 2012 ... Oral antiviral agents are effective in restoring liver function and improving ... MELD, model for end stage liver disease;; Nuc, nucleos(t)ide analogue;; SBP ... Chronic hepatitis B virus (HBV) infection is a serious health problem because ... during long-term follow-up of patients with chronic hepatitis B (CHB) in ...

[Risk of hepatocellular carcinoma in chronic hepatitis B: Assessment ...](#)

www.sciencedirect.com/science/article/pii/S0168827815000045 ▼

13 Jan 2015 ... In the treatment of chronic hepatitis B (CHB), the ultimate goal is preventing hepatitis B virus (HBV)-associated liver disease, including ... Recently published studies show that in CHB patients treated with the currently recommended first- line nucleos(t)ide analogs (NAs) entecavir or tenofovir, annual HCC ...

[Prognosis of hepatitis B-related liver cirrhosis in the era of oral ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/22554121>

Prognosis of hepatitis B-related liver cirrhosis in the era of oral nucleos(t)ide analog ... long-term outcomes and prognostic factors in patients with hepatitis B virus ... were treated with lamivudine and second line nucleos(t)ide analogs. ... HBV-related cirrhosis who were managed without any antiviral treatment prior to 1999.

[Nucleos\(t\)ide analogs in the prevention of hepatitis B virus related ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4491903/>

8 Jul 2015 ... Newer nucleos(t)ide analogues (NAs) as entecavir and tenofovir are very potent ... In cirrhotic patients, surveillance for HCC increases the possibility of an earlier for CHB patients receiving long term oral antiviral treatment. during long- term lamivudine therapy in hepatitis B virus-related liver disease.

[Management of hepatitis B virus-related acute liver failure - Springer](#)

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 5,340 条结果 (用时 1.22 秒)

Risk of hepatocellular carcinoma in chronic hepatitis B: Assessment ...

www.sciencedirect.com/science/article/pii/S0168827815000045 ▼ [翻译此页](#)

作者：GV Papatheodoridis - 2015 - 被引用次数：61 - [相关文章](#)

2015年1月13日 - In the **treatment of chronic hepatitis B** (CHB), the ultimate goal is preventing **hepatitis B virus** (HBV)-associated liver disease, including hepatocellular carcin. ... first-line **nucleos(t)ide analogs** (NAs) entecavir or tenofovir, annual HCC incidences The cumulative 5-year HCC incidence in the overall **patient** ...

Hepatitis B virus-related decompensated liver cirrhosis: Benefits of ...

www.sciencedirect.com/science/article/pii/S0168827812002504 ▼ [翻译此页](#)

作者：CY Peng - 2012 - 被引用次数：118 - [相关文章](#)

2012年4月12日 - **Oral** antiviral agents are effective in restoring **liver** function and improving ... MELD, model for end stage **liver disease**; Nuc, **nucleos(t)ide analogue**; SBP ... **Chronic hepatitis B virus** (HBV) infection is a serious health problem because ... **during long-term** follow-up of **patients** with **chronic hepatitis B** (CHB) in ...

Prognosis of hepatitis B-related liver cirrhosis in the era of oral nucleos(t)

<https://www.ncbi.nlm.nih.gov/pubmed/22554121> - [翻译此页](#)

作者：CH Kim - 2012 - 被引用次数：22 - [相关文章](#)

Prognosis of **hepatitis B-related liver cirrhosis** in the era of **oral nucleos(t)ide analog** ... **long-term** outcomes and prognostic factors in **patients** with **hepatitis B virus** ... were treated with lamivudine and second line **nucleos(t)ide analogs**. ... **HBV-related cirrhosis** who were managed without any antiviral **treatment** prior to 1999.

Nucleos(t)ide analogs in the prevention of hepatitis B virus related ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：B Baran - 2015 - 被引用次数：7 - [相关文章](#)

2015年7月8日 - Newer **nucleos(t)ide analogues** (NAs) as entecavir and tenofovir are very potent ... In **cirrhotic patients**, surveillance for HCC increases the possibility of an earlier for CHB **patients**