

polyphenols ameliorate non-alcoholic fatty liver disease through upregulating

全部 图片 视频 新闻 地图 图书

找到约 959,000 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[PDF] [Polyphenols and non-alcoholic fatty liver disease: Impact and ...](https://ueaeprints.uea.ac.uk/.../Polyphenols_and_NAFLD_Impact_and_mechanisms_19_May_without_field.pdf)

[https://ueaeprints.uea.ac.uk/.../Polyphenols\\_and\\_NAFLD\\_Impact\\_and\\_mechanisms\\_19\\_May\\_without\\_field.pdf](https://ueaeprints.uea.ac.uk/.../Polyphenols_and_NAFLD_Impact_and_mechanisms_19_May_without_field.pdf)

**Non-alcoholic fatty liver disease** (NAFLD) is considered to be the hepatic component of ... In particular, the reduction of de novo lipogenesis (via SREBP- ... have been reported to contribute to the **amelioration** of NAFLD will also be addressed. .... mice leads to cytochrome p450 2a5 **upregulation through** nuclear factor ...

[Polyphenols and non-alcoholic fatty liver disease: impact and ...](https://www.cambridge.org/.../13E20964D05A34781BCEF18C481944CA)

<https://www.cambridge.org/.../13E20964D05A34781BCEF18C481944CA>

23 Nov 2015 ... **Non-alcoholic fatty liver disease** (NAFLD) is considered to be the hepatic ... modulate a variety of contributors to the NAFLD phenotype, **through** diverse and ... to contribute to the **amelioration** of NAFLD will also be addressed. .... fatty liver disease in mice leads to cytochrome p450 2a5 **upregulation through** ...

[Green tea polyphenol epigallocatechin-3-gallate ameliorates ... - NCBI](https://www.ncbi.nlm.nih.gov/pubmed/25891086)

<https://www.ncbi.nlm.nih.gov/pubmed/25891086>

20 Apr 2015 ... Green tea **polyphenol** epigallocatechin-3-gallate **ameliorates** insulin resistance in **non-alcoholic fatty liver disease** mice. ... clearance and **upregulated** IDE protein expression and enzyme activity in the liver of NAFLD mice. ... in NAFLD mice not only by reducing body weight but also **through** enhancing the ...

[Polyphenols and non-alcoholic fatty liver disease: impact and ... - NCBI](https://www.ncbi.nlm.nih.gov/pubmed/26592314)

<https://www.ncbi.nlm.nih.gov/pubmed/26592314>

23 Nov 2015 ... **Polyphenols** and **non-alcoholic fatty liver disease**: impact and mechanisms. ... a variety of contributors to the NAFLD phenotype, **through** diverse and ... to contribute to the **amelioration** of NAFLD will also be addressed.

## Match Overview

1	<b>Crossref</b> 28 words Takahashi, Y., "Effects of soy protein and isoflavone on hepatic fatty acid synthesis and oxidation and mRNA expr	1%
2	<b>Crossref</b> 22 words Salomone, Federico, Justyna Godos, and Shira Zelber-Sagi. "Natural anti-oxidants for non-alcoholic fatty liver di ...	1%
3	<b>Crossref</b> 19 words Lao, Weiguo, Yi Tan, Xingliang Jin, Linda Xiao, Jane J.Y. Kim, and Xianqin Qu. "Comparison of Cytotoxicity and th	<1%
4	<b>Crossref</b> 16 words Tan, Yi, Weiguo Lao, Linda Xiao, Zhenzhong Wang, Wei Xiao, Mohamed A. Kamal, J. Paul Seale, and Xianqin Qu.	<1%
5	<b>Internet</b> 15 words crawled on 23-Mar-2017 f1000.com	<1%
6	<b>Crossref</b> 14 words Heeringa, Marten, Ann Hastings, Shunji Yamazaki, and Paul de Koning. "Serum biomarkers in nonalcoholic st ...	<1%
7	<b>Internet</b> 14 words crawled on 23-Mar-2016 www.clinsci.org	<1%
8	<b>Internet</b> 14 words crawled on 17-Mar-2016 www.mdpi.com	<1%

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 32796

Manuscript Type: ORIGINAL ARTICLE

### Basic Study

Green tea polyphenols ameliorate non-alcoholic fatty liver disease through upregulating AMPK activation in high fat fed Zucker fatty rats

Yi Tan, Jane Kim, Jing Cheng, Madeleine Ong, Weiguo Lao, Xing-Liang Jin, Yiguang Lin, Linda Xiao, Xue-Qiong Zhu, Xian-Qin Qu

### Abstract

#### AIM

To investigate protective effects and molecular mechanisms of green tea polyphenols (GTP) on non-alcoholic fatty liver disease (NAFLD) in Zucker fatty (ZF) rats.



polyphenols ameliorate non-alcoholic fatty liver disease through upregulating

全部 图片 视频 新闻 地图 图书

找到约 959,000 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[\[PDF\] Polyphenols and non-alcoholic fatty liver disease: Impact and ...](#)

[https://ueaeprints.uea.ac.uk/.../Polyphenols\\_and\\_NAFLD\\_Impact\\_and\\_mechanisms\\_19\\_May\\_without\\_field.pdf](https://ueaeprints.uea.ac.uk/.../Polyphenols_and_NAFLD_Impact_and_mechanisms_19_May_without_field.pdf)

**Non-alcoholic fatty liver disease** (NAFLD) is considered to be the hepatic component of ... In particular, the reduction of de novo lipogenesis (via SREBP- ... have been reported to contribute to the **amelioration** of NAFLD will also be addressed. .... mice leads to cytochrome p450 2a5 **upregulation through** nuclear factor ...

[Polyphenols and non-alcoholic fatty liver disease: impact and ...](#)

<https://www.cambridge.org/...classtitlepolyphenols...non-alcoholic-fatty-liver-disease.../13E20964D05A34781BCEF18C481944CA>

23 Nov 2015 ... **Non-alcoholic fatty liver disease** (NAFLD) is considered to be the hepatic ... modulate a variety of contributors to the NAFLD phenotype, **through** diverse and ... to contribute to the **amelioration** of NAFLD will also be addressed. .... fatty liver disease in mice leads to cytochrome p450 2a5 **upregulation through** ...

[Green tea polyphenol epigallocatechin-3-gallate ameliorates ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pubmed/25891086>

20 Apr 2015 ... Green tea **polyphenol** epigallocatechin-3-gallate **ameliorates** insulin resistance in **non-alcoholic fatty liver disease** mice. ... clearance and **upregulated** IDE protein expression and enzyme activity in the liver of NAFLD mice. ... in NAFLD mice not only by reducing body weight but also **through** enhancing the ...

[Polyphenols and non-alcoholic fatty liver disease: impact and ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pubmed/26592314>

23 Nov 2015 ... **Polyphenols** and **non-alcoholic fatty liver disease**: impact and mechanisms. ... a variety of contributors to the NAFLD phenotype, **through** diverse and ... to contribute to the **amelioration** of NAFLD will also be addressed.

找到约 17,700 条结果 (用时 0.81 秒)

## Green Tea Extract Rich in Epigallocatechin-3-Gallate Prevents Fatty ...

<https://www.ncbi.nlm.nih.gov/pubmed/26536464> - 翻译此页

作者 : AB Santamarina - 2015 - 被引用次数 : 5 - 相关文章

2015年11月4日 - **Green Tea** Extract Rich in Epigallocatechin-3-Gallate Prevents **Fatty** Liver by **AMPK** Activation via LKB1 in Mice **Fed** a **High-Fat** Diet. ... diet (HFD)-induced effects, thereby preventing non-alcoholic fatty liver disease in mice.

## Herbal medicines and nonalcoholic fatty liver disease - NCBI

<https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral/PMC/> - 翻译此页

作者 : H Yao - 2016 - 被引用次数 : 4 - 相关文章

2016年8月14日 - **Nonalcoholic fatty liver disease** (NAFLD), which is characterized by .... **Activation** of the **AMPK/SIRT-1** signaling pathway is the common .... in obese mice **fed** a **high-fat** diet, **through** regulation of mitochondrial oxidative metabolism. ... and **polyphenols** for the treatment of **nonalcoholic fatty liver disease**.

## Green tea polyphenol epigallocatechin-3-gallate ameliorates insulin ...

<https://www.ncbi.nlm.nih.gov/pubmed/25891086> - 翻译此页

作者 : L Gan - 2015 - 被引用次数 : 16 - 相关文章

2015年4月20日 - **Green tea polyphenol** epigallocatechin-3-gallate **ameliorates** insulin resistance in **non-alcoholic fatty liver disease** mice. ... METHODS: Mice were **fed** on a **high-fat** diet for 24 weeks. ... protein expression and enzyme activity were detected **using** Western blot and immunocapture activity assays, respectively.

## Green Tea Extract Rich in Epigallocatechin-3-Gallate Prevents Fatty ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4633218/> - 翻译此页

作者 : AB Santamarina - 2015 - 被引用次数 : 5 - 相关文章

2015年11月4日 - It is well known that a **high-fat** diet (HFD) rich in saturated fat and low in ... [3] considered that **non-alcoholic fatty liver disease** (NAFLD) is the hepatic ... The role of adiponectin in LKB1 **activation** is controversial because a study [14] ... **Green Tea Polyphenols** Reduced Fat