

Pleiotrophin and N-syndecan promote perineural invasion and tumor progression



全部 图片 视频 新闻 购物 地图 图书

找到约 6,570 条结果

时间不限
过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果
精确匹配

[Pleiotrophin promotes perineural invasion in pancreatic cancer - NCBI](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3801368/

21 Oct 2013 ... **Perineural invasion (PNI)** in **pancreatic cancer** is an important cause of local ... **N-syndecan** on pancreatic nerves, to **promote** neural growth in **pancreatic cancer**. ... tissues and correlates with **pancreatic cancer progression**[27]. ... In both **mice** and humans, serum PTN levels dropped after successful **tumor** ...

[The Survival-promoting Peptide Y-P30 Enhances Binding of ... - NCBI](#)

www.ncbi.nlm.nih.gov/pmc/articles/PMC3259816/

In this study, we identify **pleiotrophin (PTN)** and **syndecan-2** and **-3** as direct binding ... can be induced in pathological states like nerve injury (1) and **tumor** growth (2, 6). ... with lysine-rich domains at the **N** and **C** termini and two separate heparin-binding ... **Pleiotrophin promotes perineural invasion in pancreatic cancer**.

[\[PDF\] Pleiotrophin promotes perineural invasion in pancreatic cancer](#)

www.wjgnet.com/esps/DownloadFile.aspx?Type=InPress...

21 Oct 2013 ... **promote** PNI in **pancreatic cancer**. PTN is released at the time of **tumor** cell necrosis, and binds with its high- affinity receptor, **N-syndecan** on ...

[PLOS ONE: The Effects of Pleiotrophin in Proliferative Diabetic ...](#)

journals.plos.org/plosone/article?id=10.1371%2Fjournal.pone...

Pleiotrophin (PTN), a secreted, multifunctional cytokine, is involved in ... of the tumor

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 30174

Manuscript Type: ORIGINAL ARTICLE

Randomized Controlled Trial

Pleiotrophin and N-syndecan promote perineural invasion and tumor progression in an in situ pancreatic cancer mouse model

Jun Yao, Lu-Lin Zhang, Xu-Mei Huang, Wen-Yao Li, She-Gan Gao

Abstract

AIM

To explore the expression of pleiotrophin and N-syndecan and their association with tumor progression and perineural invasion in pancreatic

Match Overview

1	Crossref 136 words Jun Yao. "Pleiotrophin Expression in Human Pancreatic Cancer and Its Correlation with Clinicopathological Fe ..."	4%
2	Crossref 104 words Liang, Dingkong, Si Shi, Jin Xu, Bo Zhang, Yi Qin, Shunrong Ji, Wenyan Xu, Jiang Liu, Liang Liu, Chen Liu, Jiang	3%
3	Internet 51 words crawled on 01-Jul-2016 www.wjgnet.com	2%
4	Internet 25 words crawled on 31-Dec-2014 mct.aacrjournals.org	1%
5	Crossref 18 words Wujun Wu. "Heparanase expression in gallbladder carcinoma and its correlation to prognosis", <i>Journal of Gastr</i>	1%
6	Crossref 16 words Shan, Tao, Xijuan Cui, Wei Li, Wanrun Lin, and Yiming ... I. "AQP5: A novel biomarker that predicts poor clinical out	1%
7	Crossref 14 words "posters", <i>Annals of Oncology</i> , 06/01/2010	<1%
8	Internet 13 words crawled on 01-Sep-2015 clincancerres.aacrjournals.org	<1%

Pleiotrophin and N-syndecan promote perineural invasion and tumor progression

全部 图片 视频 新闻 购物 地图 图书

找到约 10,200 条结果

时间不限

- 过去 1 小时内
- 过去 24 小时内
- 过去 1 周内
- 过去 1 个月内
- 过去 1 年内

所有结果

精确匹配

[Pleiotrophin promotes perineural invasion in pancreatic cancer - NCBI](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3801368/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3801368/>

21 Oct 2013 ... Perineural invasion (PNI) in pancreatic cancer is an important cause of local ... N-syndecan on pancreatic nerves, to promote neural growth in pancreatic cancer. ... tissues and correlates with pancreatic cancer progression[27]. ... In both mice and humans, serum PTN levels dropped after successful tumor ...

[Midkine promotes perineural invasion in human pancreatic cancer](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3960408/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3960408/>

21 Mar 2014 ... Midkine promotes perineural invasion in human pancreatic cancer ... MK and syndecan-3 expression was associated with perineural invasion (P = 0.018 ... neuronal survival[9,10], carcinogenesis, and tumor progression[6,11]. In addition, patients who were negative for syndecan-3 (n = 18) had a higher ...

[\[PDF\] Pleiotrophin promotes perineural invasion in pancreatic cancer](http://www.wjgnet.com/esps/DownloadFile.aspx?Type=InPress...)

www.wjgnet.com/esps/DownloadFile.aspx?Type=InPress...

21 Oct 2013 ... promote PNI in pancreatic cancer. PTN is released at the time of tumor cell necrosis, and binds with its high-affinity receptor, N-syndecan on ...

[PLOS ONE: The Effects of Pleiotrophin in Proliferative Diabetic ...](http://journals.plos.org/plosone/article?id=10.1371%2Fjournal.pone...)

journals.plos.org/plosone/article?id=10.1371%2Fjournal.pone...

Pleiotrophin (PTN), a secreted, multifunctional cytokine, is involved in ... PTN signaling in the malignant cells effectively reverse tumor angiogenesis[22,28]. (2005) Vascular damage in a mouse model of diabetic retinopathy: relation to neuronal ... SG (2013) Pleiotrophin promotes perineural invasion in pancreatic cancer.

[Related Articles - PubMed Central Canada](http://pubmedcentralcanada.ca/pmcc/mlt;jsessionid...thrasher?mltid...)

pubmedcentralcanada.ca/pmcc/mlt;jsessionid...thrasher?mltid...

Results 1 - 25 ... Objectives: Tumor-associated macrophages (TAMs) are thought to be ...

找到约 10,100 条结果 (用时 0.86 秒)

Pleiotrophin promotes perineural invasion in pancreatic cancer - NCBI

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: J Yao - 2013 - 被引用次数: 10 - 相关文章

2013年10月21日 - **Perineural invasion** (PNI) in **pancreatic cancer** is an important cause of local ... **N-syndecan** on pancreatic nerves, to **promote** neural growth in **pancreatic cancer**. ... tissues and correlates with **pancreatic cancer progression**[27]. ... In both **mice** and humans, serum PTN levels dropped after successful **tumor** ...

缺少字词: situ

Midkine promotes perineural invasion in human pancreatic cancer

<https://www.ncbi.nlm.nih.gov> › NCBI › Literature › PubMed Central (PMC) - 翻译此页

作者: J Yao - 2014 - 被引用次数: 9 - 相关文章

2014年3月21日 - METHODS: **Pancreatic cancer** tissues (including adequately sized tumor ... MK and **syndecan-3** expression was associated with **perineural invasion** (P ... biological properties, including neuritis outgrowth and **tumor progression**. In contrast, the cumulative survival rate in MK-positive patients (n = 26) was ...

缺少字词: situ mouse

^[PDF] Pleiotrophin promotes perineural invasion in pancreatic cancer

www.wjgnet.com/esps/DownloadFile.aspx?Type=InPress&FilePath... ▼ 翻译此页

作者: J Yao - 2013 - 被引用次数: 10 - 相关文章

2013年10月21日 - **promote** PNI in **pancreatic cancer**. PTN is released at the time of **tumor** cell necrosis, and binds with its high- affinity receptor, **N-syndecan** on ...

缺少字词: situ

PLOS ONE: The Effects of Pleiotrophin in Proliferative Diabetic ...

journals.plos.org/plosone/article?id=10.1371%2Fjournal.pone.0115523 ▼ 翻译此页

2015年1月24日 - **Pleiotrophin** (PTN), a secreted, multifunctional cytokine, is involved in angiogenic ... of the **tumor** cells[22 23 24] but it also affects **perineural invasion** and ... (2005) Vascular damage in