

[全部](#)
[新闻](#)
[图片](#)
[购物](#)
[地图](#)
[更多](#)
[设置](#)
[工具](#)

找到约 2,950 条结果 (用时 0.98 秒)

## Non-alcoholic fatty liver disease and non-alcoholic steatohepatitis

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: R Vuppalanchi - 2009 - [被引用次数: 557](#) - [相关文章](#)

**Nonalcoholic fatty liver disease** (NAFLD) is one of the most common causes of elevated .... levels and hemoglobin A1c. In non-diabetic patients, **insulin resistance** should be ..... and NASH, and our knowledge of **their association** is evolving rapidly. ... In a nested **case-control**, prospective **study**, Targher et al. have shown that ...

## Role of NCAN rs2228603 polymorphism in the incidence of ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5124242/> - [翻译此页](#)

作者: MJ Wu - 2016 - [相关文章](#)

2016年11月26日 - Our **study** for the first time identified that the gene NCAN rs2228603 ... **Non-alcoholic fatty liver disease** (NAFLD), a hepatic manifestation of ... with metabolic derangements including obesity, **insulin resistance**, and diabetes mellitus [1, 2]. .... Compared to the **controls**, NAFLD patients showed increased age, ...

## Genetic Predisposition in NAFLD and NASH: Impact on Severity of ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: P Dongiovanni - 2013 - [被引用次数: 74](#) - [相关文章](#)

Indeed, the major risk factor for NAFLD is systemic **insulin resistance** due to ... Mechanisms **involved** in the pathogenesis of NASH. ... Heritable components of **non-alcoholic fatty liver disease** (NAFLD) and liver indices associated with steatosis. .... and **their** two parents, and a classical **case-control** allelic **association study** in ...

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 33298

Manuscript Type: ORIGINAL ARTICLE

### Case Control Study

Keratin 8/18 variants involved in non-alcoholic fatty liver disease and their association with insulin resistance: A case-control study in Chinese cohort

Li R *et al.* Keratin 8/18 variants in NAFLD

Rui Li, Xian-Hua Liao, Jun-Zhao Ye, Min-Rui Li, Yan-Qin Wu, Xuan Hu, Bi-hui Zhong

### Abstract

#### AIM

To test the hypothesis that K8/K18 variants predispose humans to

### Match Overview

1	<b>Internet</b> 56 words crawled on 18-Jan-2017 <a href="http://hwmain.fasebj.org">hwmain.fasebj.org</a>	2%
2	<b>Crossref</b> 45 words Usachov, Valentyn, Thomas J. Urban, Robert J. Fontana, Annika Gross, Sapna Iyer, M. Bishr Omary, and Pavel Str	2%
3	<b>Crossref</b> 24 words Hardy, Timothy, Fiona Oakley, Quentin M. Anstee, and Christopher P. Day. "Nonalcoholic Fatty Liver Disease: F...	1%
4	<b>Internet</b> 23 words crawled on 14-Apr-2011 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
5	<b>Crossref</b> 21 words Toivola, Diana M, Peter Boor, Catharina Alam, and Pav ... Strnad. "Keratins in health and disease", Current Opinio	1%
6	<b>Crossref</b> 21 words Kwan, Raymond, Lu Chen, Koksun Looi, Guo-Zhong Ta o, Sujith V Weerasinghe, Natasha T Snider, Mary Anne C	1%
7	<b>Internet</b> 20 words crawled on 05-Apr-2017 <a href="http://www.love.com">www.love.com</a>	1%

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 6,140 条结果 (用时 0.94 秒)

### Role of NCAN rs2228603 polymorphism in the incidence of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5124242/> - [翻译此页](#)作者: MJ Wu - 2016 - [相关文章](#)

2016年11月26日 - Recently genome-wide **association studies** identified that NCAN ... **Non-alcoholic fatty liver disease** (NAFLD), a hepatic manifestation of ... with metabolic derangements including obesity, **insulin resistance**, and diabetes mellitus [1, 2]. .... Compared to the **controls**, NAFLD patients showed increased age, ...

### Genetic background in nonalcoholic fatty liver disease: A ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)作者: FS Macaluso - 2015 - **被引用次数: 18** - [相关文章](#)

2015年10月21日 - In the Western world, **nonalcoholic fatty liver disease** (NAFLD) is considered as ... disease through a **case-control** single nucleotide polymorphism (SNP) **study**, with all ... Genetic **variants involved** in susceptibility and/or progression of ... **insulin resistance** (IR) and the **variant**[22,23], most **studies** did not find ...

### Biomarkers in nonalcoholic fatty liver disease

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)作者: MG Neuman - 2014 - **被引用次数: 33** - [相关文章](#)

**Nonalcoholic fatty liver disease** (NAFLD) is a chronic liver condition characterized by ... The pathogenesis of NAFLD/NASH and **its** natural history is captured in liver disease ... However, close to 80% of patients with fatty liver in **cohort studies** have shown ..... Nonalcoholic steatohepatitis: **Association of insulin resistance** and ...

**Nonalcoholic fatty liver disease - Nature Reviews Disease Primers**



找到约 6,140 条结果 (用时 0.81 秒)

### Role of NCAN rs2228603 polymorphism in the incidence of ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5124242/> - 翻译此页

作者: MJ Wu - 2016 - 相关文章

2016年11月26日 - Recently genome-wide **association studies** identified that NCAN ... **Non-alcoholic fatty liver disease** (NAFLD), a hepatic manifestation of ... with metabolic derangements including obesity, **insulin resistance**, and diabetes mellitus [1, 2]. .... Compared to the **controls**, NAFLD patients showed increased age, ...

### Genetics of non-alcoholic fatty liver disease: From susceptibility and ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: VVR Kanth - 2016 - 相关文章

2016年7月18日 - **Non-alcoholic fatty liver disease** (NAFLD) is one of the most ... Genome wide **association studies** (GWAS) are employed to identify ... Xu et al[14] recent meta analysis of the rs738409 **variant** that included 23 **case-control studies** (6071 .... and **insulin resistance** and associated with NASH[39], chronic liver ...

### Biomarkers in nonalcoholic fatty liver disease

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: MG Neuman - 2014 - 被引用次数: 33 - 相关文章

**Nonalcoholic fatty liver disease** (NAFLD) is a chronic liver condition characterized by ... The pathogenesis of NAFLD/NASH and **its** natural history is captured in liver disease ... However, close to 80% of patients with fatty liver in **cohort studies** have shown ..... Nonalcoholic steatohepatitis: **Association** of **insulin resistance** and ...

### Genetic Determinants of Hepatic Steatosis in Man - The Journal of ...

[www.jlr.org/content/early/2011/01/18/jlr.R008896.full.pdf](http://www.jlr.org/content/early/2011/01/18/jlr.R008896.full.pdf) - 翻译此页

作者: AJ Hooper - 2011 - 被引用次数: 88 - 相关文章

2011年1月18日 - gene **variants**, **nonalcoholic fatty liver disease**, nonalcoholic ... **Insulin resistance** and related conditions of diabetes and obesity are closely linked to ... studied risk factors and