

H.pylori vacA genotype is a predominant determinant of immune response to H. p

全部 图片 视频 新闻 地图 图书

找到约 15,100 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Diversity of Helicobacter pylori vacA and cagA Genes and ... - NCBI](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC104665/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC104665/>

The **vacA** **genotypes** of German *H. pylori* isolates are identical to those previously reported. ... **determinants** in *H. pylori* strains, apart from **immunological** factors in the host, In all patients with gastric ulcers, moderate to severe antral **predominant** of and human serologic **response** to proteins in *Helicobacter pylori* broth ...

[Helicobacter pylori and Gastric Cancer: Factors That Modulate ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2952980/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2952980/>

Infection with *H. pylori* is the strongest known risk factor for gastric cancer, which ... it persists for the lifetime of the host, suggesting that the host **immune response** is Corpus-**predominant** gastritis predisposes individuals toward gastric cancer, ... PAI is now a well-characterized *H. pylori* virulence **determinant**, and **CagA** is ...

[Prevalence of Helicobacter pylori vacA, cagA, and iceA Genotypes ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4402555/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4402555/>

6 Apr 2015 ... Prevalence of *Helicobacter pylori vacA, cagA, and iceA Genotypes* in Cuban ... Recently, a third polymorphic **determinant** of vacuolating activity (located in the ... In the current investigation the **predominant** types in Cuban *H. pylori* strains of *Helicobacter pylori* and the generation of **immune responses**.

[Helicobacter pylori genotypes among patients in a university ...](https://www.researchgate.net/.../258204612_Helicobacter_pylori_genotypes_among_patients_in_a_university_hospital_in_Egypt_identifying_the_...)

https://www.researchgate.net/.../258204612_Helicobacter_pylori_genotypes_among_patients_in_a_university_hospital_in_Egypt_identifying_the_...

Official Full-Text Publication: *Helicobacter pylori genotypes* among patients in a university hospital in Egypt: identifying the **determinants** of disease ... Conclusion: isolates possess **vacAs1(a)** as the **predominant** allelic variant of **vacAs** types, Primers used in analysis of *H. pylori ureA, cagA* and **vacA** alleles and subtypes.

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 32700

Manuscript Type: ORIGINAL ARTICLE

Basic Study

***Helicobacter pylori vacA* genotype is a predominant determinant of immune response to *Helicobacter pylori* CagA**

Alexander Link, Cosima Langner, Wiebke Schirrmeister, Wiebke Habendorf, Jochen Weigt, Marino Venerito, Ina Tammer, Dirk Schlüter, Philipp Schlaermann, Thomas F Meyer, Thomas Wex, Peter Malfertheiner

Abstract

AIM

To evaluate the frequency of *Helicobacter pylori* (*H. pylori*) CagA antibodies in *H. pylori*

Match Overview

1	Internet 17 words crawled on 05-Dec-2010 faculty1000.files.wordpress.com	<1%
2	Crossref 17 words R. Stasi. "Primary Gastric Plasmacytoma and <i>Helicobacter pylori</i> Infection", <i>Journal of Clinical Oncology</i> , 11/24/2008	<1%
3	Internet 13 words crawled on 13-May-2016 www.recentmedicalfindings.com	<1%
4	Internet 13 words crawled on 25-Dec-2016 office.wjgnet.com	<1%

Helicobacter pylori vacA genotype is a predominant determinant of immune resp

全部 图片 视频 新闻 地图 图书

找到约 32,300 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Role of Innate Immunity in Helicobacter pylori-Induced Gastric ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2990353/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2990353/>

An understanding of how *H. pylori* manipulates the innate immune system will Following its injection into epithelial cells, *CagA* undergoes targeted tyrosine important **determinants** of host innate **immune responses** within the stomach (170). PAI and *vacA* **genotypes**, and activation of cytokine production occurs with ...

[Prevalence of Helicobacter pylori vacA, cagA, and iceA Genotypes ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4402555/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4402555/>

6 Apr 2015 ... Prevalence of *Helicobacter pylori vacA, cagA, and iceA Genotypes* in Cuban Recently, a third polymorphic **determinant** of vacuolating activity (located in the In the current investigation the **predominant** types in Cuban *H. pylori* strains of *Helicobacter pylori* and the generation of **immune responses**.

[Clinical outcome of patients with Helicobacter pylori infection: the ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2563779/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2563779/>

The pathogenesis of *H pylori* associated gastroduodenal disease remains poorly that *vacA* **genotyping** is not useful to predict symptoms, presentation, response to ... **immune response** to *H pylori* infection, making it a strong vaccine candidate. The *cag* - PAI is a type IV secretory apparatus that injects *cagA* into the host ...

[\[PDF\] Helicobacter pylori genotypes among patients in a university ...](http://jmidonline.org/upload/sayi/13/JMID-00640.pdf)

jmidonline.org/upload/sayi/13/JMID-00640.pdf ▾

Egypt: identifying the **determinants** of disease severity ... Objective: To detect the various of *H. pylori* **genotypes**, determine the most prevalent one, and to identify ...

[\[PDF\] Immune responses to Helicobacter pylori ... - Clinical Science](http://www.clinsci.org/content/ppclinsci/110/3/305.full.pdf)

www.clinsci.org/content/ppclinsci/110/3/305.full.pdf ▾

In this review, the nature of the host **immune response** to *H. pylori* **dominant immune**

[All](#)[Images](#)[Videos](#)[News](#)[Shopping](#)[More](#)[Settings](#)[Tools](#)

About 30,500 results (0.68 seconds)

Prevalence of Helicobacter pylori vacA, cagA, and iceA Genotypes in ...

<https://www.hindawi.com/journals/bmri/2015/753710/>

by O Feliciano - 2015 - Cited by 4 - Related articles

29 Jan 2015 - Prevalence of **Helicobacter pylori vacA, cagA, and iceA Genotypes** in Cuban ...

Recently, a third polymorphic **determinant** of vacuolating activity (located ... Samples were stored at -20°C before polymerase chain **reaction** (PCR) In the current investigation the **predominant** types in Cuban **H. pylori** strains ...

Helicobacter pylori and Gastric Cancer: Factors That Modulate ...

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral\(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC))

by LE Wroblewski - 2010 - Cited by 527 - Related articles

Infection with **H. pylori** is the strongest known risk factor for gastric cancer, which ... it persists for the lifetime of the host, suggesting that the host **immune response** is Corpus-**predominant** gastritis predisposes individuals toward gastric cancer, ... a well-characterized **H. pylori** virulence **determinant**, and **CagA** is frequently ...

Immune responses to Helicobacter pylori ... - Clinical Science

www.clinsci.org/content/ppclinsci/110/3/305.full.pdf ▼

by C Portal-Celhay - 2006 - Cited by 115 - Related articles

In this review, the nature of the host **immune response to H. pylori** **dominant immune response** is associated with elevated Bacterial **determinants** of virulence are considered cri- **Helicobacter pylori vacA s1 m1 genotype** and **cagA** is.

H. pylori virulence factors

<https://academic.oup.com/bmb/article-pdf/54/1/105/6703644/54-1-105.pdf>

by JC Atherton - 1998 - Cited by 222 - Related articles

Among people infected with **Helicobacter pylori**, the virulence of the infecting strain is a major **determinant** of who develops disease. Strains ... **response** seen for some pathogenic strains: for example, these strains only stimulate whereas strains which are **cagA** usually have the **vacA s2 genotype**, and such strains are ...