

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 33280

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Involvement of CRF2 signaling in enterocyte differentiation

Ducarouge B *et al.* Alteration of enterocyte differentiation by CRF2 signaling

Benjamin Ducarouge, Marjolaine Pelissier-Rota, Rebecca Powell, Alain Buisson,
Bruno Bonaz, Muriel Jacquier-Sarlin

Abstract

AIM

To determine the role of corticotropin releasing factor receptor (CRF2) in epithelial permeability and enterocyte cell differentiation.

Match Overview

1	Internet 251 words crawled on 19-Feb-2017 www.hal.inserm.fr	3%
2	Crossref 161 words Intercellular Communication in Cancer, 2015.	2%
3	Internet 50 words crawled on 27-Jul-2015 journals.plos.org	1%
4	Crossref 43 words Gout, S. "Early enterocytic differentiation of HT-29 cells ... biochemical changes and strength increases of adheren	<1%
5	Internet 33 words crawled on 04-May-2014 augenlichtlab.com	<1%
6	Internet 29 words crawled on 14-Oct-2015 file.scirp.org	<1%
7	Crossref 19 words M. Estienne. "Maternal deprivation alters epithelial sec ... ory cell lineages in rat duodenum: role of CRF-related pe	<1%
8	Crossref 19 words P. Simon-Assmann. "In vitro models of intestinal epithel ... l cell differentiation", Cell Biology and Toxicology, 07/200	<1%
9	Crossref 16 words Kim, Kwang Joong, Saebomi Park, Young Han Park, San g Hyeon Ku, Eun Byul Cho, Eun Joo Park, and Kwang ...	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 4,910 条结果（用时 0.51 秒）

Google 学术: Involvement of CRF2 signaling in enterocyte differentiation

Involvement of JAK/STAT signaling in the pathogenesis ... - Coskun - 被引用次数: 93

Stress neuromediators are key regulators of the ... - Ducarouge - 被引用次数: 3

Defective IL10 signaling defining a subgroup of ... - Begue - 被引用次数: 125

List of intestinal epithelial differentiation genes - Wikipedia

https://en.wikipedia.org/.../List_of_intestinal_epithelial_differentiation_gene... ▼ 翻译此页

Table of genes implicated in development and differentiation of the intestinal epithelium RB1, pRB, Required for enterocyte terminal differentiation in small intestine, 18981186. RBPJ, CBF1, Conversion of "A genetic study of the role of the Wnt/ β -catenin signalling in Paneth cell differentiation". Developmental Biology.

Development and differentiation of the intestinal epithelium - NCBI - NIH

[https://www.ncbi.nlm.nih.gov/.../NCBI/Literature/PubMed Central \(PMC\)](https://www.ncbi.nlm.nih.gov/.../NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: P De Santa Barbara - 2003 - 被引用次数: 243 - 相关文章

跳到Interventions of the WNT and BMP signaling pathways in adult ... - WNT proteins signal via complexes formed with β -catenin. ... bottom third of the small intestine crypt ... The experiments identified new signaling pathways involved in ...

Intestinal development and differentiation - NCBI - NIH

[https://www.ncbi.nlm.nih.gov/.../NCBI/Literature/PubMed Central \(PMC\)](https://www.ncbi.nlm.nih.gov/.../NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: TK Noah - 2011 - 被引用次数: 118 - 相关文章

2011年9月24日 - Keywords: intestine, development, differentiation, epithelium, ... Signaling pathways involved in this epithelial-mesenchymal crosstalk include ...

Involvement of JAK/STAT signaling in the pathogenesis of ...

www.academia.edu/.../Involvement_of_JAK_STAT_signaling_in_the_patho... ▼ 翻译此页

Involvement of JAK/STAT signaling in the pathogenesis of inflammatory bowel disease are characterized by a chronic idiopathic inflammation of the intestine. Differentiation of Th2 cells is driven by severe experimental colitis [106]. Tofacitinib (CP-690,550) in combination with methotrexate receptor CRF2-4 is ...

Involvement of CRF2 signaling in enterocyte differentiation

全部 图片 视频 新闻 地图 图书

找到约 4,900 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

Google 学术: [Involvement of CRF2 signaling in enterocyte differentiation](#)

[Involvement of JAK/STAT signaling in the pathogenesis of ...](#) - Coskun - 被引用次数: 93

[Stress neuromediators are key regulators of the ...](#) - Ducarouge - 被引用次数: 3

[Defective IL10 signaling defining a subgroup of ...](#) - Begue - 被引用次数: 125

[Intestinal development and differentiation - NCBI - NIH](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3210330/>

24 Sep 2011 ... Keywords: intestine, development, differentiation, epithelium, ... Signaling pathways involved in this epithelial-mesenchymal crosstalk include ...

[Development and differentiation of the intestinal epithelium](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2435618/>

WNT proteins signal via complexes formed with β -catenin. ... bottom third of the small intestine crypt ... The experiments identified new signaling pathways involved in ...

[List of intestinal epithelial differentiation genes - Wikipedia](#)

https://en.wikipedia.org/wiki/List_of_intestinal_epithelial_differentiation_genes

Table of genes implicated in development and differentiation of the intestinal epithelium ... RB1, pRB, Required for enterocyte terminal differentiation in small intestine, 18981186, RBPJ, CBF1, Conversion of ... "A genetic study of the role of the Wnt/ β -catenin signalling in Paneth cell differentiation". Developmental Biology.

[Involvement of JAK/STAT signaling in the pathogenesis of ...](#)

www.academia.edu/.../Involvement_of_JAK_STAT_signaling_in_the_pathogenesis_of_inflammatory_bowel_disease

Involvement of JAK/STAT signaling in the pathogenesis of inflammatory bowel disease ... are characterized by a chronic idiopathic inflammation of the intestine. ... Differentiation of Th2 cells is driven by severe experimental colitis [106], ... Tofacitinib (CP-690,550) in combination with methotrexate suppresses CRF2.4 is

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 3,600 条结果 (用时 0.71 秒)

您是不是要找: **Involvement of CRF2 signaling in *enterocyte* differentiation of colorectal cancer cells**

CRF2 Signaling Is a Novel Regulator of Cellular ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov> › [NCBI](#) › [Literature](#) › [PubMed Central \(PMC\)](#) - [翻译此页](#)

作者: B Ducarouge - 2013 - 被引用次数: 9 - 相关文章

2013年11月18日 - **Colorectal cancer** (CRC) is the second leading cause of cancer-related death in Western countries. ... an important **role** in **cell** differentiation or **cell**/matrix adhesion [1]. (2011)

Enterocytic differentiation is modulated by lipid ...

Metallothionein 1G promotes the differentiation of HT-29 human ...

<https://www.ncbi.nlm.nih.gov/pubmed/28393194> - [翻译此页](#)

作者: JM Arriaga - 2017

2017年4月3日 - Metallothionein 1G promotes the differentiation of HT-29 human **colorectal cancer cells**.

... of low-molecular-weight, cysteine-rich proteins **involved** in zinc and ... confirmed the alteration of several differentiation **signaling** pathways, ... a functional **role** in promoting goblet over **enterocyte differentiation** in vitro.

CRF2 Signaling Is a Novel Regulator of Cellular ... - Semantic Scholar

<https://www.semanticscholar.org/.../CRF2-Signaling...Cellular.../e630a3d410...> ▼ [翻译此页](#)

This suggests a **role** for **CRF2** in the loss of **cellular** organization and tumor progression. ... Regulator of **Cellular** Adhesion and Migration in **Colorectal Cancer Cells** ... **Enterocytic differentiation** is modulated by lipid rafts-dependent assembly of ...

Mucosal Immunology - 第 1775 页 - Google 图书结果

<https://books.google.nl/books?isbn=0124159753> - [翻译此页](#)

Jiri Mestecky, Warren Strober, Michael W. Russell - 2015 - Medical

Suppressor of cytokine **signaling** 3 (SOCS3) limits damage-induced crypt ... Intestinal inflammation and **colorectal cancer**: a double-edged sword? ... Nuclear factor kappaB is activated in macrophages and epithelial **cells** of inflamed intestinal mucosa. ... Insights into the **role** of STAT3 in human lymphocyte **differentiation** as ...