

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 33102

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Cohort Study*

**Clinical significance of glycemic parameters on venous thromboembolism risk prediction in gastrointestinal cancer**

Guadagni F *et al.* Glycemic indexes and VTE risk in GI cancer

**Fiorella Guadagni, Silvia Riondino, Vincenzo Formica, Girolamo Del Monte, Anna Maria Morelli, Jessica Lucchetti, Antonella Spila, Roberta D'Alessandro, David Della-Morte, Patrizia Ferroni, Mario Roselli**

## Abstract

### AIM

To investigate the possible predictive role of routinely used glycemic parameters for a first venous thromboembolism (VTE) episode in gastrointestinal (GI) cancer

## Match Overview

1	Internet 132 words crawled on 21-Dec-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	3%
2	Crossref 122 words Ferroni, P., R. Palmirotta, S. Riondino, M. L. De Marchis, A. Nardecchia, V. Formica, F. Guadagni, and M. Roselli. "VEG	3%
3	Crossref 80 words P. Ferroni. "Platelet activation in type 2 diabetes mellitus", <i>Journal of Thrombosis and Haemostasis</i> , 8/2004	2%
4	Internet 47 words crawled on 18-Jul-2016 <a href="http://erc.endocrinology-journals.org">erc.endocrinology-journals.org</a>	1%
5	Crossref 16 words Roselli, M., P. Ferroni, I. Portarena, S. Riondino, F. La Farina, V. Formica, M. Vergati, and F. Guadagni. "Predictive valu	<1%
6	Crossref 14 words Ferroni, P., S. Riondino, A. Laudisi, I. Portarena, V. Formica, J. Alessandrini, R. D'Alessandro, A. Oriandi, L. Costarelli, F.	<1%
7	Crossref 14 words Roselli, M., P. Ferroni, C. Rolfo, M. Peeters, R. Palmirotta, V. Formica, G. Ludovici, A. Laudisi, M. L. De Marchis, F. La Far	<1%



[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 226,000 条结果 (用时 0.39 秒)

## Google 学术: Clinical significance of glycemic parameters on venous thromboembolism risk prediction in gastrointestinal cancer

... venous thromboembolism in patients with cancer: ... - Louzada - 被引用次数: 83

Venous thromboembolism prophylaxis and treatment in ... - Lyman - 被引用次数: 550

... of prophylaxis against venous thromboembolism with ... - Bergqvist - 被引用次数: 910

## D-Dimer and Prothrombin Fragment 1 + 2 Predict Venous ...

[ascopubs.org/doi/full/10.1200/jco.2008.21.7752](http://ascopubs.org/doi/full/10.1200/jco.2008.21.7752) - 翻译此页

作者: C Ay - 2009 - 被引用次数: 280 - 相关文章

Laboratory parameters might be useful to assess the VTE risk in patients with cancer. ... The clinical relevance of D-dimer and F 1 + 2 for prediction of cancer-associated VTE has ... patients with cancer of the brain, breast, lung, stomach, lower gastrointestinal tract, ..... Prophylactic Anticoagulants in Upper GI Cancer Patients.

## Standard perioperative management in gastrointestinal surgery

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: M Grade - 2011 - 被引用次数: 27 - 相关文章

2011年3月30日 - The outcome of patients who undergo gastrointestinal surgery varies greatly. ... condition are of utmost importance, as it may help to identify patient risk factors for .... Clinical parameters that represent risk factors for pulmonary complications ..... Early mobilisation and prevention of venous thromboembolism.

## A prospective evaluation of venous thromboembolism in patients ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: K Lanuke - 2009 - 被引用次数: 11 - 相关文章

It is well known that cancer is a risk factor for venous thromboembolism ... with gastrointestinal peritoneal carcinomatosis has been shown to increase ... it remains a procedure with significant perioperative morbidity and mortality. ... Furthermore, we examined clinical parameters in each patient with a diagnosis of VTE to ...

Clinical significance of glycemic parameters on venous thromboembolism risk pr

全部 图片 视频 新闻 地图 图书

找到约 244,000 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Google 学术: Clinical significance of glycemic parameters on venous thromboembolism risk prediction in gastrointestinal cancer](#)

[... venous thromboembolism in patients with cancer ...](#) - Louzada - 被引用次数: 83

[Venous thromboembolism prophylaxis and treatment in ...](#) - Lyman - 被引用次数: 551

[... of prophylaxis against venous thromboembolism with ...](#) - Bergqvist - 被引用次数: 912

[D-Dimer and Prothrombin Fragment 1 + 2 Predict Venous ...](#)

[ascopubs.org/doi/full/10.1200/jco.2008.21.7752](http://ascopubs.org/doi/full/10.1200/jco.2008.21.7752)

Laboratory parameters might be useful to assess the VTE risk in patients with cancer. ... The clinical relevance of D-dimer and F 1 + 2 for prediction of cancer-associated VTE has ... patients with cancer of the brain, breast, lung, stomach, lower gastrointestinal tract, ..... Prophylactic Anticoagulants in Upper GI Cancer Patients.

[A prospective evaluation of venous thromboembolism in patients ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2637643/>

It is well known that cancer is a risk factor for venous thromboembolism ... with gastrointestinal peritoneal carcinomatosis has been shown to increase ... it remains a procedure with significant perioperative morbidity and mortality. ... Furthermore, we examined clinical parameters in each patient with a diagnosis of VTE to ...

[Bevacizumab in combination with folfiri chemotherapy in patients ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2949362/>

Toxicity outcomes such as gastrointestinal (gi) perforations, bleeding, diarrhea, ... Keywords: Bevacizumab, colorectal cancer, metastatic, safety, folfiri ... The risk of severe diarrhea and vtes can be substantially reduced with preventive agents ... The primary efficacy parameter was time to treatment failure (tff), defined as the ...

[New Take on an Old Problem: Tackling VTE With Biomarkers, Risk ...](#)

[www.onclive.com/.../new-take-on-an-old-problem-tackling-vte-with-biomarkers-risk](http://www.onclive.com/.../new-take-on-an-old-problem-tackling-vte-with-biomarkers-risk)



[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 226,000 条结果 (用时 0.86 秒)

## Google 学术: Clinical significance of glycemic parameters on venous thromboembolism risk prediction in gastrointestinal cancer

... venous thromboembolism in patients with cancer. ... - Louzada - 被引用次数: 83

Venous thromboembolism prophylaxis and treatment in ... - Lyman - 被引用次数: 550

... of prophylaxis against venous thromboembolism with ... - Bergqvist - 被引用次数: 910

## D-Dimer and Prothrombin Fragment 1 + 2 Predict Venous ...

[ascopubs.org/doi/full/10.1200/jco.2008.21.7752](http://ascopubs.org/doi/full/10.1200/jco.2008.21.7752) - 翻译此页

作者: C Ay - 2009 - 被引用次数: 280 - 相关文章

Laboratory parameters might be useful to assess the VTE risk in patients with cancer. ... The clinical relevance of D-dimer and F 1 + 2 for prediction of cancer-associated VTE has ... patients with cancer of the brain, breast, lung, stomach, lower gastrointestinal tract, .... Prophylactic Anticoagulants in Upper GI Cancer Patients.

## Standard perioperative management in gastrointestinal surgery

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: M Grade - 2011 - 被引用次数: 27 - 相关文章

2011年3月30日 - The outcome of patients who undergo gastrointestinal surgery varies greatly. ... condition are of utmost importance, as it may help to identify patient risk factors for .... Clinical parameters that represent risk factors for pulmonary complications .... Early mobilisation and prevention of venous thromboembolism.

## A prospective evaluation of venous thromboembolism in patients ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: K Lanuke - 2009 - 被引用次数: 11 - 相关文章

It is well known that cancer is a risk factor for venous thromboembolism ... with gastrointestinal peritoneal carcinomatosis has been shown to increase ... it remains a procedure with significant perioperative morbidity and mortality. ... Furthermore, we examined clinical parameters in each patient with a diagnosis of VTE to ...

## Venous Thromboembolism in Cancer Patients Undergoing Major