

Second-look surgery plus HIPEC for patients with colorectal cancer at high risk of

全部 图片 视频 新闻 地图 图书

找到约 729 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Second-look surgery plus HIPEC for patients with colorectal cancer ...](#)

www.ncbi.nlm.nih.gov/pubmed/25921674

3 Apr 2015 ... Second-look surgery plus HIPEC for patients with colorectal cancer at high risk of peritoneal carcinomatosis: Should we resect the initial ...

[Results of systematic second-look surgery plus HIPEC in ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pubmed/21709543>

Results of systematic second-look surgery plus HIPEC in asymptomatic patients presenting a high risk of developing colorectal peritoneal carcinomatosis.

[Recent advances in understanding and treating peritoneal ...](#)

onlinelibrary.wiley.com/doi/10.3322/caac.21277/full

4 May 2015 ... Until recently, a diagnosis of peritoneal carcinomatosis was ... Likewise, due to advances in surgical techniques and regional ... patients with colon cancer with a higher burden of disease do not ... second-look laparotomy and HIPEC among patients with high-risk colorectal cancers. ... View/save citation ...

[Proactive Management for Gastric, Colorectal and Appendiceal ...](#)

link.springer.com/article/10.1007%2Fs13193-016-0497-1

Peritoneal metastases Proactive management Gastric cancer Colorectal ... that any therapeutic regimen has really benefitted disease progression [27]. ... in colorectal cancer on second-look surgery plus HIPEC, a strategy proposed by Elias et al. ... in asymptomatic patients at high risk of colorectal peritoneal metastases; ...

[Peritoneal carcinomatosis - SlideShare](#)

www.slideshare.net/dharmapunia/peritoneal-carcinomatosis

22 Apr 2015 ... Peritoneal carcinomatosis treatment CRS HIPEC. ... COLORECTAL ORIGIN • Patients with colorectal cancer present with PC ... N- 47 , high risk patients • Second look laparotomy . Who not shown Role of ... quality of life: it can therefore be considered as

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 29814

Manuscript Type: EDITORIAL

1
Second-look surgery plus HIPEC for patients with colorectal cancer at high risk of peritoneal carcinomatosis: does it really save lives?

Delia Cortes-Guiral, Dominique Elias, Pedro Antonio Casales-Campos, Alfredo Badia Yebenes, Ismael Guijo Castellano, Ana Isabel Leon Carbonero, Jose Ignacio Martin Valades, Jesus Garcia-Foncillas, Damian Garcia-Olmo.

Abstract

Match Overview

1	Internet 16 words crawled on 15-Apr-2016 www.dovepress.com	1%
2	Crossref 15 words Baratti, Dario, Shigeki Kusamura, and Marcello Deraco. "Colorectal Cancer Peritoneal Metastases: Second-Look L..."	1%
3	Internet 15 words crawled on 08-Feb-2015 epub.uni-regensburg.de	1%
4	Crossref 14 words van Oudheusden, T.R., S.W. Nienhuijs, M.D. Luyer, G.A. Nieuwenhuijzen, V.E. Lemmens, H.J. Rutten, and I.H. de Hing	1%
5	Internet 13 words crawled on 02-May-2015 www.cancerbiomed.org	<1%

Second-look surgery plus HIPEC for patients with colorectal cancer at high risk of

全部 图片 视频 新闻 地图 图书

找到约 729 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Second-look surgery plus HIPEC for patients with colorectal cancer ...](#)

www.ncbi.nlm.nih.gov/pubmed/25921674

3 Apr 2015 ... Second-look surgery plus HIPEC for patients with colorectal cancer at high risk of peritoneal carcinomatosis: Should we resect the initial ...

[Results of systematic second-look surgery plus HIPEC in ... - NCBI](#)

<https://www.ncbi.nlm.nih.gov/pubmed/21709543>

Results of systematic second-look surgery plus HIPEC in asymptomatic patients presenting a high risk of developing colorectal peritoneal carcinomatosis.

[Recent advances in understanding and treating peritoneal ...](#)

onlinelibrary.wiley.com/doi/10.3322/caac.21277/full

4 May 2015 ... Until recently, a diagnosis of peritoneal carcinomatosis was ... Likewise, due to advances in surgical techniques and regional ... patients with colon cancer with a higher burden of disease do not second-look laparotomy and HIPEC among patients with high-risk colorectal cancers. View/save citation ...

[Proactive Management for Gastric, Colorectal and Appendiceal ...](#)

link.springer.com/article/10.1007%2Fs13193-016-0497-1

Peritoneal metastases Proactive management Gastric cancer Colorectal ... that any therapeutic regimen has really benefitted disease progression [27]. ... in colorectal cancer on second-look surgery plus HIPEC, a strategy proposed by Elias et al. ... in asymptomatic patients at high risk of colorectal peritoneal metastases; ...

[Peritoneal carcinomatosis - SlideShare](#)

www.slideshare.net/dharmapunia/peritoneal-carcinomatosis

22 Apr 2015 ... Peritoneal carcinomatosis treatment CRS HIPEC. ... COLORECTAL ORIGIN • Patients with colorectal cancer present with PC ... N- 47 , high risk patients • Second look laparotomy . Who not shown Role of quality of life: it can therefore be considered as

全部 图片 视频 购物 新闻 更多 ▾ 搜索工具

找到约 2,380 条结果 (用时 0.89 秒)

Adjuvant hyperthermic intraperitoneal chemotherapy (HIPEC) in ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: CEL Klaver - 2015 - 被引用次数: 15 - 相关文章

2015年5月24日 - ... in patients with colon cancer at high risk of peritoneal carcinomatosis; the COLOPEC ... Without the need for cytoreductive surgery, adjuvant HIPEC can be ... literature on the value of second look surgery for high-risk patients [41, 42]. under HIPEC plus systemic chemotherapy against 75 % peritoneal ...

Second-look surgery plus HIPEC for patients with colorectal cancer at ...

www.ncbi.nlm.nih.gov/pubmed/25921674 ▾ 翻译此页

作者: AS Cloutier - 2015 - 被引用次数: 2 - 相关文章

2015年4月3日 - Second-look surgery plus HIPEC for patients with colorectal cancer at ...
BACKGROUND: Cytoreductive surgery (CCRS) and hyperthermic intraperitoneal chemotherapy ... in selected cases of peritoneal carcinomatosis (PC) of colorectal origin. Second-look surgery in asymptomatic patients at high risk of ...

Looking up: Recent advances in understanding and treating ...

onlinelibrary.wiley.com/doi/10.3322/caac.21277/full ▾ 翻译此页

作者: LA Lambert - 2015 - 被引用次数: 11 - 相关文章

2015年5月4日 - Until recently, a diagnosis of peritoneal carcinomatosis was uniformly ... of cytoreductive surgery (CRS) and hyperthermic intraperitoneal ... patients with colon cancer with a higher burden of disease do not benefit of second-look laparotomy and HIPEC among patients with high-risk colorectal cancers.

Recent rapid responses | The BMJ

www.bmj.com/rapid-responses?...highwire... - 翻译此页

Although a selection of rapid responses will be included online and in print as readers' letters, ... second-look surgery plus HIPEC in asymptomatic patients at high risk of ... Randomised trial of complete cytoreduction and hyperthermic chemotherapy ... surgery in patients with peritoneal