

hao123_上网从这里开始

ESPS Administration Sys

www.wjgnet.com/esps/Adm

The role of LAP+CD4+ T

← → ×

https://www.google.com/search?q=The+role+of+LAP%2B+CD4%2B+T+cells+in+the+tumor+microenvironment+of+colorectal+cancer&rlz=1C1AOHY_zh-CN_711

应用hao123_上网从这里开始ESPS Management PorExpress Submission文献检索关注百度音乐盒iThenticate Control生命科学联合中心Reference

Google

The role of LAP+CD4+ T cells in the tumor microenvironment of colorectal

全部 图片 新闻 视频 购物 更多 设置 工具

找到约 23,200 条结果 (用时 0.78 秒)

Google 学术: The role of LAP+CD4+ T cells in the tumor microenvironment of colorectal cancer

Endogenous IL-17 contributes to reduced tumor growth ... - Kryczek - 被引用次数: 276

... of regulatory T cells in the control of natural killer cells: ... - Ghiringhelli - 被引用次数: 184

... of CD8+ T Cells in Colon Cancer by T-Regulatory Cells - Chang - 被引用次数: 74

Regulatory T Cells in the Tumor Microenvironment and Cancer ... - NCBI

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: B Chaudhary - 2016

2016年8月6日 - Keywords: regulatory T cells, tumor microenvironment, cancer ... generated effective anti-tumor CD4⁺ and CD8⁺ T-cell responses in metastatic breast Highly suppressive LAP⁺ and GARP/LAP co-expressing Tregs have been the role of Tregs in colorectal cancer have highlighted this issue [31,58].

LAP+CD4+ T cells are suppressors accumulated in the tumor ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/22879386 ▾ 翻译此页

作者: J Mahalingam - 2012 - 被引用次数: 15 - 相关文章

2012年8月9日 - LAP+CD4+ T cells are suppressors accumulated in the tumor sites and associated with the progression of colorectal cancer, ... in the tumor microenvironment and circulated more in the peripheral blood with tumor progression ...

https://www.google.com/webhp?hl=zh-CN&sa=X&ved=0ahUKEwjmkcuzx9XQAhXI0xoK...

Accumulated in the Tumor Sites

Name of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 29523

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Role of LAP⁺CD4⁺ T cells in the tumor microenvironment of colorectal cancer

Zhong W *et al.* LAP⁺CD4⁺ T cells in colorectal cancer

Wu Zhong, Zhi-Yuan Jiang, Lei Zhang, Jia-Hao Huang, Shi-Jun Wang, Cun Liao, Bin Cai, Li-Sheng Chen, Sen Zhang, Yun Guo, Yun-Fei Cao, Feng Gao

Abstract

AIM

To investigate the abundance and potential functions of LAP⁺CD4⁺ T cells in colorectal cancer (CRC).

Match Overview

1	Internet 90 words crawled on 08-Jan-2010 www.jimmunol.org	3%
2	Internet 39 words crawled on 02-Jul-2016 www.wjgnet.com	1%
3	Internet 19 words crawled on 30-Oct-2009 www.ihop-net.org	1%
4	Internet 15 words crawled on 18-Mar-2012 www.laboratoriosilesia.com	1%
5	Internet 12 words crawled on 11-Oct-2016 www.pnas.org	<1%

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 23,300 条结果 (用时 0.75 秒)

Google 学术: Role of LAP+CD4+ T cells in the tumor microenvironment of colorectal cancer

Endogenous IL-17 contributes to reduced tumor growth ... - Kryczek - 被引用次数: 276

... of regulatory T cells in the control of natural killer cells: ... - Ghiringhelli - 被引用次数: 184

... of CD8+ T Cells in Colon Cancer by T-Regulatory Cells - Chang - 被引用次数: 74

Regulatory T Cells in the Tumor Microenvironment and Cancer ... - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: B Chaudhary - 2016

2016年8月6日 - Keywords: regulatory T cells, tumor microenvironment, cancer ... generated effective anti-tumor CD4⁺ and CD8⁺ T-cell responses in metastatic breast Highly suppressive LAP⁺ and GARP/LAP co-expressing Tregs have been the role of Tregs in colorectal cancer have highlighted this issue [31,58].

LAP+CD4+ T cells are suppressors accumulated in the tumor ... - NCBI

www.ncbi.nlm.nih.gov/pubmed/22879386 - 翻译此页

作者: J Mahalingam - 2012 - 被引用次数: 15 - 相关文章

2012年8月9日 - LAP+CD4+ T cells are suppressors accumulated in the tumor sites and associated with the progression of colorectal cancer. ... in the tumor microenvironment and circulated more in the peripheral blood with tumor progression ...



全部

图片

新闻

地图

更多

设置

工具

找到约 26,000 条结果 (用时 0.96 秒)

Google 学术 : Role of LAP+CD4+ T cells in the tumor microenvironment of colorectal cancer

Endogenous IL-17 contributes to reduced tumor growth ... - Kryczek - 被引用次数 : 276

... of regulatory T cells in the control of natural killer cells: ... - Ghiringhelli - 被引用次数 : 186

... of CD8+ T Cells in Colon Cancer by T-Regulatory Cells - Chang - 被引用次数 : 75

Regulatory T Cells in the Tumor Microenvironment and Cancer ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5041022/> - 翻译此页

作者 : B Chaudhary - 2016

2016年8月6日 - Keywords: regulatory T cells, tumor microenvironment, cancer ... generated effective anti-tumor CD4⁺ and CD8⁺ T-cell responses in metastatic breast Highly suppressive LAP⁺ and GARP/LAP co-expressing Tregs have been the role of Tregs in colorectal cancer have highlighted this issue [31,58].

Home Sweet Home: The Tumor Microenvironment as a Haven for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3712544/> - 翻译此页

作者 : B Ondondo - 2013 - 被引用次数 : 28 - 相关文章

2013年7月16日 - CD4⁺Foxp3⁺ regulatory T cells (Tregs) have a fundamental role in and impaired CD8⁺ T cell responses in human colon cancer (44). Moreover the LAP⁺CD4⁺ sub-population cells were also found in colorectal tumors ...

LAP+CD4+ T Cells Are Suppressors Accumulated in the Tumor Sites ...

clincancerres.aacrjournals.org/content/18/19/5224 - 翻译此页

作者 : J Mahalingam - 2012 - 被引用次数 : 15 - 相关文章

2012年10月1日 - More importantly, they accumulated in the tumor microenvironment and also ... However, the role of LAP⁺CD4⁺ T cells in cancer has not been T cells in PBMCs and tumor tissue