

学术搜索

找到约8.590条结果(用时0.08秒)

文章

我的图书馆

时间不限

2016以来 2015以来 2012以来 自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页 简体中文网页

✓ 包括专利✓ 包含引用

➤ 创建快讯

小提示: 只搜索中文(简体)结果,可在学术搜索设置。指定搜索语言

Risk factors for hemorrhage from gastric fundal varices

T Kim, H Shijo, H Kokawa, H Tokumitsu, K Kubara... - ..., 1997 - Wiley Online Library ... for hemorrhage from esophageal agement of patients with high-risk FV.8 The prognostic index, ... can be identified with the current model is relatively small, other unknown factors may com ... risk factor for hemorrhage from gastric varices has also been reported by Hashizume et al.7 ... 被引用次数: 294 相关文章 所有 6 个版本 引用 保存

Balloon-occluded retrograde transvenous obliteration of gastric varices with gastrorenal shunt: long-term follow-up in 78 patients

T Ninoi, N Nishida, T Kaminou... - American Journal of ..., 2005 - Am Roentgen Ray Soc ... With respect to these prognosis-determining factors, survival rates were as follows: In the patients without HCC, the survival rates at 1, 3 ... 12] also reported the Child-Pugh classification as a prognostic factor related to survival.... Risk factors for hemorrhage from gastric fundal varices ... 被引用次数: 191 相关文章 所有 4 个版本 引用 保存

Factors related to early mortality after transjugular intrahepatic portosystemic shunt for failed endoscopic therapy in acute variceal bleeding

D Patch, V Nikolopoulou, A McCormick, R Dick ... - Journal of ..., 1998 - Elsevier

... In a multivariate analysis, 6 factors had independent prognostic value: moderate/severe ascites ... Our prognostic index can help identify such patients, and, if validated elsewhere, will help in ... Prognosis of patients with cirrhosis and chronic liver disease admitted to the medical ... 被引用次数: 109 相关文章 所有 8 个版本 引用 保存

Natural history of portal hypertension in patients with cirrhosis

R de Franchis, M Primignani - Clinics in liver disease, 2001 - Elsevier

... INCIDENCE AND RISK FACTORS FOR BLEEDING IN PATIENTS WITH NO PREVIOUS ... Whether such measurement, alone or in combination with the existing prognostic indexes, can ... ACUTE VARICEAL BLEEDING, EARLY REBLEEDING, AND BLEEDING-RELATED DEATH. ... 被引用次数: 290 相关文章 所有 5 个版本 引用 保存

Prevalence, classification and natural history of gastric varices: A long – term follow – up study in 568 portal hypertension patients

SK Sarin. D Lahoti. SP Saxena. NS Murthv... - 1992 - Wiley Online Library

IPDF1 wilev.com

Quotes Excluded Bibliography Excluded

8% SIMILAR

FAQ

Name of Journal: World Journal of Gastroenterology

ESPS Manuscript NO: 30277

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Prognostic factors associated with mortality in patients with gastric fundal variceal bleeding

Komori K et al. Mortality in gastric variceal bleeding patients

Keishi Komori, Masaru Kubokawa, Eikichi Ihara, Kazuya Akahoshi, Kazuhiko Nakamura, Kenta Motomura, Akihide Masumoto

Keishi Komori, Masaru Kubokawa, Kazuya Akahoshi, Department of Gastroenterology, Aso Iizuka Hospital, Iizuka 820-8505, Japan

Kenta Motomura, Akihide Masumoto, Department of Hepatology, Aso Iizuka

Hospital, Iizuka 820-8505, Japan





学术搜索

找到约8,870条结果(用时0.08秒)

文章

我的图书馆

时间不限

2016以来 2015以来 2012以来 自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页 简体中文网页

✔ 包括专利

☑ 包含引用

■ 创建快讯

小提示: 只搜索中文(简体)结果,可在学术搜索设置. 指定搜索语言

Risk factors for hemorrhage from gastric fundal varices

T Kim, H Shijo, H Kokawa, H Tokumitsu, K Kubara... - ..., 1997 - Wiley Online Library ... for hemorrhage from esophageal agement of patients with high-risk FV.8 The prognostic index, ... can be identified with the current model is relatively small, other unknown factors may com ... risk factor for hemorrhage from gastric varices has also been reported by Hashizume et al.7 ... 被引用次数: 296 相关文章 所有 6 个版本 引用 保存

Balloon-occluded retrograde transvenous obliteration of gastric varices with gastrorenal shunt: long-term follow-up in 78 patients

T Ninoi, N Nishida, T Kaminou... - American Journal of ..., 2005 - Am Roentgen Ray Soc ... With respect to these prognosis-determining factors, survival rates were as follows: In the patients without HCC, the survival rates at 1, 3 ... 12] also reported the Child-Pugh classification as a prognostic factor related to survival. ... Risk factors for hemorrhage from gastric fundal varices ... 被引用次数: 193 相关文章 所有 4 个版本 引用 保存

Factors related to early mortality after transjugular intrahepatic portosystemic shunt for failed endoscopic therapy in acute variceal bleeding


D Patch, V Nikolopoulou, A McCormick, R Dick... - Journal of ..., 1998 - Elsevier ... In a multivariate analysis, 6 factors had independent prognostic value: moderate/severe ascites ... Our prognostic index can help identify such patients, and, if validated elsewhere, will help in ... Prognosis of patients with cirrhosis and chronic liver disease admitted to the medical ... 被引用次数: 111 相关文章 所有8个版本 引用 保存

Natural history of portal hypertension in patients with cirrhosis

R de Franchis, M Primignani - Clinics in liver disease, 2001 - Elsevier INCIDENCE AND RISK FACTORS FOR BLEEDING IN PATIENTS WITH NO PREVIOUS ... Whether such measurement, alone or in combination with the existing prognostic indexes, can ... ACUTE VARICEAL BLEEDING, EARLY REBLEEDING, AND BLEEDING-RELATED DEATH. ... 被引用次数: 295 相关文章 所有 5 个版本 引用 保存

Prevalence, classification and natural history of gastric varices: A long – term follow – up study in 568 portal hypertension patients

[PDF] wiley.com





Q

全部

图片

地图

更多

设置

丁具

找到约 539,000 条结果 (用时 0.66 秒)

新闻

Google 学术: Prognostic factors associated with mortality in patients with gastric fundal variceal bleeding

Risk factors for hemorrhage from gastric fundal varices - Kim - 被引用次数: 296

... retrograde transvenous obliteration of gastric varices ... - Ninoi - 被引用次数: 193

Factors related to early mortality after transjugular ... - Patch - 被引用次数: 111

ANALYSIS OF PROGNOSTIC FACTORS IN PATIENTS WITH ...

onlinelibrary.wiley.com/doi/10.1111/j.1443-1661.2009.00898.x/pdf - 翻译此页 Background: The prognostic factors, including gastric variceal bleeding itself, in patients with ... emergency or elective cases, and association with hepatocellular carcinoma were identified as ... patients with portal hypertension,2 and the mortality from varices from the cardia to the fundus; Lq-f, location of gastric varices in.

Transjugular Intrahepatic Portosystemic Shunts: An Update: Role of ...

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: JE Lopera - 2005 - 被引用次数: 15 - 相关文章

The factors associated with mortality after emergency TIPS and the main criteria ... Emergency therapy in patients with bleeding esophageal varices requires a Encarnacion et al reported better prognosis for patients who were stable at the in the immediate short-term control of gastric fundal variceal bleeding compared ...

Predictors of Mortality Within 6 Weeks After Treatment of Gastric ...

https://www.ncbi.nlm.nih.gov > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: W Teng - 2014 - 被引用次数: 1 - 相关文章

2014年12月2日 - Acute gastric variceal bleeding (GVB) is a catastrophic problem and accounts for one of ... Mortality within 6 weeks was noted in 16.7% patients. ... and type 3 (IGV, isolated GV), varices located in the fundus or antrum without EV. In this study, several important prognostic factors were associated with the ...