

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 494,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Clinicopathological, treatment, and prognosis study of 43 gastric neuroendocrine carcinomas](#)[... gastric neuroendocrine carcinoma: a clinicopathologic ...](#) - Rindi - 被引用次数: 593[... endocrine carcinoma of the stomach: prognostic ...](#) - Rindi - 被引用次数: 357[... advanced gastrointestinal neuroendocrine carcinoma \(...](#) - Sorbye - 被引用次数: 174[Classification, clinicopathologic features and treatment of gastric ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3886000/>

Mia-Jan et al[43]. evaluated the ... cells and recent studies have identified it as a ...
gastrointestinal neuroendocrine ... and assess their prognostic impact, tumor ...

[Management of gastric and duodenal neuroendocrine tumors - NCBI](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4974581/>

14 Aug 2016 ... Gastrointestinal neuroendocrine tumors (GI-NETs) are rare neoplasms, like all
NETs. invasive alternative surgical treatment for type I G-NETs[43,44]. The 10-year
survival rate of patients with duodenal gastrinoma is about and the gastric neuroendocrine
carcinoma: a clinicopathologic study.

[Gastric Carcinoids - NCBI - National Institutes of Health](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1357706/>

Biologic Behavior and Prognosis After Differentiated Treatment in Relation to Type and
biopsy at a median of 36 months (range, 14–43 months) after antrectomy. and the gastric
neuroendocrine carcinoma: a clinicopathologic study.

[Clinicopathological Profile of Pure Neuroendocrine Neoplasms of ...](#)<https://www.hindawi.com/journals/jo/2016/2402417/>

10 Mar 2016 ... The median survival of treated patients with metastatic disease was 6.5
months. ... system gastroenteropancreatic (GEP)}, tumors arising in the gastrointestinal ... In

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 30635

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Clinicopathological, treatment, and prognosis study of 43 gastric neuroendocrine carcinomas

De-Jun Liu, Xue-Liang Fu, Wei Liu, Lu-Ying Zheng, Jun-Feng Zhang,
Yan-Miao Huo, Jiao Li, Rong Hua, Qiang Liu, Yong-Wei Sun

Abstract:

AIM

To provide more information and therapeutic methods about gastric

Match Overview

1	Crossref 41 words Ishida, Michihiro, Shigeki Sekine, Takeo Fukagawa, Masaki Ohashi, Shinji Morita, Hirokazu Taniguchi, Hitoshi Kat	1%
2	Crossref 31 words Hijioka, Susumu, Waki Hosoda, Nobumasa Mizuno, Kazuo Hara, Hiroshi Imaoka, Vikram Bhatia, Mohamed A. M	1%
3	Internet 19 words crawled on 24-Nov-2016 www.carcinoid.org	1%
4	Crossref 19 words Bircan, Huseyin Yuce, Bora Koc, Umit Ozcelik, Gokhan Adas, Servet Karahan, and Alp Demirag. "Are there any ...	1%
5	Crossref 17 words Sorbye, H., S. Welin, S. W. Langer, L. W. Vestermark, N. Holt, P. Osterlund, S. Dueland, E. Hofslie, M. G. Guren, K.	1%
6	Crossref 16 words Igaki, H.. "Clinicopathologic characteristics and survival of patients with clinical Stage I squamous cell carcinom	<1%
7	Crossref 15 words "ESMO special symposium: emerging therapies for orphan tumors", Annals of Oncology, 09/01/2008	<1%
8	Internet 15 words crawled on 29-Apr-2014 www.rare-cancer.org	<1%

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 494,000 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[Google 学术: Clinicopathological, treatment, and prognosis study of 43 gastric neuroendocrine carcinomas](#)[... gastric neuroendocrine carcinoma: a clinicopathologic ...](#) - Rindi - 被引用次数: 593[... endocrine carcinoma of the stomach: prognostic ...](#) - Rindi - 被引用次数: 357[... advanced gastrointestinal neuroendocrine carcinoma \(...](#) - Sorbye - 被引用次数: 174[Classification, clinicopathologic features and treatment of gastric ...](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3886000/>

Mia-Jan et al[43]. evaluated the ... cells and recent studies have identified it as a ...
gastrointestinal neuroendocrine ... and assess their prognostic impact, tumor ...

[Management of gastric and duodenal neuroendocrine tumors - NCBI](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4974581/>

14 Aug 2016 ... Gastrointestinal neuroendocrine tumors (GI-NETs) are rare neoplasms, like all
NETs. invasive alternative surgical treatment for type I G-NETs[43,44]. The 10-year
survival rate of patients with duodenal gastrinoma is about and the gastric neuroendocrine
carcinoma: a clinicopathologic study.

[Gastric Carcinoids - NCBI - National Institutes of Health](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1357706/>

Biologic Behavior and Prognosis After Differentiated Treatment in Relation to Type and
biopsy at a median of 36 months (range, 14–43 months) after antrectomy. and the gastric
neuroendocrine carcinoma: a clinicopathologic study.

[Clinicopathological Profile of Pure Neuroendocrine Neoplasms of ...](#)<https://www.hindawi.com/journals/jo/2016/2402417/>

10 Mar 2016 ... The median survival of treated patients with metastatic disease was 6.5
months. ... system gastroenteropancreatic (GEP)}, tumors arising in the gastrointestinal ... In

[全部](#)[图片](#)[新闻](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 349,000 条结果 (用时 0.56 秒)

Google 学术 : Clinicopathological, treatment, and prognosis study of 43 gastric neuroendocrine carcinomas

... gastric neuroendocrine carcinoma: a clinicopathologic ... - Rindi - 被引用次数 : 593

... endocrine carcinoma of the stomach: prognostic ... - Rindi - 被引用次数 : 357

... advanced gastrointestinal neuroendocrine carcinoma (... - Sorbye - 被引用次数 : 178

Classification, clinicopathologic features and treatment of gastric ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3886000/> - 翻译此页

作者 : TT Li - 2014 - 被引用次数 : 28 - 相关文章

跳到NEW TISSUE AND SERUM **TUMOR** MARKERS FOR SPECIFIC ... - Mia-Jan et al[43].

evaluated the ... cells and recent **studies** have identified it as a ... **neuroendocrine carcinomas** (n = 2), ... and assess their **prognostic** impact, tumor ...

Gastric Carcinoids - NCBI - National Institutes of Health

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : K Borch - 2005 - 被引用次数 : 249 - 相关文章

Biologic Behavior and **Prognosis** After Differentiated **Treatment** in Relation to Type and biopsy at a median of 36 months (range, 14–43 months) after antrectomy. and the **gastric neuroendocrine carcinoma: a clinicopathologic study**.

Management of gastric and duodenal neuroendocrine tumors - NCBI

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : Y Sato - 2016

2016年8月14日 - Gastrointestinal **neuroendocrine tumors** (GI-NETs) are rare neoplasms, like all NETs. invasive alternative surgical **treatment** for type I G-NETs[43,44]. The 10-year **survival** rate of patients with duodenal gastrinoma is about and the **gastric neuroendocrine carcinoma: a**