

Randomized clinical trial comparing fixed-time split dosing and split dosing of ora

全部

图片

视频

新闻

地图

图书

找到约 186 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[Randomized controlled trial comparing efficacy and ... - NCBI](#)<https://www.ncbi.nlm.nih.gov/pubmed/25019969>

14 Jul 2014 ... **Randomized controlled trial comparing** efficacy and acceptability of split- and standard-dose sodium **picosulfate** plus magnesium citrate for **bowel** ... This study evaluates whether **split dosing** is associated with a further increase in efficacy and acceptability compared with the standard dosing **regimen**.

[\[PDF\] Randomized controlled trial comparing efficacy and ... - AIGO](#)[www.webaigo.it/download/Manes%20Endoscopy%202014.pdf](http://www.webaigo.it/download/Manes%20Endoscopy%202014.pdf)

24 Aug 2013 ... **picosulfate** plus magnesium citrate for bowel cleansing prior to ... on **bowel preparation**. The ESGE recommends a **split-dose regimen** of 4 L ... Splitdose **bowel preparation** for colon cleansing... Endoscopy ... **ClinicalTrial.gov** ( NCT01909219) .... the **time** between the end of preparation and the colonoscopy.

[\[PDF\] Bowel preparation before colonoscopy - American Society for ...](#)[https://www.asge.org/.../doc-bowel\\_prep\\_before\\_colonoscopy.pdf?...](https://www.asge.org/.../doc-bowel_prep_before_colonoscopy.pdf?...)

use of GI endoscopy in common **clinical** situations. The Standards of .... colonic cleansing for colonoscopy.27 In a **study** of hospital- ... **dose** of a **bowel preparation** is **split** between the day before and the ... and **dose** must allow sufficient **time** for the patient to com- .... low-volume 2-L PEG-SD/bisacodyl preparation **compared**.

[\[PDF\] Split-dose administration of a dual-action, low-volume bowel ...](#)[medirequests.com/pdfs/Rex\\_D\\_et\\_al\\_2013.pdf](http://medirequests.com/pdfs/Rex_D_et_al_2013.pdf)

ing sodium **picosulfate** and magnesium citrate (P/MC). Design: Multicenter, assessor-blinded, **randomized**, noninferiority **study**. Setting: University .... noninferiority of day-before P/MC **dosing compared** with ... was the approved **dose** in the **bowel prep** kit at the **time** ... assigned to 1 of 2 **fixed-dose** treatment arms, either **split**-

[\[PDF\] Optimizing bowel preparation for colonoscopy: a guide to enhance ...](#)

## Match Overview

1	<b>Crossref</b> 167 words Kim, Yong Sok, Chang Won Hong, Byung Chang Kim, Kyung Su Han, Ji Won Park, Hyo Seong Choi, Jungnam Joo, an	5%
2	<b>Internet</b> 31 words crawled on 16-Jul-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
3	<b>Crossref</b> 20 words Kim, Eun Sun, Woo Jin Lee, Yoon Tae Jeon, Hyuk Soon Choi, Bora Keum, Yeon Seok Seo, Hoon Jai Chun, Hong Sik L	1%
4	<b>Crossref</b> 13 words Bucci, Cristina, Gianluca Rotondano, Cesare Hassan, Mati Ide Rea, Maria Antonia Bianco, Livio Cipolletta, Carolina Ci	<1%

**Name of journal:** *World Journal of Gastroenterology*

**Manuscript NO:** 34304

**Manuscript Type:** ORIGINAL ARTICLE

*Randomized Clinical Trial*

**Randomized clinical trial comparing fixed-time split dosing and split dosing of oral Picosulfate regimen for bowel preparation**

Jae Hyuck Jun, Koon Hee Han, Jong Kyu Park, Hyun Il Seo, Young Don Kim, Sang Jin Lee, Baek Gyu Jun, Min Sik Hwang, Yoon Kyoo Park, Myeong Jong Kim, Gab Jin Cheon

**Abstract**

**AIM**

To compare the efficacy of fixed-time split dose and split dose of an oral sodium

Randomized clinical trial comparing fixed-time split dosing and split dosing of ora

全部 图片 视频 新闻 地图 图书

找到约 178 条结果

时间不限

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

所有结果

精确匹配

[Records View](#)

[https://cris.nih.go.kr/cris/en/search/search\\_result\\_st01\\_detail.jsp?...](https://cris.nih.go.kr/cris/en/search/search_result_st01_detail.jsp?...)

Public Title, Randomized clinical trial comparing fixed-time split dosing and split dosing of oral Picosulfate regimen for bowel preparation. Scientific Title, A ...

[Randomized controlled trial comparing efficacy and acceptability of ...](#)

<https://www.ncbi.nlm.nih.gov/pubmed/25019969>

14 Jul 2014 ... Randomized controlled trial comparing efficacy and acceptability of split- and standard-dose sodium picosulfate plus magnesium citrate for bowel ... This study evaluates whether split dosing is associated with a further increase in efficacy and acceptability compared with the standard dosing regimen.

[Optimizing bowel preparation for colonoscopy: a guide to enhance ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4805732/>

11 Jan 2016 ... To improve efficacy, splitting the dose of the bowel preparation has ... Another meta-analysis of nine randomized controlled trials comparing low-volume PEG- ELS and ... The NaP bowel regimen has been shown to be an effective bowel ... as later colonoscopy starting time, patient taking bowel preparation ...

[\[PDF\] Optimizing adequacy of bowel cleansing for colonoscopy - ASGE](#)

<https://www.asge.org/.../doc-c6bd73b8-329f-4168-b2d8-f7c17acced12.pdf?...>

reported to have an inadequate bowel preparation.<sup>2,3</sup> The reasons ... times after scheduling of colonoscopy).<sup>4</sup> Adverse consequences of ... randomized controlled trials<sup>9</sup> with a combination of medi- .... Use of a split-dose bowel cleansing regimen is strongly ... scores compared with split dosing.<sup>35</sup> ..... Sodium picosulfate.

[\[PDF\] Split-dose administration of a dual-action, low-volume bowel ...](#)

[medirequests.com/pdfs/Rex\\_D\\_et\\_al\\_2013.pdf](https://medirequests.com/pdfs/Rex_D_et_al_2013.pdf)

Design: Multicenter, assessor-blinded, randomized, noninferiority study. ... administration of



[reading.sagepub.com/pdf/REV-D-21-01204.pdf](https://reading.sagepub.com/pdf/REV-D-21-01204.pdf) 翻译作业