

Dieulafoy's lesion - a rare cause of gastrointestinal bleeding from a loop after p



全部 图片 视频 新闻 地图 图书

获得 5 条结果

时间不限
过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果
精确匹配

您是不是要找: [Dieulafoy's lesion - a rare cause of gastrointestinal bleeding from a loop after *pancreatoduodenectomy*: A case report Access to biologics in Crohn's disease in ten European countries](#)

[Gastrointestinal Bleeding Due to a Dieulafoy Lesion in the Afferent ...](#)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3127031/>
Dieulafoy lesions, a rare cause of gastrointestinal hemorrhage, are ... We report a case of gastrointestinal hemorrhage secondary to a Dieulafoy lesion in the ... a Billroth II anatomy, with blood clots in the gastric pouch and the afferent loop of the ... After the EGD, the patient experienced multiple episodes of melena and 1 ...

[Gastrointestinal bleeding from Dieulafoy's lesion: Clinical ...](#)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4400618/>
16 Apr 2015 ... Therapeutic alternatives after failed endoscopic therapy include repeat endoscopic ... Keywords: Dieulafoy's lesion, Gastrointestinal bleeding Colonic Dieulafoy's lesion is presumably rare; less than 30 cases have been ... as peptic ulcer disease or complications from the bleeding such as mesenteric ...

[PDF] [Dieulafoy's Lesion, a Rare Cause of Lower Gastrointestinal ...](#)
www.turner-white.com/pdf/hp_sep01_hemorrhage.pdf ▼
ower gastrointestinal (LGI) bleeding is a fre- ... with massive LGI bleeding caused by a Dieulafoy's ... and management of Dieulafoy's lesion are discussed. ... Three days after admission, the patient developed ... and hemorrhoids. 1,3 Approximately 10% of cases of LGI Gastrointestinal disease: an endoscopic approach.

[Colonic Dieulafoy's Lesion: A Rare Cause of Lower Gastrointestinal ...](#)
<https://www.hindawi.com/journals/crigm/2014/436293/>
5 Oct 2014 ... Dieulafoy's lesions are a rare cause of gastrointestinal hemorrhage. ... We report the case of a 75-year-old woman who presented with ... She had multiple medical comorbidities including coronary artery disease with previous ... Figure 3: Application of hemostatic endoclip to colonic Dieulafoy's lesion after ...

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 34635

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Access to biologicals in Crohn's disease in ten European countries

Márta Péntek, Peter L Lakatos, Talitha Oorsprong, László Gulácsi, Milena Pavlova, Wim Groot, Fanni Rencz, Valentin Brodszky, Petra Baji; Crohn's Disease Research Group

Abstract

AIM

To analyze access (availability, affordability and acceptability) to biologicals for Crohn's disease (CD) in ten European countries and to explore the associations between these dimensions, the uptake of biologicals and economic development.

METHODS

A questionnaire-based survey combined with desk research was carried out in May 2016. Gastroenterologists from the Czech Republic, France, Germany, Hungary, Latvia, Poland, Romania, Slovakia, Spain and Sweden were invited to participate and provide data on the availability of biologicals/biosimilars, reimbursement criteria, clinical practice and prices, and use of biologicals. An availability score was developed to evaluate the restrictiveness of eligibility and administrative criteria applied in the countries. Affordability was defined as the annual cost of treatment as a share of

Match Overview

1 Internet 78 words
crawled on 04-Jul-2016
www.wjgnet.com

2%

Access to biologicals in Crohn's disease in ten European countries

全部 图片 视频 新闻 地图 图书

找到约 524,000 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

显示的是以下查询字词的结果: [Access to biologicals in Crohn's disease in ten European countries](#)

仍然搜索: [Access to biologicals](#) in Crohn's disease in ten European countries

[P484 Access to biologicals and biosimilars across 11 European Union ...](#)

<https://www.ecco-ibd.eu/.../p484-access-to-biologicals-and-biosimilars-across-11-european-union-countries.html>

In total, 220 gastroenterologists chosen randomly across 11 countries ... 20% of patients with Crohn's disease or 10% with ulcerative colitis; at least 10% of these ...

[The burden of inflammatory bowel disease in Europe - ScienceDirect](#)

www.sciencedirect.com/science/article/pii/S1873994613000305

The inflammatory bowel diseases (IBD), Crohn's disease (CD) and ulcerative colitis ... Detection rates and diagnostic criteria differ between studies, just as access to ... Incidence and prevalence rates from selected countries in Europe are shown in ... 45.9% of patients had a change in disease behavior during 10 years of ...

[Biological therapy in inflammatory bowel diseases: Access in ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4323448/>

14 Feb 2015 ... Incidence and prevalence of Crohn's disease and ulcerative colitis in the total ... to that observed in Western and Northern European countries[8,10,12]. ... with inflammatory bowel diseases in Hungary in the era of biologics.

[\[PDF\] P483. Differences in biologic therapy utilisation amongst early and ...](#)

<https://academic.oup.com/ecco-jcc/article-pdf/10/suppl.../jjw019.602.pdf>

Background: Crohn's disease (CD) and Ulcerative Colitis (UC) are ... the difference in biologic therapy amongst early onset and late-onset disease. Methods: We ...

[Patients' access to biologicals in rheumatoid arthritis: A comparison ...](#)

https://www.researchgate.net/.../230870909_Patients'_access_to_biologicals_in_rheumatoid_arthritis_A_comparison_between_Portugal_and_other_...

Official Full-Text Paper (PDF): Patients' access to biologicals in rheumatoid arthritis: A

[全部](#)[新闻](#)[图片](#)[地图](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 502,000 条结果 (用时 0.56 秒)

显示的是以下查询字词的结果：**Access to *biologics* in Crohn's disease in ten European countries**

仍然搜索：**Access to biologicals in Crohn's disease in ten European countries**

P484 Access to biologics and biosimilars across 11 European Union ...

<https://www.ecco-ibd.eu/.../p484-access-to-biologics-and-biosimilars-across-...> ▼ [翻译此页](#)

In total, 220 gastroenterologists chosen randomly across 11 **countries** ... 20% of patients with **Crohn's disease** or 10% with ulcerative colitis; at least 10% of these ...

The burden of inflammatory bowel disease in Europe - ScienceDirect

www.sciencedirect.com/science/article/pii/S1873994613000305 ▼ [翻译此页](#)

作者：J Burisch - 2013 - 被引用次数：260 - [相关文章](#)

The inflammatory bowel diseases (IBD), **Crohn's disease** (CD) and ulcerative colitis ... Detection rates and diagnostic criteria differ between studies, just as **access** to ... Incidence and prevalence rates from selected **countries** in **Europe** are shown in 45.9% of patients had a change in disease behavior during 10 years of ...

P483. Differences in biologic therapy utilisation amongst early and late ...

<https://academic.oup.com/ecco-jcc/article-pdf/10/suppl.../jjw019.602.pdf> - [翻译此页](#)

作者：P Lakatos

Background: **Crohn's disease** (CD) and Ulcerative Colitis (UC) are ... the difference in **biologic** therapy amongst early onset and late-onset disease. Methods: We ...

Biological therapy in inflammatory bowel diseases: Access in Central ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者：F Rencz - 2015 - 被引用次数：22 - [相关文章](#)

2015年2月14日 - Incidence and prevalence of **Crohn's disease** and ulcerative colitis in the total ... to that observed in Western and Northern **European countries**[8,10,12]. with inflammatory bowel diseases in Hungary in the era of **biologics**.

Patients' access to biologics in rheumatoid arthritis: A comparison ...