

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,120,000 条结果 (用时 1.18 秒)

Google 学术: GI symptom prevalence depends on disease duration and GI region in T2DM

... with type 2 diabetes: the Edinburgh Type 2 Diabetes ... - Williamson - 被引用次数: 144

... for human non-insulin-dependent (type 2) diabetes ... - Hanis - 被引用次数: 670

Gastrointestinal symptoms in diabetes mellitus, and ... - de Kort - 被引用次数: 24

Prevalence of gastrointestinal symptoms in diabetic patients and non ...

<https://www.ncbi.nlm.nih.gov/pubmed/7886972> - 翻译此页

Prevalence of gastrointestinal symptoms in diabetic patients and non-diabetic subjects. 43 female; age 34,1 (18-60) yrs, diabetes duration: 11,1 (0,3-41) yrs) and 68 ... Among patients with type 2 diabetes the main gastrointestinal complaint was ... Digestive System/innervation; Female; Gastrointestinal Diseases/diagnosis ...

Gastrointestinal complications of diabetes mellitus

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: B Krishnan - 2013 - 被引用次数: 49 - 相关文章

2013年6月15日 - This review is an update on the GI complications of diabetes, their ... The prevalence of gastroesophageal reflux symptoms in diabetes could be as high as 41%[6]. ... in patients with type 2 diabetes mellitus (T2DM) and neuropathy[16]. The definition of nonalcoholic fatty liver disease (NAFLD) requires ...

Diabetes and GI Diseases | Clinical Endocrinology News - MDedge

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 31913

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Gastrointestinal symptom prevalence depends on disease duration and gastrointestinal region in type 2 diabetes mellitus

Fujishiro M *et al.* Gastrointestinal symptoms in type 2 diabetes

Midori Fujishiro, Akifumi Kushiya, Hiroki Yamazaki, Sunao Kaneko,
Yuko Koketsu, Takeshi Yamamoto, Takako Kikuchi, Hideyuki Sakoda,
Ryo Suzuki, Takashi Kadowaki

Abstract

AIM

To unravel relationships between gastrointestinal (GI) symptoms impairing

Match Overview

1	Crossref 112 words Okimoto, Eiko, Norihisa Ishimura, Yoshiya Morito, Hironobu Mikami, Shino Shimura, Goichi Uno, Yuji Tamagawa, Ma	3%
2	Internet 36 words crawled on 04-Mar-2016 www.wjnet.com	1%
3	Internet 23 words crawled on 02-Feb-2017 www.spandidos-publications.com	1%
4	Internet 22 words crawled on 09-Feb-2017 www.e-sciencecentral.org	1%
5	Internet 13 words crawled on 31-Dec-2015 www.ncbi.nlm.nih.gov	<1%
6	Crossref 12 words D'Addio, Francesca, and Paolo Fiorina. "Type 1 Diabetes ... nd Dysfunctional Intestinal Homeostasis", Trends in Endoc	<1%

全部

图片

新闻

视频

购物

更多

设置

工具

找到约 1,790,000 条结果 (用时 0.66 秒)

Gastrointestinal complications of diabetes mellitus

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: B Krishnan - 2013 - 被引用次数: 60 - 相关文章

2013年6月15日 - Keywords: **Gastrointestinal** complications, **Diabetes mellitus**, Esophageal ... Patients with dysmotility had longer **duration** of diabetes compared with ... The **prevalence** of gastroesophageal reflux **symptoms** in diabetes could be as high as 41%[6]. ... In patients with **type 2** diabetes, peripheral neuropathy is an ...

Prevalence of gastrointestinal symptoms in diabetic patients and non ...

<https://www.ncbi.nlm.nih.gov/pubmed/7886972> - 翻译此页

Finally, 75 patients with Type 1 (insulin-dependent) **diabetes mellitus** (33 male, ... 34,1 (18-60) yrs, diabetes **duration**: 11,1 (0,3-41) yrs) and 68 patients with **Type 2** ... in **prevalence** of **symptoms** referable to the upper and lower **GI-tract** in type 1 ... Among patients with **type 2** diabetes the main **gastrointestinal** complaint was ...

The Prevalence of Gastrointestinal Symptoms in Patients with Non ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: JH Oh - 2009 - 被引用次数: 51 - 相关文章

2009年11月27日 - **Gastrointestinal (GI) symptoms** are common among patients with ... Keywords: **Diabetes mellitus**, **type 2**; **Prevalence**; Signs and ... The remaining 10 questions were related to diabetes and specifically asked about **disease duration**, ... visiting the second or the third hospitals in various **regions** of the country.

[PDF] Clinical aspects of the digestive autonomic neuropathy in diabetes ...

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 22,200 条结果 (用时 1.51 秒)

Google 学术 : Genetic association and epistatic interaction of the interleukin-10 signaling pathway in pediatric inflammatory bowel disease

... to 71 the number of confirmed Crohn's disease ... - Franke - 被引用次数 : 1719

The genetics of inflammatory bowel disease - Bonen - 被引用次数 : 529

Inflammatory bowel disease: cause and ... - Baumgart - 被引用次数 : 1298

Current Progress in Pediatric Inflammatory Bowel Disease

austinpublishinggroup.com/family-medicine/fulltext/jfm-v2-id1030.php - 翻译此页

Recent progress in pediatric IBD studies reveals that genetic factors play an important ... with pediatric IBD, and epistasis interaction of SNPs/genes in IL10 pathway is ... IL10 is an anti-inflammatory cytokine and the IL10/STAT3 signaling pathway Association of the interleukin-23 receptor gene variant rs11209026 with ...

IL10 interleukin 10 [(human)] - NCBI

<https://www.ncbi.nlm.nih.gov/gene/3586> - 翻译此页

3 天前 - The protein encoded by this gene is a cytokine produced primarily by monocytes and to a ... B activity, and is involved in the regulation of the JAK-STAT signaling pathway. ... between this polymorphism and risk of Inflammatory bowel disease. ... IL-10 gene polymorphisms may lead to altered inflammatory ...

Heritability in Inflammatory Bowel Disease: From the First Twin Study ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者 : H Gordon - 2015 - 被引用次数 : 18 - 相关文章

2015年4月17日 - Heritability estimates for Crohn's disease and ulcerative colitis from ... identified from Genome-Wide Association Studies (GWAS) are used to calculate heritability. ... mutations in the interleukin-10 receptor and interleukin-10 genes in Epistasis describes the interaction of genes from separate loci42 and ...