



The efficacy of thalidomide for pediatric Crohn's disease coexist with tubercu ▾



学术搜索

找到约 537 条结果 (用时0.10秒)

我的著作引用情况



文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

我的图书馆

[HTML] [Infliximab maintenance therapy for fistulizing Crohn's disease](#)
BE Sands, FH Anderson, CN Bernstein... - ... England Journal of ..., 2004 - Mass Medical Soc
... University of Manitoba, Winnipeg, Canada (CNB); Rochester Institute for Digestive Diseases
and Sciences ... Development of a Crohn's disease activity index: National Cooperative Crohn's
Disease Study. ... Quality of life: a valid and reliable measure of therapeutic efficacy in the ...
被引用次数: 1863 相关文章 所有 14 个版本 引用 保存

[HTML] [nejm.org](#)

时间不限

2017以来

2016以来

2013以来

自定义范围...

Medical therapy for refractory pediatric Crohn's disease
WA Faubion, A Bousvaros - Clinical Gastroenterology and Hepatology, 2006 - Elsevier
... 14 Nevertheless, a significant proportion of children with CD have either persistent disease ... adult
efficacy/safety data; (2) a systematic review of available pediatric efficacy/safety data ... medical
management of complicated CD, the gastroenterologist caring for a child with refractory ...
被引用次数: 9 相关文章 所有 9 个版本 引用 保存

[HTML] [gastrojournal.org](#)

按相关性排序

按日期排序

Crohn's disease of the esophagus
KL Isaacs - Current treatment options in gastroenterology, 2007 - Springer
... [30,31] have demonstrated that it is efficacious in the ... Thalidomide, as part of its mechanism of
action in the treatment of Crohn's disease, does suppress TNF; however ... Berni Canani R, Terrin
G, Borrelli O, et al.: Short- and long-term therapeutic efficacy of nutritional therapy and ...
被引用次数: 9 相关文章 所有 6 个版本 引用 保存

不限语言

中文网页

简体中文网页

☒ 包括专利☒ 包含引用

Therapy of Crohn's disease in childhood
RM Beattie, ARF Bremner - Expert opinion on pharmacotherapy, 2002 - Taylor & Francis
... TNF antagonists Thalidomide 50 mg odpo Steroid-dependent or -resistant disease ... evaluated
the efficacy of main- taining remission with azathioprine [84]. ... It is not clear how long treatment
with azathioprine or 6- MCP should be continued in a child who enters remission.
被引用次数: 24 相关文章 所有 3 个版本 引用 保存

☒ 创建快讯

Biologics in oral medicine: oral Crohn's disease and orofacial granulomatosis
ID O'Neill, C Scully - Oral diseases, 2012 - Wiley Online Library
... In an open-label prospective study on the efficacy of infliximab in a variety of ... oral and oesophageal
granulomatous ulceration, which persisted despite treatment with thalidomide plus continued ...
Natural killer cell lymphoma in a pediatric patient with inflammatory bowel disease. ...
被引用次数: 15 相关文章 所有 7 个版本 引用 保存

[PDF] [sdclucknow.com](#)

Orofacial granulomatosis in children: Think about Crohn's disease
M Lazzerini, S Martellosi, G Cont, C Bersanini... - ... and Liver Disease, 2015 - Elsevier

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35562

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Efficacy of thalidomide therapy in pediatric Crohn's disease with evidence of tuberculosis

Lin Wang, Yan Hong, Jie Wu, Ying-Kit Leung, Ying Huang

Abstract

AIM

To evaluate the efficacy of thalidomide for treating troublesome cases in pediatric Crohn's disease with tuberculosis infection.

METHODS

A retrospective study of clinical outcome among children treated with

Match Overview

1

Crossref 23 words

Joel R Rosh. "Retrospective Evaluation of the Safety and Effect of Adalimumab Therapy (RESEAT) in Pediatric Crohn's Disease"

1%



Efficacy of thalidomide therapy in pediatric Crohn's disease with evidence of ▾



学术搜索

找到约 2,210 条结果 (用时0.04秒)

我的著作引用情况



文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

我的图书馆

Anti-tumour necrosis factor agents and tuberculosis risk: mechanisms of action and clinical management[\[PDF\] researchgate.net](#)

MA Gardam, EC Keystone, R Menzies... - infectious diseases, 2003 - Elsevier

... 59 In addition, thalidomide has been shown to have anti-TNF activity, ... 63 Given their efficacy and tolerability, anti-TNF α agents are likely to be used to treat ... individuals with a chest radiograph suggesting old tuberculosis, and patients on immuno-suppressive therapy or with ...

被引用次数：804 相关文章 所有 13 个版本 引用 保存

Consensus guidelines of ECCO/ESPGHAN on the medical management of pediatric Crohn's disease[\[HTML\] oup.com](#)

FM Ruemmele, G Veres, KL Kolho... - Journal of Crohn's ..., 2014 - academic.oup.com

被引用次数：253 相关文章 所有 25 个版本 引用 保存

[\[HTML\] Treatment of pediatric refractory Crohn's disease with thalidomide](#)[\[HTML\] nih.gov](#)

CF Zheng, JH Xu, Y Huang... - World Journal of ..., 2011 - ncbi.nlm.nih.gov

... Whether IMiDs have a greater therapeutic efficacy with fewer side-effects than thalidomide needs to be ... after high cumulative doses of thalidomide are used[26,29], indicating that thalidomide can be ... is still a challenge of physicians due to its poor response to therapy or serious ...

被引用次数：31 相关文章 所有 4 个版本 引用 保存

[\[HTML\] Maintenance therapy with certolizumab pegol for Crohn's disease](#)[\[HTML\] nejm.org](#)

S Schreiber, M Khaliq-Kareemi... - ..., England Journal of ..., 2007 - Mass Medical Soc

... with certolizumab pegol and continued to receive certolizumab pegol as maintenance therapy were more ... Efficacy of a novel PEGylated humanized anti-TNF fragment (CDP870) in patients with ... Quality of life: a valid and reliable measure of therapeutic efficacy in the treatment of ...

被引用次数：950 相关文章 所有 11 个版本 引用 保存

[\[HTML\] Thalidomide for the treatment of oral aphthous ulcers in patients with human immunodeficiency virus infection](#)[\[HTML\] nejm.org](#)

JM Jacobson, JS Greenspan, J Spritzler... - ..., England Journal of ..., 1997 - Mass Medical Soc

... events, but not all the patients could tolerate the initial therapeutic regimen (200 mg ... been recognized.33-35 The drug has shown evidence of effectiveness in treating ... CH, Hoyer H, Asboe-Hansen G, Brodthagen H. Development of polyneuropathy during thalidomide therapy. ...

被引用次数：463 相关文章 所有 10 个版本 引用 保存

Thalidomide for the treatment of recalcitrant oral Crohn's disease and orofacial granulomatosis[\[PDF\] researchgate.net](#)

不限语言

中文网页

简体中文网页

☒ 包括专利☒ 包含引用☒ 创建快讯

[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 41,400 条结果 (用时 0.46 秒)

Google 学术: Efficacy of thalidomide therapy in pediatric Crohn's disease with evidence of tuberculosis

... factor agents and tuberculosis risk: mechanisms of ... - Gardam - 被引用次数: 805

... the medical management of pediatric Crohn's disease - Ruemmele - 被引用次数: 254

... of pediatric refractory Crohn's disease with thalidomide - Zheng - 被引用次数: 31

Treatment of pediatric refractory Crohn's disease with thalidomide

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: CF Zheng - 2011 - 被引用次数: 31 - 相关文章

2011年3月14日 - Treatment of pediatric refractory Crohn's disease with thalidomide ... the efficacy of thalidomide in treatment of several clinical conditions such as ... to 40°C. Symptoms did not improve upon anti-tuberculosis (TB) treatment with ...

Systematic review: thalidomide and thalidomide analogues for ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/25858208> - 翻译此页

作者: C Yang - 2015 - 被引用次数: 14 - 相关文章

2015年4月8日 - (1)Department of Pediatrics, Faculty of Health Sciences, College of Medicine, ... AIM: To review the evidence examining the efficacy and safety of thalidomide for inducing and maintaining remission in Crohn's disease (CD) and ... Adult; Child; Colitis, Ulcerative/drug therapy*; Crohn Disease/drug therapy* ...

Consensus guidelines of ECCO/ESPGHAN on the medical ...

www.sciencedirect.com/science/article/pii/S1873994614001482 - 翻译此页

作者: FM Ruemmele - 2014 - 被引用次数: 254 - 相关文章

Keywords: Pediatric Crohn's disease; Guidelines; Medical therapy ... Evidence-based consensus statements can provide guidance for physicians who care The efficacy for inducing remission at 8 weeks in the two pediatric studies ranged, ... Different antibiotics were administered (anti-tuberculosis