

Name of Journal: *World Journal of Gastroenterology*

Manuscript No: 35679

Manuscript Type: CASE REPORT

The first case of cross-auxiliary double domino donor liver transplantation

Zhu ZJ *et al.* Dual domino liver graft transplantation

Zhi-Jun Zhu, Lin Wei, Wei Qu, Li-Ying Sun, Ying Liu, Zhi-Gui Zeng, Liang Zhang, En-Hui He, Hai-Ming Zhang, Ji-Dong Jia, Zhong-Tao Zhang

Match Overview

1	Internet 22 words crawled on 11-Oct-2010 www.thaos.net	1%
2	Crossref 18 words Lee, D.S.. "Auxiliary partial orthotopic liver transplantation ... the treatment of acute liver failure: A case report", Transpla	1%
3	Crossref 16 words Takashi Nishizaki. "DOMINO LIVER TRANSPLANTATION ... ROM A LIVING RELATED DONOR", Transplantation, 10/20	1%
4	Internet 15 words crawled on 31-Aug-2017 uu.diva-portal.org	1%



The first case of cross-auxiliary double domino donor liver transplantation



学术搜索

获得 2 条结果 (用时0.05秒)

我的著

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索 中文(简体) 结果, 可在 学术搜索设置 指定搜索语言

[HTML] Domino versus deceased donor liver transplantation: association with early graft function and perioperative bleeding

[HTML] wiley.com

M Bispo, P Marcelino, HP Marques... - ... Transplantation, 2011 - Wiley Online Library

... of initial poor function) versus 18.0% (1 primary nonfunction and 15 cases of initial ... morphologically normal liver from a familial amyloidotic polyneuropathy (FAP) patient, was first performed in ... harvested without the vena cava, the hepatic venous outflow of the domino grafts was ...

被引用次数: 18 相关文章 所有 7 个版本 引用 保存

Reconstruction of the Outflow Tract in Cross-Auxiliary Double-Domino Donor Liver Transplantation

W Qu, ZJ Zhu, L Wei, LY Sun, Y Liu, ZG Zeng - Transplantation ..., 2016 - Elsevier

... the left hepatic vein (LHV) and the MHV was performed first, and the ... in our operation might provide an innovative surgical approach for reconstructing the complex outflow ... Auxiliary partial orthotopic liver transplantation (APOLT) for fulminant hepatic failure: 1st successful case ...

相关文章 所有 5 个版本 引用 保存

☒ 创建快讯

关于 Google 学术搜索 隐私权 条款 提供反馈



The First case of cross-auxiliary double domino donor liver transplantation



学术搜索

获得 2 条结果（用时0.05秒）

我的著作引用情况

文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置. 指定搜索语言

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

[HTML] **Domino versus deceased donor liver transplantation: association with early graft function and perioperative bleeding**
M Bispo, P Marcelino, [HP Marques...](#) - ... **Transplantation**, 2011 - Wiley Online Library
... of initial poor function) versus 18.0% (1 primary nonfunction and 15 **cases** of initial ... morphologically normal **liver** from a familial amyloidotic polyneuropathy (FAP) patient, was **first** performed in ... harvested without **the** vena cava, **the hepatic** venous outflow of **the domino** grafts was ...
被引用次数：19 相关文章 所有 7 个版本 引用 保存

Reconstruction of the Outflow Tract in Cross-Auxiliary Double-Domino Donor Liver Transplantation
W Qu, ZJ Zhu, L Wei, LY Sun, Y Liu, ZG Zeng - **Transplantation** ..., 2016 - Elsevier
... **the** left **hepatic** vein (LHV) and **the** MHV was performed **first**, and **the** ... in our operation might provide an innovative surgical approach for reconstructing **the** complex outflow ... Auxiliary partial orthotopic **liver transplantation** (APOLT) for fulminant **hepatic** failure: **1st** successful **case** ...
相关文章 所有 5 个版本 引用 保存

☒ 创建快讯

[HTML] [wiley.com](#)



First case of cross-auxiliary double domino donor liver transplantation



文章

获得 2 条结果 (用时0.05秒)

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利

☐ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Domino versus deceased donor liver transplantation: association with early graft function and perioperative bleeding

M Bispo, P Marcelino, HP Marques... - ... Transplantation, 2011 - Wiley Online Library

... of initial poor function) versus 18.0% (1 primary nonfunction and 15 cases of initial ... morphologically normal liver from a familial amyloidotic polyneuropathy (FAP) patient, was first performed in ... harvested without the vena cava, the hepatic venous outflow of the domino grafts was ...

☆ 99 被引用次数: 18 相关文章 所有 7 个版本

[HTML] wiley.com

Reconstruction of the Outflow Tract in Cross-Auxiliary Double-Domino Donor Liver Transplantation

W Qu, ZJ Zhu, L Wei, LY Sun, Y Liu, ZG Zeng - Transplantation ..., 2016 - Elsevier

... between the left hepatic vein (LHV) and the MHV was performed first, and the ... Auxiliary partial orthotopic liver transplantation (APOLT) for fulminant hepatic failure: 1st successful case-report. ... partial orthotopic liver transplantation from a living related donor: a report of two cases. ...

☆ 99 相关文章 所有 5 个版本