

找到约 11,700 条结果（用时 0.58 秒）

Google 学术: Characteristics of Fecal Microbial Communities in Patients with Non-anastomotic Biliary Strictures after Liver Transplantation

Multidrug-resistant bacteria in solid organ transplant ... - Cervera - 被引用次数: 23

Gut microbiota of liver transplantation recipients | Scientific Reports

www.nature.com/scientific-reports/articles - 翻译此页

2017年6月19日 - The **characteristics** of intestinal **microbial communities** may be affected by ... **fecal microbial communities** in post-liver transplantation (LT) **patients** in ... After LT, there was a significant decrease in the abundance of certain ... A follow-up trial showed that **biliary** complications (**biliary anastomotic stricture**) ...

Epidemiology and Resistance Patterns of Bacterial and Fungal ...

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMed Central \(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者: C Lübbert - 2016 - 被引用次数: 5 - 相关文章

2016年5月12日 - **Patients** with **biliary strictures** requiring endoscopic stent placement were prospectively enrolled. After ... **anastomotic stenosis after liver transplantation**, chronic pancreatitis, ... and diverse spectrum of mixed **microbial communities** [1,17,19]. However, many bacteria of the gut microbiota may **not** presently be ...

Bacterial infections after liver transplantation - Springer Link

<https://link.springer.com/content/pdf/10.1007/BF01967467.pdf> - 翻译此页

作者: CV Paya - 1989 - 被引用次数: 43 - 相关文章

Of the different types of infection, severe **bacterial** infections are the most common. The majority ... smaller group of **liver transplant patients** at the Uni- versity of ...

Aeromonas Infection of the Hepatobiliary System: Report of 15 Cases ...

<https://academic.oup.com/cid/article-pdf/doi/10.1086/.../37-4-506.pdf> - 翻译此页

作者: NM Clark - 被引用次数: 57 - 相关文章

in 39 **patients**, and the **features** of these episodes are described. ... including 4 **liver transplant** recipients, and nosocomial infection was **not** infrequent (8 of 17 ...

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 35716

Manuscript Type: ORIGINAL ARTICLE

Clinical Trials Study

Characteristics of fecal microbial communities in patients with non-anastomotic biliary strictures after liver transplantation

Zhang J *et al.* Fecal microbial communities in NAS patients

Jing Zhang, Feng-Gang Ren, Peng Liu, Hong-Ke Zhang, Hao-Yang Zhu, Zhe Feng, Xu-Feng Zhang, Bo Wang, Xue-Ming Liu, Xiao-Gang Zhang, Rong-Qian Wu, Yi Lv

Abstract

AIM

To explore the possible relationship between fecal microbial communities and

Match Overview

1	Internet 104 words crawled on 03-Apr-2014 www.jiarm.com	2%
2	Internet 25 words crawled on 22-Nov-2014 www.plosone.org	1%
3	Internet 25 words crawled on 16-Jun-2016 www.ejh.it	1%
4	Internet 24 words crawled on 27-Feb-2016 medschool.umaryland.edu	1%
5	Internet 23 words crawled on 13-Jun-2017 www.wjgnet.com	1%
6	Crossref 22 words Wong, Adam C-N, John M Chaston, and Angela E Dougl as. "The inconstant gut microbiota of <i>Drosophila</i> specie ...	<1%
7	Crossref 19 words Yanfei Chen. "Characterization of fecal microbial comm ... nities in patients with liver cirrhosis", <i>Hepatology</i> , 08/201	<1%
8	Crossref 17 words Zhang, Jing, Hong-Ke Zhang, Hao-Yang Zhu, Jian-Wen Lu, Qiang Lu, Yi-Fan Ren, Chang Liu, Jian Dong, Zhao-	<1%
9	Internet 17 words crawled on 23-Aug-2010 brain.oxfordjournals.org	<1%

文章

找到约 24 条结果 (用时0.14秒)

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☐ 包括专利☐ 包含引用

创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

[HTML] Multidrug - resistant bacteria in solid organ transplant recipients

C Cervera, C Delden, J Gavalda... - Clinical Microbiology ..., 2014 - Wiley Online Library

... Main Characteristics of MDR Bacterial Infection after SOT. Recommendations. ... At present there are different MALDI-TOF platforms for microbial identification. ... However, certain features related to the surgical technique alter the risk of bacterial infection after SOT. ...

☆ 99 被引用次数: 26 相关文章 所有 8 个版本

[HTML] wiley.com

Full View

[引用] I 652 AB STRACTS

BOF ORTHOTOPIC

☆ 99

ENDOSCOPIC THERAPY IN EXTRAHEPATIC BILIARY STRICTURES

C Haapamäki - 2016 - helda.helsinki.fi

... or compensate certain stent-related drawbacks and complications, several stent features have been ... The mechanical properties of the stent were measured and compared with those of a ... complete cholestatic syndrome, including jaundice, pruritus, dark urine and whitish feces(54 ...

☆ 99 相关文章

[PDF] helsinki.fi

[PDF] 21. Transplant Hepatology: A Comprehensive Update

S Beckebaum, VR Cicinnati, A Radtke - Hepatolog - academia.edu

... Typical histological features of preservation and reperfusion injury include centrilobular pallor and ballooning degeneration ... and positive detection of HEV replication in serum and/or feces over a ... in transplant patients and depends on the length of follow-up, characteristics of the ...

☆ 99 相关文章

[PDF] academia.edu

The Future of Liver Immunology 31

ME Gershwin, JM Vierling... - Liver Immunology: ..., 2013 - books.google.com

... and disease should add to our understanding of the circumstances facilitating bacterial infections of ... The hepatitis A virus (HAV) was discovered in human stool in 1973, but production of ... 452 Acute graft-versus-host disease (aGVHD) classification, 428 clinical features, 431-432 ...



Characteristics of fecal microbial communities in patients with non-anastomotic



全部

图片

新闻

地图

更多

设置

工具

找到约 10,200 条结果 (用时 0.66 秒)

Google 学术 : Characteristics of fecal microbial communities in patients with non-anastomotic biliary strictures after liver transplantation

Multidrug-resistant bacteria in solid organ transplant ... - Cervera - 被引用次数 : 27

Gut microbiota of liver transplantation recipients | Scientific Reports

www.nature.com/scientific-reports/articles - 翻译此页

作者 : LY Sun - 2017

2017年6月19日 - The characteristics of intestinal microbial communities may be affected by ... of intestinal fecal microbial communities in post-liver transplantation (LT) ... In the first 5 to 7 days after surgery, the patients received antibiotic A follow-up trial showed that biliary complications (biliary anastomotic stricture) ...

Epidemiology and Resistance Patterns of Bacterial and Fungal ...

[https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMed Central \(PMC\)](https://www.ncbi.nlm.nih.gov/NCBI/Literature/PubMedCentral(PMC)) - 翻译此页

作者 : C Lübbert - 2016 - 被引用次数 : 5 - 相关文章

2016年5月12日 - Treatment of stent-associated cholangitis is often not effective because ... Patients with biliary strictures requiring endoscopic stent placement ... anastomotic stenosis after liver transplantation, chronic pancreatitis, ... Thus, existing data on biliary stent microbial communities may be biased and incomplete [1].

Impact of pretransplant rifaximin therapy on early post-liver transplant ...

onlinelibrary.wiley.com/doi/10.1002/lt.23845/full - 翻译此页

作者 : JM Esfeh - 2014 - 被引用次数 : 8 - 相关文章

2014年3月26日 - [10] A number of risk factors for early bacterial infections (EBIs) after LT have ... units given during surgery, type of biliary anastomosis (duct-to-duct versus Roux-en Y), ... The remaining 197 patients (73.5%) made up the non-rifaximin group. ... Demographic and Clinical Characteristics Before Transplantation ...

Biliary complications after pediatric liver transplantation: Risk factors ...

<https://www.wjgnet.com/1948-5182/full/v7/i18/2162.htm> - 翻译此页

作者 : FH Feier - 2015 - 相关文章

2015年8月28日 - Core tip: Biliary complications in children after liver transplantation ... BL can occur at the anastomosis, T-tube insertion, or cut surface of partial liver grafts. ... The lack of US sensitivity may occur because early strictures do not ... when a patient presents signs of cholestasis but has normal