

Name of Journal: World Journal of Gastroenterology

Manuscript NO: 33878

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Nomogram based on the tumor-associated ²neutrophil-to-lymphocyte ratio to predict survival of patients with gastric neuroendocrine neoplasms

²Long-Long Cao, Jun Lu, Jian-Xian Lin, Chao-Hui Zheng, Ping Li, Jian-Wei Xie, Jia-Bin Wang, Qi-Yue Chen, Mi Lin, Ru-Hong Tu, Chang-Ming Huang

Abstract

AIM

To investigate the predictive value of the tumor-associated neutrophil-to-lymphocyte ratio in terms of the clinical outcomes of patients with gastric neuroendocrine neoplasms after radical surgery.

Match Overview

1	Crossref 109 words "24th International Congress of the European Association for Endoscopic Surgery (EAES) Amsterdam, The Netherlands"	4%
2	Internet 82 words crawled on 22-Jul-2016 www.pubfacts.com	3%
3	Crossref 48 words Michelle D Reid. "Tumor-infiltrating neutrophils in pancreatic neoplasia", Modern Pathology, 12/2011	2%
4	Internet 35 words crawled on 23-Mar-2015 ijcem.com	1%
5	Crossref 33 words Malietzis, George, Marco Giacometti, Alan Askari, Subramanian Nachiappan, Robin H. Kennedy, Omar D. Faiz,	1%
6	Internet 28 words crawled on 05-Feb-2017 e-sciencecentral.org	1%
7	Crossref 28 words Shou, Zhang-Xuan, Xue Jin, and Zhong-Sheng Zhao. "Up-regulated Expression of ADAM17 Is a Prognostic Marker for Gastric Neuroendocrine Neoplasms"	1%
8	Crossref 26 words Takahashi, Yusuke, Hiroto Horio, Tai Hato, Masahiko Harada, Noriyuki Matsutani, Satoshi Morita, and Masafumi	1%
9	Crossref 24 words Park, J.Y. "Surgical management of borderline ovarian neoplasms"	1%

A nomogram based on tumor-associated neutrophil-to-lymphocyte ratio to prec



全部 图片 视频 新闻 购物 地图 图书

找到约 35,100 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[A novel predictive model based on preoperative blood neutrophil-to-lymphocyte ratio to predict RFS and OS after surgery](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5173115/) ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5173115/>

3 Jun 2016 ... A nomogram was adopted to predict RFS and OS after surgery. ... Keywords: gastric neuroendocrine neoplasms, preoperative blood neutrophil-to-lymphocyte ratio, prognosis, tumor recurrence, surveillance strategy ... Variables associated with recurrence-free survival according to the Cox proportional ...

[Journal of Surgical Oncology - Early View - Wiley Online Library](http://onlinelibrary.wiley.com/journal/10.1002/(ISSN)1096-9098/earlyview)

[onlinelibrary.wiley.com/journal/10.1002/\(ISSN\)1096-9098/earlyview](http://onlinelibrary.wiley.com/journal/10.1002/(ISSN)1096-9098/earlyview) ▼

A proposal of post-operative nomogram for overall survival in patients with ... The diagnosis of pancreatic mucinous cystic neoplasm and associated ... Clinical outcome of using gastric remnant or jejunum or colon conduit in ... The prognostic value of neutrophil-to-lymphocyte ratio in colorectal cancer: A systematic review.

[Inflammation-Based Scores: A New Method for Patient-Targeted ...](https://www.hindawi.com/journals/bmri/2014/142425/)

<https://www.hindawi.com/journals/bmri/2014/142425/>

19 Mar 2014 ... Neutrophil to lymphocytes ratio (NLR) is one of the most studied ... in tumour-associated immune changes; an elevated NLR reflects a decreased ... to lymphocyte ratio), for predicting the postoperative survival of ... PLR has been identified as a prognostic marker in patients with advanced gastric cancer [55] ...

[Volume 27 Issue 4 | Annals of Oncology | Oxford Academic](http://annonc.oxfordjournals.org/content/27/4.toc)

annonc.oxfordjournals.org/content/27/4.toc

Improving next-generation sequencing-based cancer diagnostics in liquid biopsies ... species associated with survival and drug response in patients receiving ... advanced resectable gastric carcinoma: 10-year follow-up of the SAKK 43/99 phase III trial ... Prognostic value of neutrophil-to-lymphocyte ratio in advanced ...

[AbstractBySubCategory | Meeting Library](http://meetinglibrary.asco.org/.../2016%20Gastrointestinal%20Cancers%20Symposium/59)

meetinglibrary.asco.org/.../2016%20Gastrointestinal%20Cancers%20Symposium/59 ▼

Sub Track: Multidisciplinary Treatment - Track: Cancers of the Pancreas, ... and Hepatobiliary

Nomogram based on the tumor-associated neutrophil-to-lymphocyte ratio to pr

全部

图片

视频

新闻

地图

图书

找到约 56,300 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[A novel predictive model based on preoperative blood neutrophil-to-lymphocyte ratio to predict RFS and OS after surgery](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5173115/)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5173115/>
3 Jun 2016 ... A higher blood NLR was not significantly associated with clinical characteristics (all $P > 0.05$). ... A nomogram was adopted to predict RFS and OS after surgery. ...
Keywords: gastric neuroendocrine neoplasms, preoperative blood neutrophil-to-lymphocyte ratio, prognosis, tumor recurrence, surveillance ...

[Predictive value of preoperative peripheral blood neutrophil-to-lymphocyte ratio in predicting survival for patients with stage I-II gastric cancer](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5450407/)
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5450407/>
30 May 2017 ... Neutrophil-to-lymphocyte ratio (NLR) is one of the systemic inflammation ... Pancreatic neuroendocrine tumors (PanNETs) are rare tumors with distinct ... A nomogram to predict the risk of LN metastasis of PanNETs after operation. ... ratio in predicting survival for patients with stage I-II gastric cancer.

[\[PDF\] Untitled - the European Neuroendocrine Tumor Society](http://www.enets.org/download/f.727.pdf)
www.enets.org/download/f.727.pdf
Metastasis and Is Associated with Time-To-Progression in Pancreatic ... Potential Therapeutic Targets for Gastric Poorly Differentiated ... Somatostatin Analogues in Patients with Neuroendocrine Tumour ... A Gene Expression-Based Nomogram Predicts ... Preoperative Blood Neutrophil-To-Lymphocyte Ratio- Based ...

[Volume 27 Issue 4 | Annals of Oncology | Oxford Academic](http://annonc.oxfordjournals.org/content/27/4.toc)
annonc.oxfordjournals.org/content/27/4.toc
Improving next-generation sequencing-based cancer diagnostics in liquid ... in patients with IDH-mutant hematologic tumors, demonstrate clinical activity ... species associated with survival and drug response in patients receiving ... Prognostic value of neutrophil-to-lymphocyte ratio in advanced oesophago-gastric cancer: ...

[Pretreatment Neutrophil-to-Lymphocyte Ratio in Metastatic Gastric Cancer](http://theoncologist.alphamedpress.org/content/17/12/1508.full)
theoncologist.alphamedpress.org/content/17/12/1508.full
12 Sep 2012 ... The neutrophil-to-lymphocyte ratio (NLR), an inflammation marker, is prognostic ... a predictive nomogram by patient categorization into favorable (zero or one ...

Nomogram based on the tumor-associated neutrophil-to-lymphocyte ratio to pred



全部 图片 视频 新闻 地图 图书

找到约 53,100 条结果

时间不限

过去 1 小时内
过去 24 小时内
过去 1 周内
过去 1 个月内
过去 1 年内

所有结果

精确匹配

[A novel predictive model based on preoperative blood neutrophil-to-lymphocyte ratio to predict the risk of LN metastasis of PanNETs after operation. ratio in predicting survival for patients with stage I-II gastric cancer.](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5173115/>

3 Jun 2016 ... A higher blood NLR was not significantly associated with clinical characteristics (all $P > 0.05$). ... A nomogram was adopted to predict RFS and OS after surgery. ...

Keywords: gastric neuroendocrine neoplasms, preoperative blood neutrophil-to-lymphocyte ratio, prognosis, tumor recurrence, surveillance ...

[Predictive value of preoperative peripheral blood neutrophil-to-lymphocyte ratio \(NLR\) is one of the systemic inflammation ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5450407/>

30 May 2017 ... Neutrophil-to-lymphocyte ratio (NLR) is one of the systemic inflammation ... Pancreatic neuroendocrine tumors (PanNETs) are rare tumors with distinct ... A nomogram to predict the risk of LN metastasis of PanNETs after operation. ratio in predicting survival for patients with stage I-II gastric cancer.

[\[PDF\] Untitled - the European Neuroendocrine Tumor Society](#)

www.enets.org/download/f.727.pdf

Metastasis and Is Associated with Time-To-Progression in Pancreatic ... Potential Therapeutic Targets for Gastric Poorly Differentiated ... Somatostatin Analogues in Patients with Neuroendocrine Tumour. A Gene Expression-Based Nomogram Predicts ... Preoperative Blood Neutrophil-To-Lymphocyte Ratio-. Based ...

[Volume 27 Issue 4 | Annals of Oncology | Oxford Academic](#)

annonc.oxfordjournals.org/content/27/4.toc

Improving next-generation sequencing-based cancer diagnostics in liquid ... in patients with IDH-mutant hematologic tumors, demonstrate clinical activity ... species associated with survival and drug response in patients receiving ... Prognostic value of neutrophil-to-lymphocyte ratio in advanced oesophago-gastric cancer: ...

[\[PDF\] The Natural History and Outcome Predictors of Metastatic Castration ...](#)