

[全部](#)[图片](#)[新闻](#)[视频](#)[地图](#)[更多 ▾](#)[搜索工具](#)

找到约 11,700 条结果 (用时 0.92 秒)

### Increased Helicobacter pylori-associated Gastric Cancer Risk ... - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) - [翻译此页](#)

作者: R Chaturvedi - 2015 - 被引用次数: 10 - 相关文章

2014年9月1日 - H. pylori clinical isolates from the high cancer region of Colombia induce more ...

However, when we analyzed the 3'-ends of the cagA sequences from multiple clinical ... Two low risk clinical isolates, PZ5009 (5/5 gerbils) and PZ5010 (1/5 ... Both strains colonized the gerbils and induced a similar level of ...

### Helicobacter pylori Infection and Gastric Adenocarcinoma - NCBI

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) > NCBI > Literature > PubMed Central (PMC) ▾ [翻译此页](#)

作者: P Correa - 2011 - 被引用次数: 52 - 相关文章

Identification of individuals at high risk for gastric cancer that may enter a ... risk factor for developing several types of cancer, including gastric, intestinal, ... Figure 2. Histologic Section of Human Gastric Mucosa Colonized by ... It would appear that the low virulence H. pylori strains in Africa prevailed in the Colombian Pacific ...

### Increased Helicobacter pylori-associated gastric cancer risk in the ...

[https://www.researchgate.net/publication/265212929\\_Increased\\_Helicobacter\\_pylori-associated\\_g...](https://www.researchgate.net/publication/265212929_Increased_Helicobacter_pylori-associated_gastric_cancer_risk_in_the_high_and_low_risk_regions_of_Colombia)

1,2,7,8. Helicobacter pylori infection causes gastric cancer, the third leading cause of cancer death worldwide. More than half of the ... colonizing strain from the low-risk region. Treatment of ... H. pylori strains from the high-risk region of Nariño, Colombia ... ends of the cagA sequences from multiple

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 28743

Manuscript Type: ORIGINAL ARTICLE

Basic Study

Genomic variability of *Helicobacter pylori* isolates of gastric regions from two Colombian populations

Jenuer Matta, Alvaro Jairo Pazos, Javier Andrés Bustamante-Rengifo, Luis Eduardo Bravo

### Match Overview

1	Internet 50 words crawled on 14-Apr-2016 <a href="http://www.ncbi.nlm.nih.gov">www.ncbi.nlm.nih.gov</a>	1%
2	Internet 32 words crawled on 21-Jan-2012 <a href="http://www.mjpath.org.my">www.mjpath.org.my</a>	1%
3	Internet 28 words crawled on 27-Jun-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	1%
4	Crossref 28 words <a href="#">Liping Yao, "Upregulation of PPARγ in Tissue with Gastric Carcinoma", Hybridoma, 08/2010</a>	1%
5	Internet 23 words crawled on 05-Oct-2015 <a href="http://e-sciencecentral.org">e-sciencecentral.org</a>	<1%
6	Crossref 21 words <a href="#">Kaklikkaya, I., "Investigation of Chlamydia pneumoniae DNA, chlamydial lipopolisaccharide antigens, and Helic</a>	<1%

Genomic variability of Helicobacter pylori isolates of gastric regions from two Col

全部

图片

视频

新闻

地图

图书

找到约 11,300 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

[PDF] [Intestinal Crosstalk between Bile Acids and Microbiota and Its ... - Cell](#)

[www.cell.com/cell-metabolism/pdf/S1550-4131\(16\)30223-6.pdf](http://www.cell.com/cell-metabolism/pdf/S1550-4131(16)30223-6.pdf)

12 Apr 2016 ... that the gut microbiota is altered in obesity and related diseases, ... called enterohepatic circulation and preserves more than 95% .... Microbial metabolism of bile acids leads to increased diversity ..... to the weight loss and improved glucose metabolism after bariat- ..... Microbiome remodelling leads.

[Bile acids as metabolic regulators - NCBI - National Institutes of Health](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4332523/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4332523/)

New insights into the mechanisms underlying the bariatric surgery and bile acid ... Regulation of bile acid synthesis by the gut-liver signaling axis ... showed that post-surgery was associated with increased postprandial circulating gut hormones ... In this regard, Ryan et al. compared the metabolic improvements after vertical ...

[Bile diversion to the distal small intestine has comparable metabolic ...](#)

[www.ncbi.nlm.nih.gov/pmc/articles/PMC4518285/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4518285/) ▼

21 Jul 2015 ... With obesity approaching epidemic proportions, bariatric surgery ... after bariatric surgery and strongly correlates with improved glucose tolerance and lipid metabolism<sup>7,8,9,10</sup>. Both RYGB and VSG increase circulating bile acid levels, ..... A recent report on remodelling of the obese intestinal microbiome ...

[The Role of Gut Adaptation in the Potent Effects of Multiple Bariatric ...](#)



[全部](#)[图片](#)[新闻](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 41,500 条结果（用时 0.70 秒）

小提示：仅限搜索简体中文结果。您可以在设置中指定搜索语言

## Google 学术：Genomic variability of Helicobacter pylori isolates of gastric regions from two Colombian populations

... the cagA 3'repeat region of Helicobacter pylori, gastric ... - Yamaoka - 被引用次数：215

Human and Helicobacter pylori coevolution shapes the ... - Kodaman - 被引用次数：66

... Helicobacter pylori CagA into gastric epithelial cells by ... - Odenbreit - 被引用次数：1187

### Human and Helicobacter pylori coevolution shapes the risk of gastric ...

[www.ncbi.nlm.nih.gov/pubmed/24474772](http://www.ncbi.nlm.nih.gov/pubmed/24474772) ▾ 翻译此页

作者：N Kodaman - 2014 - 被引用次数：66 - 相关文章

2014年1月13日 - Helicobacter pylori is the principal cause of gastric cancer, the ... of gastric lesions and patterns of genomic variation in matched human and ... Patients were recruited from two geographically distinct Colombian populations with significantly ... All H. pylori isolates contained the genetic signatures of multiple ...

### Human and Helicobacter pylori coevolution shapes the risk of gastric ...

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) ▸ NCBI ▸ Literature ▸ PubMed Central (PMC) ▾ 翻译此页

作者：N Kodaman - 2014 - 被引用次数：66 - 相关文章

2014年1月13日 - In two distinct Colombian populations with similar levels of H. pylori infection ... of gastric lesions and patterns of genomic variation in matched human and H. pylori samples. ... All H. pylori isolates contained the genetic signatures of multiple ... and mostly Amerindian ancestry in the mountain region (67%).

### 组会19/01/15 | population genomics

[www.picb.ac.cn/PGG/index.php?p=2918&lang=zh-hans](http://www.picb.ac.cn/PGG/index.php?p=2918&lang=zh-hans) ▾

2015年1月30日 - Helicobacter pylori is the principal cause of gastric cancer, the second ... of genomic variation in matched human and H. pylori samples. Patients were recruited from two geographically distinct Colombian populations with significantly ... with mostly African ancestry in the coastal region