

学术搜索

找到约 665 条结果 (用时0.14秒)

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[HTML] Cisplatin, fluorouracil, and docetaxel in unresectable head and neck cancer

[HTML] nejm.org

..., D Van Den Weyngaert, A Awada... - ... England Journal of ..., 2007 - Mass Medical Soc
... cisplatin and 5-fluorouracil in patients with locally advanced unresectable head and neck cancer:
a phase I-II feasibility study. ... (2016) Betel nut chewing history is an independent prognosticator
for ... (2016) Induction chemotherapy for head and neck cancer; is there still a role?; ...
被引用次数: 1169 相关文章 所有 16 个版本 引用 保存

[HTML] Adjuvant chemotherapy for gastric cancer with S-1, an oral fluoropyrimidine

[HTML] nejm.org

..., T Kinoshita, M Fujii, A Nashimoto... - ... England Journal of ..., 2007 - Mass Medical Soc
... Effect of gastrectomy on the pharmacokinetics of S-1, an oral fluoropyrimidine, in resectable gastric
cancer patients. ... Kinoshita T, Nashimoto A, Yamamura Y, et al. Feasibility study of adjuvant
chemotherapy with S-1 (TS-1; tegafur, gimeracil, oteracil potassium) for gastric cancer...
被引用次数: 1634 相关文章 所有 7 个版本 引用 保存

[HTML] Optimizing docetaxel chemotherapy in patients with cancer of the gastric and gastroesophageal junction

[HTML] wiley.com

JA Ajani - Cancer, 2008 - Wiley Online Library
... ECF regimen.40 Small phase 2 studies have also demonstrated the feasibility of administering ...
Docetaxel (Taxotere)-cisplatin (TC); an effective drug combination in gastric carcinoma. ... be added
to full-dose docetaxel (Taxotere)-cisplatin in advanced gastric carcinoma: a phase I ...
被引用次数: 67 相关文章 所有 4 个版本 引用 保存

Perioperative chemotherapy with docetaxel, cisplatin and capecitabine (DCX) in gastro-oesophageal adenocarcinoma: a phase II study of the Arbeitsgemeinschaft ...

[HTML] oxfordjournals.org

..., A Florschütz, S Daum, A Kretzschmar... - Annals of ..., 2012 - Eur Soc Med Oncology
... To further improve the feasibility and reduce the rate of febrile neutropenia, the use of G-CSF
should be ... A perioperative taxane-based triple combination will be compared with ECF in an
on-going AIO trial. ... Abstract/FREE Full Text. ↳: Van Cutsem E.; Van de Velde C.; Roth A.; et al. ...
被引用次数: 36 相关文章 所有 10 个版本 引用 保存

[HTML] Capecitabine and oxaliplatin for advanced esophagogastric cancer

[HTML] nejm.org

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 30877

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

**A feasibility study of modified docetaxel, cisplatin and capecitabine for stage
IV gastric cancer in Japanese patients**

Maeda O *et al.* DCX for gastric cancer in Japanese patients

Osamu Maeda, Ayumu Matsuoka, Ryoji Miyahara, Kohei Funasaka, Yoshiki
Hirooka, Masahide Fukaya, Masato Nagino, Yasuhiro Koderu, Hidemi Goto,
Yuichi Ando

Osamu Maeda, Ayumu Matsuoka, Yuichi Ando, Department of Clinical
Oncology and Chemotherapy, Nagoya University Hospital, Nagoya 466-8560,
Japan

Match Overview

1	Internet 106 words crawled on 31-Dec-2016 pdfs.semanticscholar.org	4%
2	Internet 89 words crawled on 19-Dec-2016 www.wjgnet.com	3%
3	Crossref 22 words Montero, A.. "Docetaxel for treatment of solid tumours: a systematic review of clinical data", <i>Lancet Oncology</i> , 200504	1%
4	Internet 20 words crawled on 02-Mar-2012 www.isw2011.com	1%

学术搜索

找到约 1,360 条结果 (用时0.13秒)

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

A phase II study of capecitabine and docetaxel combination chemotherapy in patients with advanced gastric cancer

[HTML] nature.com

YH Park, BY Ryoo, SJ Choi, HT Kim - British journal of cancer, 2004 - nature.com

... the objective of the current phase II study was to investigate the feasibility, efficacy and ... function abnormalities during therapy received a 25% dose reduction if there was an increase in ... 5-fluorouracil and leucovorin as treatment for advanced gastric cancer: results of a phase II ...

被引用次数: 105 相关文章 所有 9 个版本 引用 保存

[HTML] Cisplatin, fluorouracil, and docetaxel in unresectable head and neck cancer

[HTML] nejm.org

..., D Van Den Weyngaert, A Awada... - ... England Journal of ..., 2007 - Mass Medical Soc

... cisplatin and 5-fluorouracil in patients with locally advanced unresectable head and neck cancer: a phase I-II feasibility study. ... (2016) Betel nut chewing history is an independent prognosticator for ... (2016) Induction chemotherapy for head and neck cancer: is there still a role? ...

被引用次数: 1192 相关文章 所有 16 个版本 引用 保存

[HTML] Adjuvant chemotherapy for gastric cancer with S-1, an oral fluoropyrimidine

[HTML] nejm.org

..., T Kinoshita, M Fujii, A Nashimoto... - ... England Journal of ..., 2007 - Mass Medical Soc

... Effect of gastrectomy on the pharmacokinetics of S-1, an oral fluoropyrimidine, in resectable gastric cancer patients. ... Kinoshita T, Nashimoto A, Yamamura Y, et al. Feasibility study of adjuvant chemotherapy with S-1 (TS-1; tegafur, gimeracil, oteracil potassium) for gastric cancer ...

被引用次数: 1659 相关文章 所有 7 个版本 引用 保存

[HTML] Optimizing docetaxel chemotherapy in patients with cancer of the gastric and gastroesophageal junction

[HTML] wiley.com

JA Ajani - Cancer, 2008 - Wiley Online Library

... ECF regimen.40 Small phase 2 studies have also demonstrated the feasibility of administering ... Docetaxel (Taxotere)-cisplatin (TC): an effective drug combination in gastric carcinoma. ... be added to full-dose docetaxel (Taxotere)-cisplatin in advanced gastric carcinoma: a phase I ...

被引用次数: 67 相关文章 所有 4 个版本 引用 保存

[全部](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 12,900 条结果 (用时 0.73 秒)

Phase II study of docetaxel, cisplatin and capecitabine as preoperative ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5081553/> - 翻译此页

作者: AE Dassen - 2016

2016年10月27日 - All of the patients (51) were assessable for the feasibility and safety of the regimen. ... Keywords: Gastric cancer, Preoperative chemotherapy, Docetaxel, Capecitabine ... Japanese Classification[12]) prone to metastases[13] are removed. Modified docetaxel-cisplatin in combination with capecitabine as ...

Journal of Clinical Oncology: Vol 29, No 4_suppl - ASCOPubs.org

ascopubs.org/toc/jco/29/4_suppl

Stage at presentation for medically underserved gastric cancer patients. phase II study comparing cisplatin/capecitabine (CX) with epirubicin plus CX (ECX) in Feasibility study of neoadjuvant chemotherapy with docetaxel, cisplatin, and ... in Japanese patients with HER2-positive advanced or metastatic gastric cancer.

Multidisciplinary Treatment | 2015 Gastrointestinal Cancers ...

meetinglibrary.asco.org > ... > 2015 Gastrointestinal Cancers Symposium ▼ 翻译此页

A phase II study of systemic chemotherapy with docetaxel, cisplatin, and S-1 (DCS) followed by ... A prospective study of capecitabine plus modified cisplatin (mXP) as first-line therapy in Japanese patients with metastatic gastric cancer (KSCC1104). The feasibility and safety conversion surgery in stage IV gastric cancer.

Feasibility study of adjuvant chemotherapy with S-1 plus cisplatin for ...

https://www.researchgate.net/.../46108864_Feasibility_study_of_adjuvant_c... - 翻译此页

Feasibility study of adjuvant chemotherapy with S-1 plus cisplatin for gastric ... Japanese patients with stage III gastric cancer who underwent gastrectomy ... capecitabine plus oxaliplatin after D2 gastrectomy in Japanese patients with ... Phase II study of docetaxel, cisplatin and capecitabine as preoperative chemotherapy in ...