

Post-transplant lymphoproliferative disorder after liver transplantation: incidence,

全部

图片

视频

新闻

地图

图书

找到约 86,700 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

### [Posttransplant Lymphoproliferative Disorders in Liver Transplantation](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1422597/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1422597/>

The 1-year patient **survival** for **liver** transplant patients with PTLD was 85%, while the ... in the era of **tacrolimus** immunosuppression, in patients with polymorphic PTLD, and in .... **Incidence** of PTLD as a measure of **Time after** LTX. .... The profound **impact** of pretransplant EBV **serum** negativity on the risk of PTLD has been ...

### [COMPARATIVE LONG-TERM EVALUATION OF TACROLIMUS AND ...](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2962406/)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2962406/>

We examine **long-term** patient and graft **survival**, the **incidence** of rejection, and ... Although the rate of posttransplant lymphoprolif-erative disorder (PTLD) was not ... The introduction of cyclosporine A (CsA) to clinical **transplantation** resulted in a ... Both groups of children received 500 mg of hydrocortisone **after liver** allograft ...

### [Post-Transplant Lymphoproliferative Disorders - The Oncologist](http://theoncologist.alphamedpress.org/content/11/6/674.full)

[theoncologist.alphamedpress.org/content/11/6/674.full](http://theoncologist.alphamedpress.org/content/11/6/674.full)

Discuss the **incidence** and pathologic classification of PTLD. ... In adults, rates **range** from 1%–3% in kidney and **liver transplants**, 1%–6% in cardiac ... renal transplant patients, also found a higher risk associated with **tacrolimus** .... There has been an advocacy for serial monitoring of **serum** EBV viral loads and IL-10 **levels**, ...

### [Post-transplant Lymphoproliferative Disorders in Liver Transplanted ...](http://ar.iiarjournals.org/content/30/6/2383.full)

[ar.iiarjournals.org/content/30/6/2383.full](http://ar.iiarjournals.org/content/30/6/2383.full)

PTLD is a common malignancy **after** transplantation, with an **incidence** ranging .... 2 and 6 started **tacrolimus** again even though with lower **serum levels**. ... Figure 3 shows similar **survival** between patients with PTLD **after liver transplantation** and .... A **long term** comparison of **tacrolimus** (FK 506) versus cyclosporine in liver ...

[PDF] [Impact of cyclosporine versus tacrolimus on the incidence of de ...](#)

## Match Overview

1	Internet 31 words crawled on 02-Nov-2016 <a href="http://www.ueg.eu">www.ueg.eu</a>	1%
2	Crossref 17 words "Orals", <a href="#">Transplant International</a> , 2015.	1%
3	Internet 15 words <a href="http://www.inova.org">www.inova.org</a>	1%
4	Crossref 14 words <a href="#">Al-Mansour, Zeina, Beverly P. Nelson, and Andrew M. Even s. "Post-Transplant Lymphoproliferative Disease (PTLD) ...</a>	1%
5	Internet 13 words crawled on 24-May-2014 <a href="http://dl4a.org">dl4a.org</a>	<1%

Name of journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 30199

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Study*

**1**  
**Post-transplant lymphoproliferative disorder after liver transplantation: incidence, long term survival and impact of serum tacrolimus level**

Ahad Eshraghian, Mohammad Hadi Imanieh, Seyed Mohsen Dehghani, Saman Nikeghbalian, Alireza Shamsaeefar, Bita Geramizadeh, Seyed Ali Malek-Hosseini

**Abstract**

**AIM**

To investigate incidence and survival of post-transplant lymphoproliferative disorder (PTLD) patients after liver transplantation.



Post-transplant lymphoproliferative disorder after liver transplantation: incidence,

全部

图片

视频

新闻

地图

图书

找到约 86,700 条结果

时间不限

过去 1 小时内

过去 24 小时内

过去 1 周内

过去 1 个月内

过去 1 年内

所有结果

精确匹配

### Posttransplant Lymphoproliferative Disorders in Liver Transplantation

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1422597/>

The 1-year patient **survival** for **liver** transplant patients with PTLD was 85%, while the ... in the era of **tacrolimus** immunosuppression, in patients with polymorphic PTLD, and in .... **Incidence** of PTLD as a measure of **Time after** LTX. .... The profound **impact** of pretransplant EBV **serum** negativity on the risk of PTLD has been ...

### COMPARATIVE LONG-TERM EVALUATION OF TACROLIMUS AND ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2962406/>

We examine **long-term** patient and graft **survival**, the **incidence** of rejection, and ... Although the rate of posttransplant lymphoproliferative disorder (PTLD) was not ... The introduction of cyclosporine A (CsA) to clinical **transplantation** resulted in a ... Both groups of children received 500 mg of hydrocortisone **after liver** allograft ...

### Post-Transplant Lymphoproliferative Disorders - The Oncologist

[theoncologist.alphamedpress.org/content/11/6/674.full](http://theoncologist.alphamedpress.org/content/11/6/674.full) ▼

Discuss the **incidence** and pathologic classification of PTLD. ... In adults, rates **range** from 1%–3% in kidney and **liver transplants**, 1%–6% in cardiac ... renal transplant patients, also found a higher risk associated with **tacrolimus** .... There has been an advocacy for serial monitoring of **serum** EBV viral loads and IL-10 **levels**, ...

### Post-transplant Lymphoproliferative Disorders in Liver Transplanted ...

[ar.iiarjournals.org/content/30/6/2383.full](http://ar.iiarjournals.org/content/30/6/2383.full)

PTLD is a common malignancy **after** transplantation, with an **incidence** ranging .... 2 and 6 started **tacrolimus** again even though with lower **serum levels**. ... Figure 3 shows similar **survival** between patients with PTLD **after liver transplantation** and .... A **long term** comparison of **tacrolimus** (FK 506) versus cyclosporine in liver ...

[PDF] [Impact of cyclosporine versus tacrolimus on the incidence of de ...](#)



全部

新闻

图片

购物

视频

更多

设置

工具

找到约 82,500 条结果 (用时 0.88 秒)

## Posttransplant Lymphoproliferative Disorders in Liver Transplantation

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Jain - 2002 - 被引用次数: 188 - 相关文章

The 1-year patient **survival** for **liver** transplant patients with **PTLD** was 85%, while the ... in the era of **tacrolimus** immunosuppression, in patients with polymorphic **PTLD**, and in .... **Incidence** of **PTLD** as a measure of **Time after** LTX. .... The profound **impact** of pretransplant EBV **serum** negativity on the risk of **PTLD** has been ...

## What Have We Learned About Primary Liver Transplantation Under ...

<https://www.ncbi.nlm.nih.gov> > NCBI > Literature > PubMed Central (PMC) - 翻译此页

作者: A Jain - 1999 - 被引用次数: 144 - 相关文章

**Long-term** patient and graft **survival** rates are excellent under **tacrolimus** ... evaluate the **long-term** efficacy and side **effect** profile of **tacrolimus** in primary .... However, **after** OLT, there was little change in the mean **serum** creatinine **level** or blood .... us a relatively high **incidence** of **PTLD** in your pediatric **liver** transplantations.

## Impact of cyclosporine versus tacrolimus on the incidence of de novo ...

[onlinelibrary.wiley.com/doi/10.1111/tri.12165/pdf](https://onlinelibrary.wiley.com/doi/10.1111/tri.12165/pdf) ▼ 翻译此页

作者: CD Wimmer - 2013 - 被引用次数: 36 - 相关文章

2013年8月17日 - of de novo malignancy **following liver transplantation**: ... versus **tacrolimus** affects **long-term** tumor **incidence** considering ... Moreover, **post-transplant** lymphoid **disease**, oropharyngeal cancer (n ... In light of this **long-term survival**, malignant tumors ... tor cyclosporine (target trough **serum level**: 100–150 ng/.

## Post-Liver Transplantation Management

[www.clevelandclinicmeded.com/.../diseasemanagement/.../post-liver-transpla...](http://www.clevelandclinicmeded.com/.../diseasemanagement/.../post-liver-transpla...) ▼ 翻译此页

**Post-Liver Transplantation** Management Online Medical Reference - care and management of liver **disease after transplant**. ... of postoperative infection, and side **effects** of immunosuppressive agents are important factors influencing outcome. ... **tacrolimus** is used in 80% of primary OLT recipients at