

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多 ▾](#)[搜索工具](#)

找到约 142,000 条结果 (用时 0.64 秒)

Google 学术: Association between Helicobacter pylori and end-stage renal disease: A Meta-analysis

... transplant recipients: a meta-analysis - Grulich - 被引用次数: 1258

... in incidence of diabetic end-stage renal disease ... - Cowie - 被引用次数: 555

... ulcers in patients with end-stage renal disease ... - Luo - 被引用次数: 60

Helicobacter pylori Infection in Dialysis Patients: A Meta-Analysis

<https://www.hindawi.com/journals/grp/2013/785892/> ▾ [翻译此页](#)

作者: M Gu - 2013 - 被引用次数: 4 - 相关文章

2013年9月19日 - No relationship between H. pylori status and duration of dialysis Helicobacter pylori infection in patients with end-stage renal failure and ...

Association between Helicobacter pylori infection and the subsequent ...

www.ncbi.nlm.nih.gov/pubmed/25644865 ▾ [翻译此页](#)

作者: SY Lin - 2015 - 被引用次数: 6 - 相关文章

2015年1月21日 - Association between Helicobacter pylori infection and the subsequent risk of end-stage renal disease: a ... Cox proportional hazards regression analysis was used to estimate the influence of H. pylori infection on the risk of ...

Helicobacter pylori infection in patients with end-stage renal disease

https://www.researchgate.net/.../12521053_Helicobacter_pylori_infection_in... - [翻译此页](#)

2016年5月12日 - Helicobacter pylori Infection in Dialysis Patients: A Meta-Analysis ... of H. pylori infection between patients on dialysis and healthy controls.



31120-Review-check.docx

Quotes Excluded
Bibliography Excluded6%
SIMILARName of Journal: *World Journal of Gastroenterology*

ESPS Manuscript NO: 31120

Manuscript Type: META-ANALYSIS

Association between *Helicobacter pylori* and end-stage renal disease: A meta-analysisWijarnpreecha K *et al.* *H. pylori* and end-stage renal disease

Karn Wijarnpreecha, Charat Thongprayoon, Pitchaphon Nissaisorakarn, Natasorn Lekuthai, Veeravich Jaruvongvanich, Kiran Nakkala, Ridhmi Rajapakse, Wisit Cheungpasitporn

Abstract**AIM**To investigate the prevalence and association of *Helicobacter pylori* (*H. pylori*) with end-stage renal disease (ESRD).**Match Overview**

1	Internet 90 words crawled on 15-Nov-2016 www.wjgnet.com	4%
2	Internet 15 words crawled on 14-Jun-2016 mdpi.com	1%
3	Internet 15 words crawled on 01-Mar-2014 www.zums.ac.ir	1%
4	Publications 13 words "Researchers from Department of Pediatrics Report Rec... t Findings in <i>Helicobacter pylori</i> (<i>Helicobacte</i> ", Health & Me	1%
5	Crossref 13 words Cheungpasitporn, W., C. Thongprayoon, W. Kittanamongko Ichai, B. A. Brabec, O. A. O'Corragain, P. J. Edmonds, and	1%

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 132,000 条结果 (用时 0.75 秒)

Google 学术: Association between Helicobacter pylori and end-stage renal disease: A meta-analysis

... transplant recipients: a meta-analysis - Grulich - 被引用次数: 1298

... in incidence of diabetic end-stage renal disease ... - Cowie - 被引用次数: 560

... ulcers in patients with end-stage renal disease ... - Luo - 被引用次数: 60

Helicobacter pylori Infection in Dialysis Patients: A Meta-Analysis

<https://www.hindawi.com/journals/grp/2013/785892/> ▾ 翻译此页

作者: M Gu - 2013 - 被引用次数: 4 - 相关文章

2013年9月19日 - A significant inverse association was found between H. pylori Helicobacter pylori infection in patients with end-stage renal failure and renal...

Association between Helicobacter pylori infection and duodenal ulcer

www.uptodate.com/contents/management-of...end-stage-renal-disease/.../17 ▾ 翻译此页

2015年8月25日 - Thus, H. pylori status should be determined in all ulcer patients before Helicobacter pylori and perturbations in acid secretion: the end of the beginning. ... anti-inflammatory drugs in peptic-ulcer disease: a meta-analysis.

Association between Helicobacter pylori infection and the subsequent ...

<https://www.ncbi.nlm.nih.gov/pubmed/25644865> - 翻译此页

作者: SY Lin - 2015 - 被引用次数: 7 - 相关文章

2015年1月21日 - Association between Helicobacter pylori infection and the subsequent risk of end-

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 148,000 条结果 (用时 0.62 秒)

Google 学术 : Association between Helicobacter pylori and end-stage renal disease: A meta-analysis

... transplant recipients: a meta-analysis - Grulich - 被引用次数 : 1302

... in incidence of diabetic end-stage renal disease ... - Cowie - 被引用次数 : 560

... ulcers in patients with end-stage renal disease ... - Luo - 被引用次数 : 60

Helicobacter pylori Infection in Dialysis Patients: A Meta-Analysis

<https://www.hindawi.com/journals/grp/2013/785892/> ▼ 翻译此页

作者 : M Gu - 2013 - 被引用次数 : 4 - 相关文章

2013年9月19日 - A significant inverse association was found between H. pylori Helicobacter pylori infection in patients with end-stage renal failure and renal ...

Association between Helicobacter pylori infection and the subsequent ...

<https://www.ncbi.nlm.nih.gov/pubmed/25644865> - 翻译此页

作者 : SY Lin - 2015 - 被引用次数 : 8 - 相关文章

2015年1月21日 - Association between Helicobacter pylori infection and the subsequent risk of end-stage renal disease: a ... Cox proportional hazards regression analysis was used to estimate the influence of H. pylori infection on the risk of ...

缺少字词 : meta

Association between Helicobacter pylori infection and duodenal ulcer

www.uptodate.com/contents/management-of...end-stage-renal-disease/.../17 ▼ 翻译此页

2015年8月25日 - Thus, H. pylori status should be determined in all ulcer patients before

Helicobacter pylori and perturbations in acid secretion: the end of the beginning. ... anti-inflammatory drugs in peptic-ulcer disease: a meta-analysis.

Helicobacter pylori and type 2 diabetes mellitus: searching for the links ...

www.romj.org/2016-0201 ▼ 翻译此页