

[全部](#) [图片](#) [视频](#) [新闻](#) [地图](#) [图书](#)

找到约 12,000 条结果

**时间不限**

过去 1 小时内  
过去 24 小时内  
过去 1 周内  
过去 1 个月内  
过去 1 年内

**所有结果**

精确匹配

[Covered versus Uncovered Self-Expandable Metal Stents for ... - Plos](#)[journals.plos.org/plosone/article?id=10.1371/journal.pone...](https://journals.plos.org/plosone/article?id=10.1371/journal.pone...)

9 Feb 2016 ... To compare the **efficacy** of using covered **self-expandable metal stents** ... but the diameter is **limited** by the endoscope delivery system [1, 7]. ... for stent **placement** for managing distal **malignant biliary obstruction** ..... No benefit of **endoscopic sphincterotomy before** biliary **placement** of self-expandable metal ...

[Covered versus Uncovered Self-Expandable Metal Stents for ... - NCBI](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4747571/>

9 Feb 2016 ... To compare the **efficacy** of using covered **self-expandable metal stents** ... but the diameter is **limited** by the endoscope delivery system [1, 7]. ... for stent **placement** for managing distal **malignant biliary obstruction** were considered. .... No benefit of **endoscopic sphincterotomy before** biliary placement of ...

[Current Status of Biliary Metal Stents](#)<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4821525/>

25 Feb 2016 ... Compared with plastic **stents**, a **self-expandable** metallic stent (SEMS) has been .... imaging techniques **before** biliary stenting in malignant hilar obstruction [11]. ... Additionally, minor (**limited**) **endoscopic sphincterotomy** may be a better .... **Efficacy and safety** of fully covered **self-expandable** metallic stents in ...

[\[PDF\] Efficacy and safety of fully covered self – expandable metallic stents ...](#)[onlinelibrary.wiley.com/doi/10.1002/lt.21886/pdf](https://onlinelibrary.wiley.com/doi/10.1002/lt.21886/pdf)

Once the **endoscopic** approach fails, surgical treatment with a Roux-en-Y ... **self-expandable** metallic **stents** for the treatment of posttransplant biliary ... biliary complications with covered **self-expandable** metallic stent placement .... After **metal stent** removal, the patients were called by ..... distal **malignant biliary obstruction**.

[The usefulness of minor \(limited\) endoscopic sphincterotomy before ...](#)

**Name of journal:** *World Journal of Gastroenterology*

**ESPS Manuscript NO:** 31181

**Manuscript Type:** ORIGINAL ARTICLE

*Retrospective Study*

**Efficacy and safety of limited endoscopic sphincterotomy before self-expandable metal stent insertion for malignant biliary obstruction**

Nam HS *et al.* Limited endoscopic sphincterotomy<sup>4</sup> for biliary stenting

Hyeong Seok Nam, Dae Hwan Kang, Hyung Wook Kim, Cheol Woong Choi, Su Bum Park, Su Jin Kim, Dae Gon Ryu

Hyeong Seok Nam, Dae Hwan Kang, Hyung Wook Kim, Cheol Woong Choi,<sup>1</sup> Su Bum Park, Su Jin Kim, Dae Gon Ryu, Department of Internal Medicine, Pusan National University School of Medicine and Research Institute for Convergence of Biomedical Science and Technology, Pusan National University Yangsan Hospital, Yangsan-si, Gyeongsangnam-do 50612, South Korea

### Match Overview

1	Internet 131 words crawled on 19-May-2016 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	3%
2	Internet 92 words crawled on 31-Dec-2016 <a href="http://pdfs.semanticscholar.org">pdfs.semanticscholar.org</a>	2%
3	Internet 24 words crawled on 05-Apr-2010 <a href="http://www.answers.com">www.answers.com</a>	1%
4	Crossref 24 words "Abstracts of the 25th Annual Conference of APASL, February 20-24, 2016, Tokyo, Japan", <i>Hepatology International</i> ,	1%

文章

我的图书馆

时间不限

2016以来

2015以来

2012以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

A randomized trial comparing uncovered and partially covered self-expandable metal stents in the palliation of distal malignant biliary obstruction

[PDF] researchgate.net

JJ Telford, DL Carr-Locke, TH Baron... - ... endoscopy, 2010 - Elsevier

... in part by an American Society for Gastrointestinal Endoscopy Outcomes and Effectiveness Award. ... patient was not an operative candidate and was managed with endoscopic enteral stent ... Insufficient funding limited the availability of the research assistant and led to decreased ...

被引用次数: 150 相关文章 所有 8 个版本 引用 保存

A prospective randomised study of "covered" versus "uncovered" diamond stents for the management of distal malignant biliary obstruction

[HTML] bmj.com

H Isayama, Y Komatsu, T Tsujino, N Sasahira, K Hirano... - Gut, 2004 - gut.bmj.com

... However, this may have been due to a limited number of patients. ... with covered diamond stents, although handcrafted covered Wallstents in our previous study showed a similar efficacy to that ... of re-interventions in relation to the patient's quality of life and cost effectiveness in the ...

被引用次数: 493 相关文章 所有 8 个版本 引用 保存

Efficacy and safety of the covered Wallstent in patients with distal malignant biliary obstruction

Y Nakai, H Isayama, Y Komatsu, T Tsujino... - ... endoscopy, 2005 - Elsevier

... This study evaluates the efficacy and the safety of this new, commercially available stent. ... intraductal US at a frequency of 20 MHz (UM-G20-29R; Olympus Optical Co, Ltd, Tokyo, Japan). ... 19 and 20 A randomized study is needed to evaluate the efficacy of the covered Wallstent. ...

被引用次数: 142 相关文章 所有 6 个版本 引用 保存

Temporary placement of covered self-expandable metal stents in benign biliary strictures: a new paradigm?(with video)

M Kahaleh, B Behm, BW Clarke, A Brock... - ... endoscopy, 2008 - Elsevier

... We analyzed the efficacy and safety of temporary placement of a covered self-expanding metal stent (CSEMS) in BBS. ... End points were efficacy, morbidity, and clinical response. ... The diameter of plastic stents is limited by the accessory channel dimension, and this, in part, led to ...

被引用次数: 226 相关文章 所有 8 个版本 引用 保存

Risk of post-ERCP pancreatitis with placement of self-expandable metallic stents

GA Coté, N Kumar, M Ansstas, SA Edmundowicz... - ... endoscopy, 2010 - Elsevier

学术搜索

找到约 687 条结果 (用时0.07秒)

文章

我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

包括专利

包含引用

创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

A randomized trial comparing uncovered and partially covered self-expandable metal stents in the palliation of distal malignant biliary obstruction

[PDF] researchgate.net

JJ Telford, DL Carr-Locke, TH Baron... - ... endoscopy, 2010 - Elsevier  
 ... in part by an American Society for Gastrointestinal Endoscopy Outcomes and Effectiveness Award. ... patient was not an operative candidate and was managed with endoscopic enteral stent ... Insufficient funding limited the availability of the research assistant and led to decreased ...  
 被引用次数: 155 相关文章 所有 8 个版本 引用 保存

A prospective randomised study of "covered" versus "uncovered" diamond stents for the management of distal malignant biliary obstruction

[HTML] bmj.com

H Isayama, Y Komatsu, T Tsujino, N Sasahira, K Hirano... - Gut, 2004 - gut.bmj.com  
 ... However, this may have been due to a limited number of patients. ... with covered diamond stents, although handcrafted covered Wallstents in our previous study showed a similar efficacy to that ... of re-interventions in relation to the patient's quality of life and cost effectiveness in the ...  
 被引用次数: 497 相关文章 所有 8 个版本 引用 保存

Efficacy and safety of the covered Wallstent in patients with distal malignant biliary obstruction

Y Nakai, H Isayama, Y Komatsu, T Tsujino... - ... endoscopy, 2005 - Elsevier  
 ... This study evaluates the efficacy and the safety of this new, commercially available stent. ... intraductal US at a frequency of 20 MHz (UM-G20-29R; Olympus Optical Co, Ltd, Tokyo, Japan). ... 19 and 20 A randomized study is needed to evaluate the efficacy of the covered Wallstent. ...  
 被引用次数: 142 相关文章 所有 6 个版本 引用 保存

Temporary placement of covered self-expandable metal stents in benign biliary strictures: a new paradigm?(with video)

M Kahaleh, B Behm, BW Clarke, A Brock... - ... endoscopy, 2008 - Elsevier  
 ... We analyzed the efficacy and safety of temporary placement of a covered self-expanding metal stent (CSEMS) in BBS. ... End points were efficacy, morbidity, and clinical response. ... The diameter of plastic stents is limited by the accessory channel dimension, and this, in part, led to ...  
 被引用次数: 229 相关文章 所有 8 个版本 引用 保存

Risk of post-ERCP pancreatitis with placement of self-expandable metallic stents