



## Different profiles of people diagnosed with acute and chronic Hepatitis B v





全部

图片 新

新闻

视频 购物

更多

设置

工具

找到约 98,300 条结果 (用时 0.44 秒)

## Viral Hepatitis Testing - Province of British Columbia

https://www2.gov.bc.ca/gov/content/health/practitioner.../bc.../hepatitis ▼ 翻译此页

This guideline provides guidance for the use of laboratory tests to diagnose acute and chronic viral hepatitis in adults (≥ 19 years) in the primary care setting. ... blood products\*; Needle-stick injury or other occupational exposure (e.g., healthcare workers); Children born to mothers with chronic hepatitis B or C infection ...

# The laboratory diagnosis of hepatitis B virus - NCBI - NIH

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2095015/ ▼翻译此页

作者: M Krajden - 2005 - 被引用次数: 83 - 相关文章

Abstract. Hepatitis B virus (HBV) chronically infects approximately 250,000 Canadians and 350 million people worldwide. .... Diagnostic tests for acute or chronic hepatitis B virus (HBV) infection (diagnostic tests for acute hepatitis A virus [HAV] and acute and chronic hepatitis C virus [HCV] are included for completeness).

#### Epidemiology of hepatitis B in Canada - NCBI - NIH

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2094839/▼翻译此页

作者: J Zhang - 2001 - 被引用次数: 41 - 相关文章

The incidence rate of clinically recognized, acute HBV infection in 1998/1999 was estimated to be 2.3/100,000 people or approximately 700 cases a year. .... On the other hand, the significant decline of reported HBV cases in 1997 may be related to the change in HBV-reporting practice in British Columbia in that year.



# Differing profiles of people diagnosed with acute and chronic hepatitis B vi





全部

图片

新闻

视频

购物

更多

设置

丁具

找到约 30,400 条结果 (用时 0.66 秒)

您是不是要找: Different profiles of people diagnosed with acute and chronic hepatitis B virus infection in British Columbia, Canada

# The laboratory diagnosis of hepatitis B virus - NCBI - NIH

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2095015/ ▼ 翻译此页

作者: M Krajden - 2005 - 被引用次数: 86 - 相关文章

Abstract. Hepatitis B virus (HBV) chronically infects approximately 250,000 Canadians and 350 million people worldwide. Without intervention ... Serological tests are used to distinguish acute, self-limited infections from chronic HBV infections and to monitor vaccine-induced immunity. Nucleic acid testing for HBV-DNA is


#### Hepatitis B: The Virus and Disease - NCBI - NIH

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2809016/ ▼ 翻译此页

作者: TJ Liang - 2009 - 被引用次数: 482 - 相关文章

Virological and serological assays have been developed for diagnosis of various forms of HBVassociated disease and for treatment of chronic hepatitis B infection. HBV infection leads to a wide spectrum of liver disease ranging from acute (including fulminant hepatic failure) to chronic hepatitis, cirrhosis, and hepatocellular ...

缺少字词: british columbia canada



购物





设置



工具

找到约 30.400 条结果 (用时 0.59 秒)

图片

全部

新闻

视频

您是不是要找: Different profiles of people diagnosed with acute and chronic hepatitis B virus infection in British Columbia, Canada

更多

## The laboratory diagnosis of hepatitis B virus - NCBI - NIH

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2095015/▼翻译此页

作者: M Krajden - 2005 - 被引用次数: 86 - 相关文章

Abstract. Hepatitis B virus (HBV) chronically infects approximately 250,000 Canadians and 350 million people worldwide. Without intervention ... Serological tests are used to distinguish acute, self-limited infections from chronic HBV infections and to monitor vaccine-induced immunity. Nucleic acid testing for HBV-DNA is ...

# Hepatitis B virus infection in immigrant populations - NCBI - NIH

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4691698/ ▼ 翻译此页

作者: N Coppola - 2015 - 被引用次数: 19 - 相关文章

2015年12月28日 - Hepatitis B virus (HBV) is the most common cause of hepatitis worldwide, with nearly 350 million people chronically infected and 600000 deaths per year due to acute liver failure occurring during acute hepatitis or, more frequently, in HBV-related liver cirrhosis or hepatocellular carcinoma. Ongoing ...

#### Hepatitis B: The Virus and Disease - NCBI - NIH

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2809016/▼翻译此页

作者: TJ Liang - 2009 - 被引用次数: 482 - 相关文章

Virological and serological assays have been developed for diagnosis of various forms of HBV-associated disease and for treatment of chronic hepatitis B infection. HBV infection leads to a wide spectrum of liver disease ranging from acute (including fulminant hepatic failure) to chronic hepatitis, cirrhosis, and hepatocellular ...

缺少字词: british columbia canada

## WHO | Hepatitis B

www.who.int/mediacentre/factsheets/fs204/en/ ▼ 翻译此页

Hepatitis B is a viral infection that attacks the liver and can cause both acute and chronic disease. The



