

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 38160

Manuscript Type: ORIGINAL ARTICLE

*Prospective Study*

History of HCC or IFN-based therapy attenuates SOE/RBV for GT2-HCV in Japan

Masayoshi Yada, Masayuki Miyazaki, Kosuke Tanaka, Akihide Masumoto,  
Kenta Motomura

Abstract

## Match Overview

1	<b>Crossref</b> 63 words "Abstracts of the 25th Annual Conference of APASL, February 20–24, 2016, Tokyo, Japan", <i>Hepatology International</i> , 20	3%
2	<b>Internet</b> 49 words crawled on 13-Jun-2017 <a href="http://www.wjgnet.com">www.wjgnet.com</a>	2%
3	<b>Internet</b> 19 words crawled on 26-Oct-2017 <a href="http://www.mdpi.com">www.mdpi.com</a>	1%
4	<b>Internet</b> 14 words crawled on 08-Apr-2014 <a href="http://www.medsci.org">www.medsci.org</a>	1%

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 933 条结果 (用时 0.59 秒)

### [PDF] Efficacy and HCC development after DAA therapy for patients with ...

[hrjournal.net/article/showpdf/2255/1685](http://hrjournal.net/article/showpdf/2255/1685) ▼ [翻译此页](#)

作者: A Douhara

2017年10月17日 - Aim: The development of **hepatocellular carcinoma** (HCC) is reduced after **interferon based** ... Previously, it was reported that **IFN-based therapy** reduced ... **Japanese**. 33 (100). **History of IFN therapy**. 20 (60.6). **HCV-RNA**, log IU/mL (range). 6.0 (4.5-7.1). **HCV** GT1. 27 (81.8). **GT2**. 6 (18.2). **Cirrhosis**. 8 (24.2).

缺少字词: **attenuates**

### Cost-utility analysis of ledipasvir/sofosbuvir for the treatment of ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/27609424> ▼ [翻译此页](#)

作者: A Igarashi - 2017 - 被引用次数: 3 - 相关文章

2016年9月9日 - Cost-utility analysis of ledipasvir/sofosbuvir for the **treatment** of genotype 1 chronic **hepatitis C in Japan**. Igarashi A(1), Tang W(1), Guerra I(2), ... Furthermore, LDV/SOF extends treatments to **HCV**-infected patients who are ineligible for **interferon** and **RBV-based** regimens. LDV/SOF thus has the potential to ...

缺少字词: **history attenuates gt2**

### Cost-utility analysis of sofosbuvir for the treatment of genotype 2 ...

<https://www.ncbi.nlm.nih.gov/pubmed/27608157> ▼ [翻译此页](#)

作者: A Igarashi - 2017 - 被引用次数: 4 - 相关文章

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 15,500 条结果 (用时 0.67 秒)

## Google 学术: Hepatocellular carcinoma or interferon-based therapy history attenuates sofosbuvir/ribavirin for Japanese genotype 2 hepatitis C virus

Sofosbuvir and ribavirin in HCV genotypes 2 and 3 - Zeuzem - 被引用次数: 708

... alfa-2a plus ribavirin for chronic hepatitis C virus ... - Fried - 被引用次数: 7631

... and sofosbuvir for previously treated HCV genotype 1 ... - Afdhal - 被引用次数: 1157

## Successful Eradication of Hepatitis C Virus by Interferon-Free ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4939684/> - 翻译此页

作者: R Sasaki - 2016 - 被引用次数: 2 - 相关文章

2016年5月27日 - Successful Eradication of Hepatitis C Virus by Interferon-Free Regimens in Two Patients with Advanced Liver Fibrosis following Kidney Transplantation ... Combination therapy with the HCV NS5B inhibitor sofosbuvir and ribavirin is currently available and highly effective for HCV genotype 2 patients; ...

## Treatment of Real-World HCV Genotype 2-Infected Japanese Patients ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5485477/> - 翻译此页

作者: T Kanda - 2017 - 被引用次数: 1 - 相关文章

2017年5月9日 - This retrospective study analyzed 114 Japanese HCV GT-2 patients treated for 12 weeks with 400 mg of sofosbuvir plus weight-based ribavirin daily. ... Hepatitis C virus (HCV) infection causes acute and chronic hepatitis, hepatic cirrhosis and hepatocellular carcinoma (HCC) [1]. Chronic



找到约 4,680 条结果 (用时 0.48 秒)

## Google 学术: Hepatocellular carcinoma or interferon-based therapy history attenuates sofosbuvir/ribavirin for Japanese genotype 2 hepatitis C virus

Sofosbuvir and ribavirin in HCV **genotypes 2 and 3** - **Zeuzem** - 被引用次数: 709

... **alfa-2a** plus ribavirin for chronic **hepatitis C virus** ... - **Fried** - 被引用次数: 7631

... and sofosbuvir for previously treated HCV **genotype 1** ... - **Afdhal** - 被引用次数: 1158

## Successful Eradication of Hepatitis C Virus by Interferon-Free ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4939684/> - 翻译此页

作者: R Sasaki - 2016 - 被引用次数: 2 - 相关文章

2016年5月27日 - Successful Eradication of **Hepatitis C Virus** by **Interferon-Free** Regimens in Two Patients with Advanced Liver Fibrosis following Kidney Transplantation ... Combination **therapy** with the HCV NS5B inhibitor **sofosbuvir** and **ribavirin** is currently available and highly effective for HCV **genotype 2** patients; ...

## Hepatocellular Carcinoma in Patients with a Sustained Response to ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4581320/> - 翻译此页

作者: R D'Ambrosio - 2015 - 被引用次数: 22 - 相关文章

2015年8月19日 - **Hepatocellular carcinoma** (HCC) is a common, life-threatening complication of longstanding infection with the **hepatitis C virus** (HCV), likely a ... The achievement of a sustained virological response (SVR) to **interferon-based therapies** has been shown to benefit the course of hepatitis C in terms of reduced ...

## Treatment of Real-World HCV Genotype 2-Infected Japanese Patients ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5485477/> - 翻译此页

作者: T Kanda - 2017 - 被引用次数: 1 - 相关文章

2017年5月9日 - This retrospective study analyzed 114 **Japanese** HCV GT-2 patients treated for 12 weeks with 400 mg of **sofosbuvir** plus weight-based **ribavirin** daily. ... **Hepatitis C virus** (HCV) infection causes acute and chronic hepatitis, hepatic cirrhosis and **hepatocellular carcinoma** (HCC) [1]. Chronic HCV infection is ...

缺少字词: **attenuates**