



38881-Review.docx

Quotes Excluded
Bibliography Excluded11%
SIMILAR

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 38881

Manuscript Type: CASE REPORT

Development of tenofovir disoproxil fumarate resistance after complete viral suppression in a patient with treatment-naïve chronic hepatitis B: A case report and review of the literature

Woo Hee Cho, Hyun Jae Lee, Ki Bae Bang, Seok Bae Kim, Il Han Song

Abstract

Tenofovir disoproxil fumarate (TDF) is a potent nucleotide analogue that is recommended as first-line therapy for patients with chronic hepatitis B. The results

Match Overview

1	Internet 67 words crawled on 05-Dec-2017 onlinelibrary.wiley.com	3%
2	Crossref 55 words Hee-Jeong Jeon, Seok Won Jung, Neung Hwa Park, Yuji n Yang, Jin-Hee Noh, Jae-Sung Ahn, Hyung Rae Kim, Ja	3%
3	Crossref 28 words Alice M Jenh. "Tenofovir disoproxil fumarate in the treat ... ent of chronic hepatitis B", Expert Review of Anti-infective	1%
4	Crossref 25 words Lee, Hyun Woong, Hye Young Chang, Suh Yoon Yang, a nd Hyung Joon Kim. "Viral evolutionary changes during t	1%
5	Publications 17 words Nguyen, Thi Thai An. "Recombinant fluorescent myrist ... ated PreS-containing Hepatitis B virus capsid-like partic	1%
6	Crossref 15 words Daniel J. Tenney. "Long-term monitoring shows hepatiti s B virus resistance to entecavir in nucleoside-naïve p...	1%



Development of tenofovir disoproxil fumarate resistance after complete vir



全部

新闻

图片

购物

地图

更多

设置

工具

找到约 18,500 条结果 (用时 0.79 秒)

A case of entecavir resistance which is developed after complete viral ...

<https://www.ncbi.nlm.nih.gov/pubmed/25910308> - 翻译此页

作者: ÜB Doğan - 2014 - 被引用次数: 1 - 相关文章

A case of entecavir resistance which is developed after complete viral suppression during entecavir treatment for nucleoside-naïve chronic hepatitis B. Doğan ÜB(1), Öztürk AB, Akin ... The patient discontinued ETV therapy at week 145, and then received 245 mg of tenofovir disoproxil fumarate (TDF). Afterwards, HBV DNA ...

Efficacy and safety of tenofovir disoproxil fumarate in patients with ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3002569/> - 翻译此页

作者: A Duarte-Rojo - 2010 - 被引用次数: 61 - 相关文章

Keywords: adverse drug event, drug interactions, hepatitis B virus, hypophosphatemia, mitochondrial toxicity, osteomalacia, tenofovir, treatment outcome. Go to: As early as 2003 case descriptions of patients 'salvaged' from lamivudine-resistant HBV with TDF were published [Kuo et al. 2004; van Bömmel et al. 2003].

Comparative Meta-Analysis of Tenofovir Disoproxil Fumarate versus ...

www.nature.com/scientificreports/articles - 翻译此页

作者: G Cui - 2015 - 被引用次数: 4 - 相关文章

2015年7月13日 - Tenofovir disoproxil fumarate (TDF) monotherapy has proven superior antiviral efficacy in chronic hepatitis B (CHB) patients; however, whether the combination of TDF and ... 2 showed the

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 19,800 条结果 (用时 0.55 秒)

Chronic Hepatitis B: Integrating Long-Term Treatment Data and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3337661/> ▼ [翻译此页](#)

作者: NH Afdhal - 2011 - 被引用次数: 4 - [相关文章](#)

The most recent data have revealed that lamivudine and telbivudine produce high rates of **resistance when treatment** is continued for 2–5 years; as a result, these Long term (4 year) efficacy and safety of **tenofovir disoproxil fumarate** (TDF) **treatment** in HBeAg-positive **patients** (HBeAg+) with **chronic hepatitis B** (study ...

Long-term entecavir or tenofovir disoproxil fumarate therapy in ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/25431108> ▼ [翻译此页](#)

作者: R Idilman - 2015 - 被引用次数: 34 - [相关文章](#)

2014年11月28日 - The aim of this **study** was to determine the long-term efficacy of entecavir (ETV) and **tenofovir disoproxil fumarate** (TDF) on the natural course of disease in **chronic hepatitis B patients** (CHB) with/without cirrhosis in clinical practice. A **total** of 355 **treatment-naïve CHB patients** were enrolled into the **study**.

Review of tenofovir-emtricitabine - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2387297/> ▼ [翻译此页](#)

作者: SW Masho - 2007 - 被引用次数: 15 - [相关文章](#)

In addition, the drug is active against **hepatitis B virus**. Caution must be exercised in **patients** with renal insufficiency, or **when** the drug is used with certain other drugs. This manuscript **reviews** the use of TDF-FTC in the **treatment** of HIV. Keywords: **tenofovir**, emtricitabine, Truvada, TDF, FTC, antiretroviral

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 20,200 条结果 (用时 0.64 秒)

Chronic Hepatitis B: Integrating Long-Term Treatment Data and ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3337661/> ▼ [翻译此页](#)

作者: NH Afdhal - 2011 - 被引用次数: 4 - 相关文章

The most recent data have revealed that lamivudine and telbivudine produce high rates of **resistance** **when treatment** is continued for 2–5 years; as a result, these Long term (4 year) efficacy and safety of **tenofovir disoproxil fumarate** (TDF) **treatment** in HBeAg-positive **patients** (HBeAg+) with **chronic hepatitis B** (study ...

Long-term entecavir or tenofovir disoproxil fumarate therapy in ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/25431108> ▼ [翻译此页](#)

作者: R Idilman - 2015 - 被引用次数: 34 - 相关文章

2014年11月28日 - The aim of this **study** was to determine the long-term efficacy of entecavir (ETV) and **tenofovir disoproxil fumarate** (TDF) on the natural course of disease in **chronic hepatitis B patients** (CHB) with/without cirrhosis in clinical practice. A **total** of 355 **treatment-naïve** CHB **patients** were enrolled into the **study**.

Review of tenofovir-emtricitabine - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2387297/> ▼ [翻译此页](#)

作者: SW Masho - 2007 - 被引用次数: 16 - 相关文章

In addition, the drug is active against **hepatitis B virus**. Caution must be exercised in **patients** with renal insufficiency, or **when** the drug is used with certain other drugs. This manuscript **reviews** the use of TDF-FTC in the **treatment** of HIV. Keywords: **tenofovir**, emtricitabine, Truvada, TDF, FTC, antiretroviral agent. Go to: ...

Comparative Meta-Analysis of Tenofovir Disoproxil Fumarate versus ...

www.nature.com/scientific-reports/articles ▼ [翻译此页](#)

作者: G Cui - 2015 - 被引用次数: 4 - 相关文章

2015年7月13日 - **Tenofovir disoproxil fumarate** (TDF) monotherapy has proven superior antiviral efficacy in **chronic hepatitis B** (CHB) **patients**; however, whether the Forest plot showed **viral suppression** efficacy for CHB **patients** with nucleos(t)ide-(or **naïve**) **treatment** history **after** (a) 12 weeks, (b) 24 weeks, (c) 48 weeks, ...