

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 38699

Manuscript Type: CASE REPORT

Devascularization of the superior mesenteric vein without reconstruction during surgery for retroperitoneal liposarcoma: A case report and review of literature

Miao RC *et al.* A case report without vascular reconstruction

Run-Chen Miao, Yong Wan, Xiao-Gang Zhang, Xing Zhang, Yan Deng, Chang Liu

Abstract

A 61-year-old female patient with chronic hepatitis B virus infection was diagnosed with liposarcoma in a community hospital. Fine needle aspiration biopsy confirmed the diagnosis of well-differentiated liposarcoma.

Match Overview

1	Internet 105 words crawled on 13-Jun-2017 www.wjgnet.com	3%
2	Crossref 24 words "Abstracts DGT", Innovative Surgical Sciences, 2018	1%
3	Crossref 16 words Malay Sharma, Chittapuram S. Rameshbabu. "Collateral ... athways in Portal Hypertension", Journal of Clinical and Ex	<1%
4	Internet 14 words crawled on 02-Jun-2015 www.science.gov	<1%
5	Publications 14 words Arulprakash, S. Balamurali, R. Pugazhend. "Pancreas div ... um and choledochal cyst.(Case study)", Indian Journal of M	<1%

找到约 1,610 条结果 (用时 0.59 秒)

Huge retroperitoneal liposarcoma: a case report and review of ...

www.ejs.eg.net/article.asp?issn=1110-1121;year=2017;volume... - 翻译此页

作者: B Refky - 2017 - 相关文章

Introduction Liposarcoma is the most common malignant tumor of the retroperitoneum. We report a case of huge retroperitoneal liposarcoma weighing 44 kg that was successfully resected. Case presentation. A 53-year-old Egyptian male patient was presented to our department with progressive abdominal enlargement.

缺少字词: devascularization superior mesenteric vein reconstruction

Management of retroperitoneal liposarcoma: A case report and review ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4487106/> - 翻译此页

作者: WEID ZHANG - 2015 - 被引用次数: 8 - 相关文章

2015年5月8日 - The present case study reports a patient diagnosed with retroperitoneal liposarcoma who was treated by complete surgical resection and relapsed 3 months following the surgery. In addition ... In addition, 13 cases of retroperitoneal liposarcoma from the Chinese literature were also reviewed. Recurrence ...

缺少字词: devascularization superior mesenteric vein reconstruction

Giant retroperitoneal liposarcoma: Case report and review of the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4392328/> - 翻译此页

作者: A Caizzone - 2015 - 被引用次数: 8 - 相关文章

2015年2月17日 - Currently chemotherapy for retroperitoneal soft-tissue sarcomas is no effective, and radiotherapy has limited efficacy due to the toxicity affecting adjacent intra-abdominal structures, showed validity only in case of high-grade malignancy by reducing local recurrence, but with no advantage in overall survival.

缺少字词: devascularization superior mesenteric vein reconstruction

EXTENDED LYMPH NODE DISSECTION IN PANCREATIC CANCER ...

https://www.researchgate.net/.../283216660_EXTENDED_LYMPH_NODE_... - 翻译此页

EXTENDED LYMPH NODE DISSECTION IN PANCREATIC CANCER. - IS IT WORTH IT? A CASE REPORT AND REVIEW OF LITERATURE. V. Brasoveanu1, N. para-aortic lymphadenectomy was performed. The lymph node dissection continued at the origins of the hepatic artery and the superior

[全部](#)[图片](#)[视频](#)[新闻](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 3,000 条结果 (用时 0.62 秒)

Huge retroperitoneal liposarcoma: a case report and review of ...

www.ejs.eg.net/article.asp?issn=1110-1121;year=2017;volume... - 翻译此页

作者: B Refky - 2017 - 相关文章

Introduction Liposarcoma is the most common malignant tumor of the retroperitoneum. We report a case of huge retroperitoneal liposarcoma weighing 44 kg that was successfully resected. Case presentation. A 53-year-old Egyptian male patient was presented to our department with progressive abdominal enlargement.

缺少字词: devascularization superior mesenteric vein reconstruction

Management of retroperitoneal liposarcoma: A case report and review ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4487106/> - 翻译此页

作者: WEID ZHANG - 2015 - 被引用次数: 8 - 相关文章

2015年5月8日 - The present case study reports a patient diagnosed with retroperitoneal liposarcoma who was treated by complete surgical resection and relapsed 3 months following the surgery. In addition ... In addition, 13 cases of retroperitoneal liposarcoma from the Chinese literature were also reviewed. Recurrence ...

缺少字词: devascularization superior mesenteric vein reconstruction

Giant retroperitoneal liposarcoma: Case report and review of the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4392328/> - 翻译此页

作者: A Caizzzone - 2015 - 被引用次数: 8 - 相关文章

2015年2月17日 - Currently chemotherapy for retroperitoneal soft-tissue sarcomas is no effective, and radiotherapy has limited efficacy due to the toxicity affecting adjacent intra-abdominal structures, showed validity only in case of high-grade malignancy by reducing local recurrence, but with no advantage in overall survival.

缺少字词: devascularization superior mesenteric vein reconstruction

EXTENDED LYMPH NODE DISSECTION IN PANCREATIC CANCER ...

https://www.researchgate.net/.../283216660_EXTENDED_LYMPH_NODE_... - 翻译此页

EXTENDED LYMPH NODE DISSECTION IN PANCREATIC CANCER. - IS IT WORTH IT? A CASE REPORT AND REVIEW OF LITERATURE. V. Brasoveanu1, N. ... para-aortic lymphadenectomy was performed. The lymph node dissection continued at the origins of the hepatic artery and the superior