



文章

找到约 34 条结果 (用时0.08秒)



我的个人学术档案



我的图书馆

时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☒ 创建快讯

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

[PDF] Proteins, which are upregulated at early time points following Apc deletion, are involved in intestinal tumorigenesis and represent potential colorectal cancer ...

C Pauls - 2014 - livrepository.liverpool.ac.uk

... changes which were observed in animals might have been missed in humans. NAP1L1, RPL6, SFRS2 and NCL showed early overexpression during colorectal ... colon at time of diagnosis [3]. 1.1.2 Types of colorectal cancer ... the glandular element of the bowel lining. ...

☆ 99 相关文章 所有 2 个版本 »

[PDF] liverpool.ac.uk

Redox-active polymer microcapsules for the delivery of a survivin-specific siRNA in prostate cancer cells

AL Becker, NI Orlotti, M Folini, E Cavalieri, AN Zelikin... - Acs Nano, 2011 - ACS Publications

... glycol) (PEG, for stealth properties) and N-acetylgalactosamine (for hepatocyte targeting) groups are linked via pH-sensitive bonds has ... of dimethylaminoethyl methacrylate and butyl methacrylate and siRNA—was found to sensitize multidrug resistant ovarian cancer cells to ...

☆ 99 被引用次数：70 相关文章 所有 6 个版本

4 Oncogenes and Tumor Suppressor

JW Rak, B Coomber, LY Joanne - Cancer Drug Resistance, 2007 - books.google.com

... of oncogenic events that may cause resistance to genotoxic therapies • Bcl-2 overexpression, resistance to ... Resistance to chemotherapy in cells overexpressing eIF-4E. ... of mutant EGFR in NSCLC sensitive to gefitinib • Examples of oncogenic events that confer resistance to ...

☆ 99 相关文章

The Society of Academic and Research Surgery

S Citing - British Journal of Surgery, 2007 - Wiley Online Library

... cancers were scored HER2 3+. On univariate analysis HER2 over-expression predicted overall ... Methods: RRM2 was stably overexpressed in Capan2 cells (low native RRM2 ... Conclusion: RRM2 overexpression increases cellular invasiveness via NF-κB- dependent MMP-9 ...

Name of journal: *World Journal of Gastroenterology*

Manuscript NO: 36554

Manuscript Type: Original Article

*Basic Study*

Overexpression of CREPT confers colorectal cancer sensitivity to fluorouracil

Y Kuang *et al.* CREPT's role in CRC drug resistance

Yan-Shen Kuang, Yi Wang, Li-Dan Ding, Liu Yang, Ying Wang, Si-Han Liu, Bing-Tao Zhu, Xu-Ning Wang, Hong-Yi Liu, Jun Li, Zhi-Jie Chang, Yin-Yin

### Match Overview

1	Crossref 60 words Qin, Ancheng, Qiang Yu, Yuan Gao, Jifu Tan, Hai Huang, Zhiming Qiao, and Weifeng Qian. "Inhibition of STAT3/cy	2%
2	Crossref 57 words Lifang Xu, Ziyin Zhang, Tianhua Xie, Xiaoyang Zhang, T u Dal. "Inhibition of BDNF-AS Provides Neuroprotection ...	1%
3	Internet 44 words crawled on 09-Jul-2017 <a href="http://www.labome.org">www.labome.org</a>	1%
4	Crossref 36 words Lu, D. "CREPT Accelerates Tumorigenesis by Regula ... g the Transcription of Cell-Cycle-Related Genes", Cance	1%
5	Internet 26 words crawled on 08-Aug-2017 <a href="http://www.dovepress.com">www.dovepress.com</a>	1%
6	Internet 19 words crawled on 28-Dec-2016 <a href="http://office.wjgnet.com">office.wjgnet.com</a>	<1%
7	Internet 19 words crawled on 28-Jan-2013	<1%





时间不限

2017以来

2016以来

2013以来

自定义范围...

按相关性排序

按日期排序

不限语言

中文网页

简体中文网页

☒ 包括专利

☒ 包含引用

☐ 创建快讯

小提示: 只搜索中文(简体)结果, 可在 学术搜索设置 指定搜索语言

[PDF] Proteins, which are upregulated at early time points following Apc deletion, are involved in intestinal tumourigenesis and represent potential colorectal cancer ...

[PDF] liverpool.ac.uk

C Pauls - 2014 - livrepository.liverpool.ac.uk

... changes which were observed in animals might have been missed in humans. NAP1L1, RPL6, SFRS2 and NCL showed early overexpression during colorectal ... colon at time of diagnosis [3].

1.1.2 Types of colorectal cancer ... the glandular element of the bowel lining ...

☆ 99 相关文章 所有 2 个版本 >>

Redox-active polymer microcapsules for the delivery of a survivin-specific siRNA in prostate cancer cells

AL Becker, NI Orlotti, M Folini, F Cavalieri, AN Zelikin... - Acs Nano, 2011 - ACS Publications

... glycol (PEG, for stealth properties) and N-acetylgalactosamine (for hepatocyte targeting) groups are linked via pH-sensitive bonds has ... of dimethylaminoethyl methacrylate and butyl methacrylate and siRNA—was found to sensitize multidrug resistant ovarian cancer cells to ...

☆ 99 被引用次数: 70 相关文章 所有 6 个版本

4 Oncogenes and Tumor Suppressor

JW Rak, B Coomber, LY Joanne - Cancer Drug Resistance, 2007 - books.google.com

... of oncogenic events that may cause resistance to genotoxic therapies • Bcl-2 overexpression, resistance to ... Resistance to chemotherapy in cells overexpressing eIF-4E ... of mutant EGFR in NSCLC sensitive to gefitinib • Examples of oncogenic events that confer resistance to ...

☆ 99 相关文章

The Society of Academic and Research Surgery

S Citing - British Journal of Surgery, 2007 - Wiley Online Library

... cancers were scored HER2 3+. On univariate analysis HER2 over-expression predicted overall ...

[全部](#)[图片](#)[新闻](#)[视频](#)[更多](#)[设置](#)[工具](#)

找到约 18,400 条结果 (用时 0.65 秒)

小提示：仅限搜索简体中文结果。您可以在设置中指定搜索语言

## Google 学术：Overexpression of CREPT confers colorectal cancer sensitivity to fluorouracil

... delivery of a survivin-specific siRNA in prostate cancer ... - Becker - 被引用次数：70

The Kub5-Hera/RPRD1B interactome: a novel role in ... - Patidar - 被引用次数：3

... research and development of chemotherapeutic agents ... - Hsan - 被引用次数：18

## High expression of CREPT promotes tumor growth and is correlated ...

<https://www.ncbi.nlm.nih.gov/pubmed/27773816> - 翻译此页

作者：G Zheng - 2016 - 被引用次数：2 - 相关文章

2016年10月20日 - High expression of CREPT promotes tumor growth and is correlated with poor ...

However, the clinical significance of CREPT in colorectal cancer (CRC) ... In addition, CREPT overexpression significantly promoted tumor growth in vivo. ... Reproducibility of Results; Risk Factors; Sensitivity and Specificity ...

## Krukenberg Tumor - Picmonic

<https://www.picmonic.com/playlists/4e6f643815b66268827ca4888f8edc91>

They also just got you 20% OFF Picmonic, the Visual Learning Community. Discount will be applied at checkout. (excluding Monthly and Specials) ...

## 01cxnscreaiels | Micro Rna | Nf kb - Scribd

<https://www.scribd.com/document/203884726/01cxnscreaiels> - 翻译此页

Cancer Cell 21, January 17, 2012 ©2012 Elsevier Inc. 1 .... By means of RNAi and overexpression experiments. .... that inhibiting the growth of the Id1low population might confer a more significant .... lines depending on sensitivity to the drug and the levels of p53 expression. .... Mahmood.. and colorectal cancer in mice.

## Patent CN103893759B - 抗vegfr抗体Anti-vegfr Antibodies - Google ...

[www.google.com/patents/CN103893759B?cl=en](http://www.google.com/patents/CN103893759B?cl=en)

2016年2月17日 - Most human tumors examined overexpressed VEGF mRNA. ... the treatment metastatic colorectal cancer (CRC) and non-small cell lung cancer (NSCLC). .... believed to play a unique role in conferring high specificity to the antibody. .... levels of antibodies and a medium such as HAT medium is sensitive.