

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 47913

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

Clinical characteristics of young patients with early Barrett’s neoplasia

Iwaya Y *et al.* Early Barrett’s neoplasia in young patients

Yugo Iwaya, Yuto Shimamura, Kenichi Goda, Enrique Rodríguez de Santiago, John Gerard Coneys, ¹Jeffrey D Mosko, Gabor Kandel, Paul Kortan, Gary May, Norman Marcon,

Match Overview

1	Crossref 86 words Yugo Iwaya, Yuto Shimamura, Maria Cirocco, Jeffrey D. Mosko et al. "Su1108 ONGOING GERD SYMPTOMS AND OBESI	3%
2	Internet 25 words crawled on 13-Nov-2017 link.springer.com	1%
3	Crossref 18 words Yuto Shimamura, Yugo Iwaya, Kenichi Goda, Christopher W. Teshima. "Endoscopic treatment of Barrett's esophagus: ...	1%
4	Crossref 15 words Amit Patel, C Prakash Gyawali. "Screening for Barrett's Esophagus: Balancing Clinical Value and Cost-effectiveness", J	<1%
5	Internet 15 words crawled on 29-Oct-2015 www.science.gov	<1%
6	Internet 13 words crawled on 16-Mar-2019 soar-ir.repo.nii.ac.jp	<1%
7	Crossref 12 words Sachin Wani, Bashar Qumseya, Shahnaz Sultan, Deepak A. Grawal et al. "Endoscopic eradication therapy for patients ...	<1%
8	Crossref 11 words Sami R. Achem, Kenneth R. DeVault. "Gastroesophageal Reflux Disease and the Elderly", <i>Gastroenterology Clinics of N</i>	<1%
9	Internet 11 words crawled on 16-Sep-2018 www.nice.org.uk	<1%
10	Internet 10 words crawled on 21-Sep-2017 austinpublishinggroup.com	<1%



All

Images

Videos

翻译成中文

关闭取词

12,000 Results

Any time ▼

Age at Onset of GERD Symptoms Predicts Risk of Barrett's ...

www.ncbi.nlm.nih.gov › Journal List › HHS Author Manuscripts

Gastroesophageal reflux disease (GERD) is a very common condition among Western populations and is the primary risk factor for Barrett's esophagus (BE). WHAT IS NEW HERE Patients with an early onset of frequent GERD symptoms and a history of PPI use are at the highest risk of BE.

Cited by: 82

Author: Aaron P Thrift, Jennifer R Kramer, Zeesha...

Publish Year: 2013

[PDF] Su1108 ONGOING GERD SYMPTOMS AND OBESITY ARE ...

[https://www.giejournal.org/article/S0016-5107\(18\)31868-6/pdf](https://www.giejournal.org/article/S0016-5107(18)31868-6/pdf)

su1108 ongoing gerd symptoms and obesity are potential risk factors for barrett's adenocarcinoma and high-grade dysplasia among patients under 50 years of age

Interactions between smoking, obesity and symptoms of ...

www.ncbi.nlm.nih.gov › Journal List › HHS Author Manuscripts

Results. While 46% and 28% of population control participants were currently overweight or obese respectively, obesity was more common among patients with BE and BE with dysplasia, although this was only statistically significant on crude analysis among patients with BE with dysplasia ...

Cited by: 149

Author: Kylie J. Smith, Suzanne M. O'Brien, B. M...

Publish Year: 2005

Su1108 ONGOING GERD SYMPTOMS AND OBESITY ARE ...

[https://www.giejournal.org/article/S0016-5107\(18\)31866-2/abstract](https://www.giejournal.org/article/S0016-5107(18)31866-2/abstract)

su1108 ongoing gerd symptoms and obesity are potential risk factors for barrett's adenocarcinoma and high-grade dysplasia among patients under 50 years of age

Barrett's Esophagus – Causes, Symptoms, Diagnosis ...

tinsdiscover.com › Diseases & Conditions › Alphabetical › B ▼



All

Images

Videos

翻译成中文

关闭取词

709,000 Results

Any time ▾

[PDF] Endoscopic mucosal or submucosal resection of early ...

[https://www.giejournal.org/article/S0016-5107\(10\)01892-4/pdf](https://www.giejournal.org/article/S0016-5107(10)01892-4/pdf)

Objective: To assess the results of endoscopic resection for early neoplasia complicating Barrett's esophagus after antireflux surgery. Design: Case series, retrospective review. Setting: Single tertiary-care referral center. Patients: This study involved 7 patients treated for Barrett's neoplasia by endoscopic resection between 2001 and 2009.

The Impact of Endoscopic Ultrasound Findings on Clinical ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4369130>

Patients with **normal** EUS findings. In these 6 patients whose depth of **tumor** invasion was understaged by EUS, inappropriate endoscopic **therapy** was averted because diagnostic EMR identified local tumor extension. These six patients were treated with esophagectomy (2), chemoradiation (...

Cited by: 10

Author: William J. Bulsiewicz, Evan S. Dellon, Al...

Publish Year: 2014

Effects of Autofluorescence Imaging on Detection and ...

<https://www.sciencedirect.com/science/article/pii/S1542356513016467>

We therefore aimed to investigate the **clinical** relevance and impact of AFI for the diagnosis and management of **early Barrett's neoplasia** by pooling all available data from the original databases and including prospectively collected data on treatment and follow-up of all **patients**.

Cited by: 28

Author: David F. Boerwinkel, Jasmin A. Holz, Mo...

Publish Year: 2014

Long-term outcomes of patients with Barrett's esophagus ...

<https://www.sciencedirect.com/science/article/pii/S0016510712028076>

In our study, treatment failed to achieve complete eradication of dysplasia and **neoplasia** in only 5% of **patients**. We also have confirmed a low rate of dysplasia recurrence by using multiple-mode therapy. Moreover, most of the cases with recurrent carcinoma were those treated **early** in the **clinical** ...

Cited by: 60

Author: Carlos Guarner-Argente, Carlos Guarner-...

Publish Year: 2013

(PDF) Endoscopic submucosal dissection for early Barrett's ...

https://www.researchgate.net/publication/283193237_Endoscopic_submucosal_dissection...

Conclusions In **patients with early Barrett's neoplasia**, intensive multimodality endotherapy consisting of ER combined with RFA is safe and highly effective, and the treatment effect appears to be ...

[全部](#)[图片](#)[新闻](#)[视频](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 500,000 条结果 (用时 0.49 秒)

Google 学术: Clinical characteristics of young patients with early Barrett's neoplasia

... for management of Barrett's dysplasia and early-stage ... - Bennett - 被引用次数: 342

... patients undergoing photodynamic therapy for Barrett's ... - Wolfson - 被引用次数: 94

... for hereditary nonpolyposis colorectal cancer (Lynch ... - Umar - 被引用次数: 2714

Prevalence and clinical characteristics of Barrett's esophagus in a ...

<https://www.ncbi.nlm.nih.gov/pubmed/18360296> ▼ [翻译此页](#)

作者: PH Tseng - 2008 - 被引用次数: 99 - [相关文章](#)

Prevalence and clinical characteristics of Barrett's esophagus in a Chinese general population. ...

Biopsies were attained from patients with ESEM to confirm a diagnosis of BE. ... China/epidemiology;

Endoscopy, Gastrointestinal; Esophageal Neoplasms/ ... Prevalence; Risk Factors; Severity of Illness

Index; Young Adult.

缺少字词: early

Consensus Statements for Management of Barrett's Dysplasia ... - NCBI

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5538857/> ▼ [翻译此页](#)

作者: C BENNETT - 2012 - 被引用次数: 341 - [相关文章](#)

This approach identified important clinical features of the diseases and areas ... 5 years in patients with

BE to detect early, treatable neoplasia and early signs of ...

Consensus statements for management of Barrett's ... - NCBI - NIH

<https://www.ncbi.nlm.nih.gov/pubmed/22537613> ▼ [翻译此页](#)

作者: C Bennett - 2012 - 被引用次数: 342 - [相关文章](#)

2012年4月24日 - ... of Barrett's dysplasia and early-stage esophageal adenocarcinoma, based ...

Grabsch H, Haigh C, Hongo M, Johnston D, Forbes-Young R, Kay E, Kaye P, ... on the medical

literature that clinicians could use to manage patients with ... This approach identified important clinical

features of the diseases and ...

Barrett's esophagus: Surveillance and management - UpToDate

<https://www.uptodate.com/.../barretts-esophagus-surveillance-and-manageme...> ▼ [翻译此页](#)

作者: SJ Spechler - 被引用次数: 1 - [相关文章](#)

2018年10月15日 - The pathogenesis, clinical manifestations, and diagnosis of Barrett's esophagus are