

13
Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 46975

Manuscript Type: ORIGINAL ARTICLE

Prospective Study

On-treatment monitoring of liver fibrosis with serum hepatitis B core-related antigen in chronic hepatitis B

Chang XJ *et al.* On-treatment monitoring of liver fibrosis

Xiu-Juan Chang, Chao Sun, Yan Chen, Xiao-Dong Li, Zu-Jiang Yu, Zheng Dong, Wen-Lin Bai, Xiao-Dong Wang, Zhi-Qin Li, Da Chen, Wen-Juan Du, Hao Liao, Qi-Yu Jiang, Li-Jun Sun, Yin-Yin Li, Cui-Hong Zhang, Dong-Ping Xu, Yong-Ping Chen, Qin Li, Yong-Ping Yang

Match Overview

1	Crossref 44 words "AASLD Abstracts", Hepatology, 2013.	1%
2	Crossref 33 words D. K.-H. Wong. "Hepatitis B Virus Core-Related Antigens ... s Markers for Monitoring Chronic Hepatitis B Infection", Jo	1%
3	Internet 27 words crawled on 08-Oct-2018 www.ospedalebambinogesu.net	1%
4	Crossref 26 words Toshifumi Tada, Takashi Kumada, Hidenori Toyoda, Seiki K iriyama et al. "HBcrAg predicts hepatocellular carcinoma ...	1%
5	Crossref 20 words Lapalus, Martine, Cédric Laouenan, Ana Carolina Ferreira Netto Cardoso, Emilie Estrabaud, Roberto Carvalho-Filho,	<1%
6	Crossref 20 words "Abstracts of the 27th Annual Conference of APASL, Ma ... h 14-18, 2018, New Delhi, India", Hepatology International	<1%
7	Crossref 18 words B. Wang, I. Carey, M. Bruce, S. Montague, G. Dusheiko, K . Agarwal. "HBsAg and HBcrAg as predictors of HBeAg ...	<1%
8	Crossref 18 words Zhan-Qing Zhang, Wei Lu, Yan-Bing Wang, Qi-Cheng Wen g, Zhi-Yong Zhang, Zhi-Qiang Yang, Yan-Ling Feng. "Mea	<1%
9	Crossref 18 words Qitian He, Quan He, Xue Qin, Shan Li, Taijie Li, Li Xie, Yan Deng, Yu He, Yongbin Chen, Zhifu Wei. "The Relationship	<1%
10	Crossref 16 words	<1%



全部

图片

新闻

购物

地图

更多

设置

工具

找到约 314,000 条结果 (用时 0.57 秒)

Serum hepatitis B core-related antigen (HBcrAg) correlates with ...

<https://www.ncbi.nlm.nih.gov/pubmed/30529504> - 翻译此页

作者: T Barbara - 2018 - 被引用次数: 1 - 相关文章

Serum hepatitis B core-related antigen (HBcrAg) correlates with covalently closed circular DNA transcriptional activity in chronic **hepatitis B** patients. ... of HBcrAg with **serum** and intrahepatic viral markers and **liver histology** has not been ... new antiviral **treatments** directly targeting the intrahepatic pool of cccDNA , **serum** ...

缺少字词: Noninvasive Changes Parameters

Serum hepatitis B core-related antigen as a treatment predictor of ...

<https://www.ncbi.nlm.nih.gov/pubmed/26678018> ▾ 翻译此页

作者: N Chuaypen - 2016 - 被引用次数: 19 - 相关文章

Serum hepatitis B core-related antigen as a **treatment** predictor of pegylated interferon in patients with HBeAg-positive chronic **hepatitis B**. ... (1)Research Unit of Hepatitis and **Liver** Cancer, Faculty of Medicine, Chulalongkorn ... respectively) , and **changes** in the corresponding markers during **therapy** were correlated with ...

缺少字词: Noninvasive evaluation Histologic Parameters

Performance of Hepatitis B Core-Related Antigen Versus Hepatitis B ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6143474/> - 翻译此页

2018年9月13日 - We examined **changes** in **hepatitis B core-related antigen** (HBcrAg) during ... focus on **liver** pathological **assessment** or on **serum** HBV DNA and ... This retrospective study included 492 **treatment**-naive Chinese patients with chronic **HBV** used to assess differences in age, **serum** biochemical **parameters**, ...

Hepatitis B core-related antigen (HBcrAg): An emerging marker for ...

https://www.researchgate.net/.../320429281_Hepatitis_B_core-related_antige... - 翻译此页

Request PDF on ResearchGate | **Hepatitis B core-related antigen** (HBcrAg): An ... cccDNA requires **liver** biopsies, serological markers can be **non-invasive** alternatives to ... DNA, **serum** HBV DNA and to a lesser extent **HBV** surface **antigen** (HBsAg) ... B Virus RNA Levels in **Assessment** of Response to

[全部](#)[新闻](#)[图片](#)[购物](#)[地图](#)[更多](#)[设置](#)[工具](#)

找到约 2,710,000 条结果 (用时 0.51 秒)

Serum hepatitis B core-related antigen (HBcrAg) correlates ... - NCBI

<https://www.ncbi.nlm.nih.gov/pubmed/30529504> - 翻译此页

作者: B Testoni - 2018 - 被引用次数: 6 - 相关文章

2018年12月7日 - Serum hepatitis B core-related antigen (HBcrAg) correlates with covalently closed circular DNA transcriptional activity in chronic hepatitis B patients. ... causes a chronic infection which develops into severe liver disease and liver cancer. ... treatments directly targeting the intrahepatic pool of cccDNA, serum ...

hepatitis B core-related antigen (HBcrAg): an emerging marker for ...

<https://www.ncbi.nlm.nih.gov/pubmed/29035003> - 翻译此页

作者: LY Mak - 2018 - 被引用次数: 31 - 相关文章

2017年10月16日 - Review article: hepatitis B core-related antigen (HBcrAg): an emerging marker for chronic hepatitis B virus infection. ... While quantification of intrahepatic cccDNA requires liver biopsies, serological markers can be ... advocated as a novel serum marker for disease monitoring and prognostication of CHB.

Hepatitis B virus core-related antigen is a serum prediction marker for ...

tcr.amegroups.com/article/view/8880/html ▼ 翻译此页

作者: K Kawaguchi - 2016 - 相关文章

2016年8月13日 - However, serum HBV-DNA levels in many cases during NAs treatment are below detection limits despite the presence of HBV-related proteins in patients' hepatocytes. ... This indicates that HBs antigen loss is associated with intrahepatic HBV loss, so a HBV marker that reflects the production of intrahepatic HBV is needed.

Serum hepatitis B core-related antigen is a satisfactory surrogate ...

[全部](#)[新闻](#)[图片](#)[视频](#)[购物](#)[更多](#)[设置](#)[工具](#)

找到约 1,910,000 条结果 (用时 0.55 秒)

According to other studies, **serum** HBcrAg measurement is a good quantitative serological marker for measuring **chronic hepatitis B disease** activity and **therapy monitoring**. HBcrAg measurement may allow for a continuous **monitoring**, especially in patients whose **HBV-DNA** has become undetectable by PCR.

Correlation between Hepatitis B virus core related antigens (HbcrAg ...

https://www.escmid.org/escmid_publications/escmid_elibrary/material/?mid=50918

這個搜尋結果有用嗎?

[是](#) · [否](#)[? 進一步瞭解這項結果](#)

Serum hepatitis B core-related antigen (HBcrAg) correlates with ...

<https://www.ncbi.nlm.nih.gov/pubmed/30529504> - 翻译此页

作者: B Testoni - 2018 - 被引用次数: 6 - 相关文章

2018年12月7日 - **Serum hepatitis B core-related antigen** (HBcrAg) correlates with covalently closed circular DNA transcriptional activity in **chronic hepatitis B** patients. ... causes a **chronic** infection which develops into severe **liver disease** and liver cancer. ... **treatments** directly targeting the intrahepatic pool of cccDNA, **serum** ...

hepatitis B core-related antigen (HBcrAg): an emerging marker for ...

<https://www.ncbi.nlm.nih.gov/pubmed/29035003> - 翻译此页

作者: LY Mak - 2018 - 被引用次数: 32 - 相关文章

2017年10月16日 - Review article: **hepatitis B core-related antigen** (HBcrAg): an emerging ... While quantification of intrahepatic cccDNA requires **liver** biopsies, serological ... as a novel **serum** marker for **disease monitoring** and prognostication of CHB. ... **chronic** infection, predicting spontaneous or **treatment-induced** HBeAg ...

Distinct patterns of serum hepatitis B core-related antigen during the ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5716365/> - 翻译此页

作者: ZQ Zhang - 2017 - 被引用次数: 1 - 相关文章

Quantified assays for **hepatitis B** surface **antigen** (HBsAg) and **core-related antigen** ... It has a considerable utility in **monitoring** and refining antiviral **therapy**. ... with a high risk of developing **liver**