

## Match Overview

1

Crossref 16 words

ESTERRE, RAOBELISON, RAMAROKOTO, RAVAOALIMALA  
LA, BOISIER, ROUX. " Serum concentrations of sICAM-1, s ...

&lt;1%

**Name of journal:** *World Journal of Cardiology***Manuscript NO:** 50289**Manuscript Type:** ORIGINAL ARTICLE*Retrospective Cohort Study***Segmental intrahepatic cholestasis as a technical complication of the transjugular  
intrahepatic porto-systemic shunt**Bucher JN *et al.* Cholestasis after TIPSJulian Nikolaus Bucher, Marcus Hollenbach, Steffen Strocka, Gereon Gaebelein,  
Michael Moche, Thorsten Kaiser, Michael Bartels, Albrecht Hoffmeister



国内版

国际版

Segmental intrahepatic cholestasis as a technical complicati



All

Images

Videos

关闭取词

13,700 Results

Any time ▾

### [Portasystemic shunt transjugular intrahepatic. Medical ...](#)

<https://lookformedical.com/en/search/portasystemic-shunt-transjugular-intrahepatic> ▾

(4/156) Sustained bacteremia associated with **transjugular intrahepatic portosystemic shunt** (TIPS).

**Transjugular intrahepatic portosystemic shunt** (TIPS) has become a routine procedure in patients with portal hypertension, yet there are few data concerning the incidence of bacteremia associated with this shunt.

### [Table 1 from Transjugular intrahepatic portosystemic shunt ...](#)

<https://www.semanticscholar.org/paper/Transjugular-intrahepatic-portosystemic-shunt...>

**Transjugular intrahepatic portosystemic shunt** (TIPS) is an established procedure for the **complications** of portal hypertension. The largest body of evidence for its use has been supported for recurrent or refractory variceal bleeding and refractory ascites. Its use has also been advocated for acute variceal bleed, hepatic hydrothorax, and ...

### [Segmental liver ischemia after TIPS procedure using a new ...](#)

[https://www.researchgate.net/publication/11021107\\_Segmental\\_liver\\_ischemia\\_after\\_TIPS...](https://www.researchgate.net/publication/11021107_Segmental_liver_ischemia_after_TIPS...)

The **transjugular intrahepatic portosystemic shunt** (TIPS) represents a major advance in the treatment of **complications** of portal hypertension. **Technical** improvements and increased experience over ...

### [USMLE Step 2 GI Flashcards | Quizlet](#)

<https://quizlet.com/139018305/usmle-step-2-gi-flash-cards> ▾

**Intrahepatic cholestasis** (PBC) 4. Extrahepatic **cholestasis** from biliary obstruction (malignancy) ...

Pathology report of liver shows periductal portal tract fibrosis and **segmental** stenosis of extra- and **intra**-hepatic bile ducts. ... USMLE Step 2 - GI. 134 terms. USMLE Step 2 Rapid Review (GI, Heme/onc, ID) 694 terms. USMLE Step 2 ID.

### [Complications of Congenital Portosystemic Shunts in ...](#)

[https://www.researchgate.net/publication/45092984\\_Complications\\_of\\_Congenital\\_Porto...](https://www.researchgate.net/publication/45092984_Complications_of_Congenital_Porto...)

Congenital **portosystemic** shunts are rare vascular malformations that lead to severe **complications**. Their management is controversial. The aim of this study was to propose a clear

### [Biliary atresia | Orphanet Journal of Rare Diseases | Full ...](#)

<https://ojrd.biomedcentral.com/articles/10.1186/1750-1172-1-28> ▾

Jul 26, 2006 · Biliary atresia (BA) is a rare disease characterised by a biliary obstruction of unknown origin that presents in the neonatal period. It is the most frequent surgical cause of cholestatic jaundice in this age group. BA occurs in approximately 1/18,000 live births in Western Europe. In the world, the reported





国内版

国际版

Segmental intrahepatic cholestasis as a technical complicati



All

Images

Videos

关闭取词

13,700 Results

Any time ▾

## Portasystemic shunt transjugular intrahepatic. Medical ...

<https://lookformedical.com/en/search/portasystemic-shunt-transjugular-intrahepatic> ▾

(4/156) Sustained bacteremia associated with **transjugular intrahepatic portosystemic shunt** (TIPS).

**Transjugular intrahepatic portosystemic shunt** (TIPS) has become a routine procedure in patients with portal hypertension, yet there are few data concerning the incidence of bacteremia associated with this shunt.

## Table 1 from Transjugular intrahepatic portosystemic shunt ...

<https://www.semanticscholar.org/paper/Transjugular-intrahepatic-portosystemic-shunt...>

**Transjugular intrahepatic portosystemic shunt** (TIPS) is an established procedure for the **complications** of portal hypertension. The largest body of evidence for its use has been supported for recurrent or refractory variceal bleeding and refractory ascites. Its use has also been advocated for acute variceal bleed, hepatic hydrothorax, and ...

## Segmental liver ischemia after TIPS procedure using a new ...

[https://www.researchgate.net/publication/11021107\\_Segmental\\_liver\\_ischemia\\_after\\_TIPS...](https://www.researchgate.net/publication/11021107_Segmental_liver_ischemia_after_TIPS...)

The **transjugular intrahepatic portosystemic shunt** (TIPS) represents a major advance in the treatment of **complications** of portal hypertension. **Technical** improvements and increased experience over ...

## Complications of Congenital Portosystemic Shunts in ...

[https://www.researchgate.net/publication/45092984\\_Complications\\_of\\_Congenital\\_Porto...](https://www.researchgate.net/publication/45092984_Complications_of_Congenital_Porto...)

Congenital **portosystemic** shunts are rare vascular malformations that lead to severe **complications**. Their management is controversial. The aim of this study was to propose a clear

## Biliary atresia | Orphanet Journal of Rare Diseases | Full ...

<https://ojrd.biomedcentral.com/articles/10.1186/1750-1172-1-28> ▾

Jul 26, 2006 · Biliary atresia (BA) is a rare disease characterised by a biliary obstruction of unknown origin that presents in the neonatal period. It is the most frequent surgical cause of cholestatic jaundice in this age group. BA occurs in approximately 1/18,000 live births in Western Europe. In the world, the reported incidence varies from 5/100,000 to 32/100,000 live births, and is highest in Asia and ...

**Author:** Christophe Chardot

## USMLE Step 2 GI Flashcards | Quizlet

<https://quizlet.com/139018305/usmle-step-2-gi-flash-cards> ▾

**Intrahepatic cholestasis** (PBC) 4. Extrahepatic **cholestasis** from biliary obstruction (malignancy) ...

Pathology report of liver shows periductal portal tract fibrosis and **segmental** stenosis of extra- and intra-hepatic bile ducts. USMLE Step 2 GI 124 terms USMLE Step 2 Rapid Review (GI Home) (no ID) 604