



国内版 国际版

Diagnosing Coeliac Disease: Out with the Old and in with the



Sign in



All

Images

Videos

关闭取词

Add Bing Firefox extension >

1,550,000 Results

Any time ▾

Difficulties in Celiac Disease Diagnosis in Children – A ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3150018>

Diagnosis of celiac disease in a patient with lactose intolerance has special importance having implications for the treatment of both diseases. The authors present the case of a 2 years old girl, first diagnosed with enterocolitis, but her clinical evolution revealed a complex situation: both celiac disease and secondary lactose intolerance.

Cited by: 5

Author: Gabriel Samasca, Manuela Bruchental, A...

Publish Year: 2011

Gluten response biomarker offers potential new blood test ...

<https://newatlas.com/celiac-blood-test-diagnosis-single-gluten-meal/60949> ▾

Gluten response biomarker offers potential new blood test to diagnose celiac disease By Rich ... free diet without a formal diagnosis of coeliac disease, all that might be required is a blood test

Author: Rich Haridy

The Diagnosis and Treatment of Celiac Disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3884535>

Dec 06, 2013 - Definition. Celiac disease can present in the classic way—with severe diarrhea and malabsorption—or else (more commonly) with lesser or atypical manifestations; the clinical picture of celiac disease can also be dominated by the other autoimmune conditions that are associated with it

Cited by: 60

Author: Detlef Schuppan, Klaus-Peter Zimmer

Publish Year: 2013

Testing & Diagnosis | Celiac Disease Foundation

<https://celiac.org/about-celiac-disease/screening-and-diagnosis> ▾

There are two steps to finding out if you have celiac disease: screening and diagnosis. You should always consult with a physician experienced with celiac disease to ensure proper diagnosis.

Research discovery could revolutionise testing for coeliac ...

<https://www.coeliac.org.au/news-stories/research-discovery-could-revolutionise-testing...> ▾

Aug 08, 2019 - Researchers have discovered distinct markers in the blood of people with coeliac disease that appear within a few hours of gluten being consumed. The important finding address a longstanding mystery about what drives the adverse reaction to gluten in coeliac disease and could


Celiac Disease

Medical Condition



A chronic immune mediated disorder triggered by gluten ingestion.

 Common (More than 200,000 cases per year in US)

 Often requires lab test or imaging

 Treatments can help manage condition, no known cure

 Can be lifelong

Caused due to the immune reaction against gluten Symptoms include vomiting, appetite loss, bloating and constipation The best approach is to follow gluten free diet.

Symptoms

The signs and symptoms may vary between children and adults. Mild cases do not show any symptoms.

Some of the common typical signs and symptoms of celiac disease include -

- Vomiting
- Poor appetite

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 52113

Manuscript Type: OPINION REVIEW

Diagnosing coeliac disease: Out with the old and in with the new?

Charlesworth RPG. Diagnosing coeliac disease

Richard PG Charlesworth

Abstract

Coeliac disease (CD) is a complex condition resulting from an interplay between genetic and environmental factors. When diagnosing the condition, serological testing and genotyping are useful in excluding CD, although the gold standard of testing is currently histopathological examination of the small intestine. There are drawbacks associated with this form of testing however and because of this, novel forms of testing are currently under investigation. Before we develop completely novel tests though, it is important to ask whether or not we can simply use the data we gather from coeliac

Match Overview

1	Internet 56 words crawled on 04-Jul-2019 www.wjgnet.com	2%
2	Crossref 55 words Richard P.G. Charlesworth, Nicholas M. Andronikos, David R. Scott, James R. McFarlane, Linda L. Agnew. "Can the se	2%
3	Internet 14 words crawled on 25-Jul-2010 www.foodbase.org.uk	<1%
4	Crossref 12 words Shiva Dahal-Koirala, Ralf S. Neumann, Jørgen Jahnsen, Knut E.A. Lundin, Ludvig M. Sollid. "On the immune response t	<1%
5	Internet 12 words crawled on 17-Jun-2014 www.ncbi.nlm.nih.gov	<1%
6	Internet 12 words crawled on 19-Dec-2014 www.tropicalgastro.com	<1%
7	Internet 12 words crawled on 26-Aug-2016 e-publications.uned.edu.au	<1%
8	Internet 12 words crawled on 14-Mar-2016 smart.embl-heidelberg.de	<1%



2,550,000 Results

Any time ▾

Testing & Diagnosis | Celiac Disease Foundation

<https://celiac.org/about-celiac-disease/screening-and-diagnosis> ▾

There are two steps to finding **out** if you have celiac **disease**: screening and **diagnosis**. You should always consult with a physician experienced with celiac **disease** to ensure proper **diagnosis**.

Get Diagnosed - Coeliac New Zealand

<https://coeliac.org.nz/get-diagnosed> ▾

Coeliac New Zealand is here to support health professionals with information and resources as they guide patients through their **coeliac disease diagnosis** and assist them in managing their gluten free diet. We offer two types of memberships for health professionals - those in ...

The Diagnosis and Treatment of Celiac Disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3884535>

Dec 06, 2013 · Richter T, Bossuyt X, Vermeersch P, et al. Determination of IgG and IgA antibodies against native gliadin is not helpful for the **diagnosis** of **coeliac disease** in children up to 2 years **old**. Journal of pediatric gastroenterology and nutrition. 2012; 55:21–25.

Cited by: 62

Author: Detlef Schuppan, Klaus-Peter Zimmer

Publish Year: 2013

Can you be diagnosed with celiac disease if you're over 60 ...

<https://www.glutenfreetherapeutics.com/living-gluten-free/nutrition-diet/is-it...> ▾

Indeed, in one study, the median age at the **diagnosis** was just under the age of 50 with one-third of **new** patients **diagnosed** over the age of 65. Showing that you can be **diagnosed** with celiac **disease** ...

My coeliac disease diagnosis story for Coeliac Awareness ...

<https://theglutenfreeblogger.com/coeliac-disease-diagnosis-story> ▾

While awareness of **coeliac disease** is growing, the **diagnosis** rate still needs to increase (on average it takes 13 years to be **diagnosed**!) to avoid people suffering for too long and causing long-term damage. My **coeliac disease diagnosis** came when I was around 12-years-old.

Celiac Disease in Children: Getting Tested | BeyondCeliac.org

<https://www.beyondceliac.org/living-with-celiac-disease/info-for-parents/testing> ▾

Celiac **Disease** in Children: Getting Tested If you suspect your child has celiac **disease**, it is best to get a confirmed **diagnosis**. The **diagnosis** of celiac **disease** in children often starts with blood testing and is typically followed by an intestinal biopsy.

Celiac Disease

Medical Condition



Image for Condition

A chronic immune mediated disorder triggered by gluten ingestion.



Common (More than 200,000 cases per year in US)



Often requires lab test or imaging



Treatments can help manage condition, no known cure



Can be lifelong

Caused due to the immune reaction against gluten Symptoms include vomiting, appetite loss, bloating and constipation The best approach is to follow gluten free diet.

Symptoms

The signs and symptoms may vary between children and adults. Mild cases do not show any symptoms.

Some of the common typical signs and symptoms of celiac disease include -

- Vomiting
- Poor appetite
- Bloating
- Flatulence
- Abdominal pain



Diagnosing coeliac disease: Out with the old and in with the new?



ALL

IMAGES

VIDEOS

关闭取词

1,460,000 Results

Any time ▾

Including results for **diagnosing celiac** disease out with the old and in with the new?.

Do you want results only for Diagnosing coeliac disease: Out with the old and in with the new? ?

Newly Diagnosed with Celiac Disease | BeyondCeliac.org

<https://www.beyondceliac.org/living-with-celiac-disease/newly-diagnosed> ▾

Getting Started: A Guide to Celiac Disease & the Gluten-Free Diet. The Getting Started Guide is a comprehensive resource manual created by Beyond Celiac. This **new** and improved version contains essential information and resources for both those **newly diagnosed with celiac disease** or non-celiac gluten sensitivity ('gluten sensitivity') and those looking to better manage their gluten-free diet.

[About Celiac Disease](#) · [Gluten-Free Food](#) · [Celiac Disease Symptoms Checklist](#)

Difficulties in Celiac Disease Diagnosis in Children – A ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3150018>

Diagnosis of celiac disease in a patient with lactose intolerance has special importance having implications for the treatment of both **diseases**. The authors present the case of a 2 years old girl, first **diagnosed** with enterocolitis, but her clinical evolution revealed a complex situation: both celiac **disease** and secondary lactose intolerance.

Cited by: 5

Author: Gabriel Samasca, Manuela Bruchental, A...

Publish Year: 2011

The Diagnosis and Treatment of Celiac Disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3884535>

Dec 06, 2013 · Definition. Celiac disease can present in the classic **way**—with severe **diarrhea** and **malabsorption**—or else (more commonly) with lesser or atypical manifestations; the clinical picture of **celiac disease** can also be dominated by the other **autoimmune conditions** that are associated with it

...

Cited by: 62

Author: Detlef Schuppan, Klaus-Peter Zimmer

Publish Year: 2013

Testing & Diagnosis | Celiac Disease Foundation

<https://celiac.org/about-celiac-disease/screening-and-diagnosis> ▾

There are two steps to finding out if you have celiac **disease**: screening and **diagnosis**. You should always consult with a physician experienced with celiac **disease** to ensure proper **diagnosis**.