



54223-Review.docx

Quotes Included  
Bibliography Included10%  
SIMILARName of Journal: *World Journal of Gastroenterology*

Manuscript NO: 54223

Manuscript Type: ORIGINAL ARTICLE

*Retrospective Cohort Study*

Pancreatic necrosis and severity were independent risk factors for pancreatic endocrine insufficiency after acute pancreatitis: a long-term follow-up study

Bing-Jun Yu, Nian-Shuang Li, Wen-Hua He, Cong He, Jian-Hua Wan, Yin Zhu, Nong-Hua Lu

**Abstract**

## BACKGROUND

Acute pancreatitis (AP) is acute inflammation of the pancreas and the most

## Match Overview

1

**Internet** 142 words  
crawled on 27-Nov-2019  
[pancreatology.com.ua](http://pancreatology.com.ua)

4%

2

**Crossref** 112 words  
Xi Zheng, Lei Li, Yin Zhu, Xin Huang, Yue Zhang, Bingjun Yu, Wenhua He, Nonghua Lv. "Superoxide Dismutase Predicts I...

3%

3

**Internet** 52 words  
crawled on 19-Feb-2020  
[protocolexchange.researchsquare.com](http://protocolexchange.researchsquare.com)

2%

4

**Internet** 30 words  
[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov)

1%

5

**Internet** 13 words  
crawled on 27-Mar-2020  
[www.researchsquare.com](http://www.researchsquare.com)

&lt;1%



ALL

IMAGES

VIDEOS

47,200 Results

Any time ▼

## Endocrine and exocrine pancreatic insufficiency after ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5658961>

Keywords: **Endocrine pancreatic insufficiency**, **Exocrine pancreatic insufficiency**, **Acute pancreatitis**, **Follow-up study**, Insulin resistance, **Pancreatic necrosis** Background Patients could develop **endocrine** and exocrine **pancreatic insufficiency** after AP, but the morbidity, **risk factors**, treatment and outcome remain unclear.

Cited by: 11

Author: Jianfeng Tu, Jingzhu Zhang, Lu Ke, Yue ...

Publish Year: 2017

## Endocrine and exocrine pancreatic insufficiency after ...

<https://bmcgastroenterol.biomedcentral.com/articles/10.1186/s12876-017-0663-0> ▼

Oct 27, 2017 · Patients could develop **endocrine** and exocrine **pancreatic insufficiency** after acute **pancreatitis** (AP), but the morbidity, **risk factors** and outcome remain unclear. The aim of the present **study** was to evaluate the incidence of **endocrine** and exocrine **pancreatic insufficiency** after AP and the **risk factors** of **endocrine pancreatic insufficiency** through a **long-term follow-up** investigation.

Cited by: 11

Author: Jianfeng Tu, Jingzhu Zhang, Lu Ke, Yue ...

Publish Year: 2017





Pancreatic necrosis and severity were independent risk factors for endocrine and exocrine pancreatic insufficiency after acute pancreatitis



ALL IMAGES VIDEOS MAPS NEWS SHOPPING

47,200 Results Any time ▾

## Endocrine and exocrine pancreatic insufficiency after ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5658961>

Keywords: **Endocrine pancreatic insufficiency**, **Exocrine pancreatic insufficiency**, **Acute pancreatitis**, **Follow-up study**, Insulin resistance, **Pancreatic necrosis** Background Patients could develop **endocrine** and exocrine **pancreatic insufficiency after AP**, but the morbidity, **risk factors**, treatment and outcome remain unclear.

Cited by: 11 Author: Jianfeng Tu, Jingzhu Zhang, Lu Ke, Yue ...

Publish Year: 2017

## Endocrine and exocrine pancreatic insufficiency after ...

<https://bmcgastroenterol.biomedcentral.com/articles/10.1186/s12876-017-0663-0>

Oct 27, 2017 · Patients could develop **endocrine** and exocrine **pancreatic insufficiency after acute pancreatitis (AP)**, but the morbidity, **risk factors** and outcome remain unclear. The aim of the present **study** was to evaluate the incidence of **endocrine** and exocrine **pancreatic insufficiency after AP** and the **risk factors** of **endocrine pancreatic insufficiency** through a **long-term follow-up** investigation.

Cited by: 11 Author: Jianfeng Tu, Jingzhu Zhang, Lu Ke, Yue ...

Publish Year: 2017

## Endocrine and exocrine pancreatic insufficiency after ...

<https://www.ncbi.nlm.nih.gov/pubmed/29078749>

Oct 27, 2017 · The morbidity of DM and IGT in patients with **pancreatic necrosis** was significant higher than that in the non-**pancreatic necrosis** group ( $X^2 = 13.442, P = 0.001$ ). The multiple logistic regression analysis showed that extent of **pancreatic necrosis**  $< 30\%$  ( $P = 0.012$ ,  $OR = 0.061$ ) **were** the protective factors of **endocrine pancreatic insufficiency**.

Cited by: 11 Author: Jianfeng Tu, Jingzhu Zhang, Lu Ke, Yue ...

Publish Year: 2017

## Endocrine and exocrine pancreatic insufficiency after ...

<https://link.springer.com/article/10.1186/s12876-017-0663-0>

Oct 27, 2017 · Patients could develop **endocrine** and exocrine **pancreatic insufficiency after acute**

## Acute Pancreatitis

Medical condition

Acute pancreatitis is a serious condition where the pancreas becomes inflamed over a short period of time. The pancreas is a small organ located behind the stomach and below the ribcage.

[NHS](#)

### Symptoms

The main symptom of acute pancreatitis is a severe, dull pain around the top of your stomach that develops suddenly.

This aching pain often gets steadily worse and can travel along your back or below your left shoulder blade. Eating or drinking...

[Read more on NHS](#)

### Causes

Most cases of acute pancreatitis are closely linked to gallstones or to alcohol consumption, although the exact cause isn't always clear.

Gallstones

Gallstones are hard pieces of stone-like material that form in your gallbladder. They can trigger...

[Read more on NHS](#)

### Treatments

Acute pancreatitis is treated in hospital, where you'll be closely monitored for signs of serious problems and given supportive treatment, such as fluids and oxygen.

Many people are well enough to leave hospital after 5-10 days.