

¹¹ **Name of Journal:** *World Journal of Gastroenterology*

Manuscript NO: 59432

Manuscript Type: ORIGINAL ARTICLE

Retrospective Study

⁶ **Prevalence and risk factors of nonalcoholic fatty liver disease in patients with inflammatory bowel diseases: A cross-sectional and longitudinal analysis**

Peter Hoffmann, Victoria Jung, Rouven Behnisch, Annika Gauss

Match Overview

1	Internet 121 words crawled on 23-Apr-2020 www.mdpi.com	2%
2	Crossref 97 words P Hoffmann, V Jung, R Behnisch, A Gauss. "P751 Prevalence and risk factors of non-alcoholic fatty liver disease in ..."	1%
3	Internet 83 words crawled on 11-May-2020 www.wjgnet.com	1%
4	Internet 32 words link.springer.com	<1%
5	Internet 27 words creativecommons.org	<1%

Prevalence and risk factors of nonalcoholic fatty liver disease in p



ALL

IMAGES

VIDEOS

35,400 Results

Any time ▾

[Prevalence of and risk factors for nonalcoholic fatty ...](#)

<https://aasldpubs.onlinelibrary.wiley.com/doi/full/10.1002/hep.20734>

May 13, 2005 · The **prevalence** of and the **risk factors** for **fatty liver** have not undergone a formal evaluation in a representative sample of the general population. We therefore performed a **cross-sectional** study in the town of Campogalliano (Modena, Italy), within the context of the Dionysos Project.

Cited by: 1582

Author: Giorgio Bedogni, Lucia Miglioli, Flora M...

Publish Year: 2005

[Nonalcoholic Fatty Liver Disease in Inflammatory Bowel ...](#)

<https://pubmed.ncbi.nlm.nih.gov/29688336>

Background: **Nonalcoholic fatty liver disease** (NAFLD) is common in **inflammatory bowel diseases** (IBD). Herein, NAFLD **prevalence and risk factors** in a large IBD cohort were evaluated and compared to that of a non-IBD sample. Methods: Crohn's **disease**/ulcerative colitis outpatients referred to IBD service of our Gastroenterology Unit were enrolled.

Cited by: 11

Author: Mariabeatrice Principi, Andrea Iannone, ...

Publish Year: 2018

[Prevalence and Profile of Nonalcoholic Fatty Liver Disease ...](#)

<https://aasldpubs.onlinelibrary.wiley.com/doi/full/10.1002/hep4.1519>

May 21, 2020 · **Nonalcoholic fatty liver disease** (NAFLD) is one of the most common **liver diseases** in the world, with a global **prevalence** of approximately 25% and a **prevalence** of 24% in North America. (1 , 2) The incidence is increasing, especially in the Western world, due to the rising **prevalence** of obesity in the general population.

Cited by: 1

Author: Steven Young, Raseen Tariq, John Prov...

Publish Year: 2020

[Prevalence and factors associated with nonalcoholic fatty ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6039627>

国内版

国际版

Prevalence and risk factors of nonalcoholic fatty liver disease in pati



ALL

IMAGES

VIDEOS

66,600 Results

Any time ▾

[Prevalence of Nonalcoholic Fatty Liver Disease in Patients ...](#)

<https://academic.oup.com/ibdjournal/advance...> ▾

Aug 11, 2020 · Both **diseases** involve a complex relationship between environment and polygenic **factors**, with immune dysregulation also playing a central role. 9 **Nonalcoholic fatty liver disease** is associated with diabetes, obesity, and the metabolic syndrome; however, there are a subset of **patients** who have “lean NAFLD”. 10 Although the incidence of ...

[Prevalence of and risk factors for nonalcoholic fatty ...](#)

<https://aasldpubs.onlinelibrary.wiley.com/doi/full/10.1002/hep.20734>

May 13, 2005 · The **prevalence** of and the **risk factors** for **fatty liver** have not undergone a formal evaluation in a representative sample of the general population. We therefore performed a **cross-sectional** study in the town of Campogalliano (Modena, Italy), within the context of ...

Cited by: 1586

Author: Giorgio Bedogni, Lucia Miglioli, Flora Mas...

Publish Year: 2005

[Nonalcoholic Fatty Liver Disease in Inflammatory Bowel ...](#)

<https://pubmed.ncbi.nlm.nih.gov/29688336>

Background: **Nonalcoholic fatty liver disease (NAFLD)** is common in **inflammatory bowel diseases**

75,100 Results

Any time ▾

Prevalence of Nonalcoholic Fatty Liver Disease in Patients ...

<https://academic.oup.com/ibdjournal/advance...> ▾

Aug 11, 2020 · Both **diseases** involve a complex relationship between environment and polygenic **factors**, with immune dysregulation also playing a central role. 9 **Nonalcoholic fatty liver disease** is associated with diabetes, obesity, and the metabolic syndrome; however, there are a subset of **patients** who have "lean NAFLD". 10 Although the incidence of ...

Nonalcoholic Fatty Liver Disease in Inflammatory Bowel ...

<https://pubmed.ncbi.nlm.nih.gov/29688336>

Background: **Nonalcoholic fatty liver disease** (NAFLD) is common in **inflammatory bowel diseases** (IBD). Herein, NAFLD **prevalence and risk factors** in a large IBD cohort were evaluated and compared to that of a non-IBD sample. Methods: Crohn's **disease**/ulcerative colitis outpatients referred to IBD service of our Gastroenterology Unit were enrolled.

Cited by: 12

Author: Mariabeatrice Principi, Andrea Iannone, Giu...

Publish Year: 2018

Prevalence of and risk factors for nonalcoholic fatty ...

<https://aasldpubs.onlinelibrary.wiley.com/doi/full/10.1002/hep.20734>

May 13, 2005 · The **prevalence** of and the **risk factors** for **fatty liver** have not undergone a formal evaluation in a representative sample of the general population. We therefore performed a **cross-sectional** study in the town of Campogalliano (Modena, Italy), within the ...

Cited by: 1592

Author: Giorgio Bedogni, Lucia Miglioli, Flora Masut...

Publish Year: 2005

Prevalence of Nonalcoholic Fatty Liver Disease in Patients ...

<https://www.researchgate.net/publication/343597805...>

Non-alcoholic fatty liver disease (NAFLD) can be detected in up to 33.6% of **inflammatory bowel disease** (IBD) **patients**, often in absence of metabolic **risk factors**.


Prevalence and factors associated with nonalcoholic fatty ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6039627>

Fatty Liver

Medical Condition

Fatigue or vague abdominal discomfort



Excessive build-up of fat in the liver.

-  Very common (More than 3 million cases per year in US)
-  No vaccine available
-  Requires lab test or imaging
-  Treatment from medical professional advised
-  Can last several weeks or months

The causes are alcoholism, obesity, diabetes and infections. Symptoms are weakness, weightloss and abdominal discomfort. Treatment includes attending the underlying cause.

Symptoms

Fatty liver could be symptomless for many years or decades. Notable symptoms include: