

1
Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 59095

Manuscript Type: ORIGINAL ARTICLE

Retrospective Cohort Study

Impact of colorectal cancer screening participation in remote northern Canada: A retrospective cohort study

Heather A Smith, Andrew D Scarffe, Nicole Brunet, Cait Champion, Kami Kandola, Alisha Tessier, Robin Boushey, Craig Kuziemy

Abstract

BACKGROUND

Screening provides earlier colorectal cancer (CRC) detection and improves outcomes. It remains poorly understood if these benefits are realized with screening guidelines in

Match Overview

1

Internet 17 words
crawled on 05-Dec-2019
f6publishing.blob.core.windows.net

<1%

2

Crossref 15 words
Clasine M de Klerk, Manon van der Vlugt, Patrick M Bossuyt, Evelien Dekker. "A large proportion of fecal immunochemic

<1%



ALL

IMAGES

VIDEOS

14,300 Results

Any time ▾

[Impact of Screening Program on Incidence of Colorectal ...](#)

<https://pubmed.ncbi.nlm.nih.gov/26303133>

Objectives: Colorectal cancer (CRC) screening using the fecal occult blood test (FOBT) has been shown to be effective in reducing cause-specific mortality. However, although it detects pre-cancerous adenomas, it is uncertain whether FOBT reduces the incidence of invasive cancer. The objective is to evaluate the impact of screening with immunochemical FOBT (FIT) on CRC incidence and mortality.

Cited by: 46

Author: Paolo Giorgi Rossi, Massimo Vicentini, C...

Publish Year: 2015

[Impact of organized colorectal cancer screening programs ...](#)

<https://www.sciencedirect.com/science/article/pii/S2213538320300217>

Jun 01, 2020 · 1. Introduction. Organized cancer screening programs have been implemented in nine of Canada's ten provinces. These programs are designed to promote regular stool-based screening for colorectal cancer, Canada's third most common cause of cancer death []. Stool-based (e.g., Fecal Occult Blood Tests (FOBT), or Fecal Immunochemical Test (FIT)) screening every two years is ...

Author: Alexandra Blair, Lise Gauvin, Erin C. ...

Publish Year: 2020

[Reducing inequities in colorectal cancer screening in ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4253036>

Nov 14, 2014 · INTRODUCTION. Colorectal cancer (CRC) is the third most commonly diagnosed cancer and the second most common cause of cancer related deaths in Canada and the United States (US).[1,2] In 2014, an estimated 24,400 Canadians and 136,830 Americans will be diagnosed with CRC and 9300 Canadians and 50,310 Americans will die from the disease.[1,2] Most CRCs are believed to ...

Cited by: 18

Author: Kathleen M Decker, Harminder Singh

Publish Year: 2014

[Impact of COVID-19 on colorectal cancer disparities and ...](#)

<https://www.sciencedirect.com/science/article/pii/S0016510720344680>

Jun 20, 2020 · The coronavirus disease 2019 (COVID-19) has led to a global pandemic, with over 7.5 million infected and 420,000 deaths. 1 This healthcare crisis has also underscored persistent inequities, including the highest rates of COVID-19 infections and deaths in African American and Hispanic communities. 2, 3 Although minimizing morbidity and mortality from the disease remains the top ...

Author: Sophie Balzora, Rachel B. Issaka, Ad...

Publish Year: 2020



ALL

IMAGES

VIDEOS

14,300 Results

Any time ▼

[Impact of Screening Program on Incidence of Colorectal ...](#)

<https://pubmed.ncbi.nlm.nih.gov/26303133>

Objectives: **Colorectal cancer** (CRC) **screening** using the fecal occult blood test (FOBT) has been shown to be effective in reducing cause-specific mortality. However, although it detects pre-cancerous adenomas, it is uncertain whether FOBT reduces the incidence of invasive **cancer**. The objective is to evaluate the **impact** of **screening** with immunochemical FOBT (FIT) on CRC incidence and mortality.

Cited by: 48**Author:** Paolo Giorgi Rossi, Massimo Vicentini, Cla...**Publish Year:** 2015

[Impact of organized colorectal cancer screening programs ...](#)

<https://www.sciencedirect.com/science/article/pii/S2213538320300217>

Jun 01, 2020 · 1. Introduction. Organized **cancer screening** programs have been implemented in nine of **Canada's** ten provinces. These programs are designed to promote regular stool-based **screening** for **colorectal cancer**, **Canada's** third most common cause of **cancer** death []. Stool-based (e.g., Fecal Occult Blood Tests (FOBT), or Fecal Immunochemical Test (FIT)) **screening** every two years is recommended ...

Author: Alexandra Blair, Lise Gauvin, Erin C. Stru...**Publish Year:** 2020

[Impact of COVID-19 Pandemic on Colorectal Cancer Screening ...](#)

<https://www.sciencedirect.com/science/article/pii/S1533002820301018>

Jul 30, 2020 · Patients and Methods. We carried out a **retrospective** controlled **cohort study** in our "COVID-free" hospital to compare data of the CRCS colonoscopies of the lockdown period (March 9 to May 4, 2020) with those of the same period of 2019 (control group).

Author: Valeria D'Ovidio, Cristina Lucidi, Giovan...**Publish Year:** 2020

[Impact of COVID-19 on colorectal cancer disparities and ...](#)

<https://www.sciencedirect.com/science/article/pii/S0016510720344680>

Oct 01, 2020 · The coronavirus disease 2019 (COVID-19) has led to a global pandemic, with over 7.5 million infected and 420,000 deaths. 1 This healthcare crisis has also underscored persistent inequities, including the highest rates of COVID-19 infections and deaths in African American and Hispanic communities. 2, 3 Although minimizing morbidity and mortality from the disease remains the top ...

Cited by: 1**Author:** Sophie Balzora, Rachel B. Issaka, Adjoa An...**Publish Year:** 2020

[Enhancing access to cervical and colorectal cancer ...](#)

europepmc.org/abstract/MED/28974533 ▼

Oct 01, 2017 · Background: Women in rural and **remote northern** Alberta access breast **cancer screening** through a mobile mammogram program (Screen Test). The Enhanced Access to Cervical and **Colorectal**

ALL

IMAGES

VIDEOS

MAPS

NEWS

SHOPPING

16,700 Results

Any time ▼

[Impact of Screening Program on Incidence of Colorectal ...](#)

<https://pubmed.ncbi.nlm.nih.gov/26303133>

Objectives: **Colorectal cancer** (CRC) **screening** using the fecal occult blood test (FOBT) has been shown to be effective in reducing cause-specific mortality. However, although it detects pre-cancerous adenomas, it is uncertain whether FOBT reduces the incidence of invasive **cancer**. The objective is to evaluate the **impact** of **screening** with immunochemical FOBT (FIT) on CRC incidence and mortality.

Cited by: 48**Author:** Paolo Giorgi Rossi, Massimo Vicentini, Cla...**Publish Year:** 2015

[Impact of organized colorectal cancer screening programs ...](#)

<https://www.sciencedirect.com/science/article/pii/S2213538320300217>

Jun 01, 2020 · 1. Introduction. Organized **cancer screening** programs have been implemented in nine of **Canada's** ten provinces. These programs are designed to promote regular stool-based **screening** for **colorectal cancer**, **Canada's** third most common cause of **cancer** death []. Stool-based (e.g., Fecal Occult Blood Tests (FOBT), or Fecal Immunochemical Test (FIT)) **screening** every two years is recommended ...

Author: Alexandra Blair, Lise Gauvin, Erin C. Stru... **Publish Year:** 2020

[Impact of COVID-19 Pandemic on Colorectal Cancer Screening ...](#)

<https://www.sciencedirect.com/science/article/pii/S1533002820301018>

Jul 30, 2020 · Patients and Methods. We carried out a **retrospective** controlled **cohort study** in our "COVID-free" hospital to compare data of the CRCS colonoscopies of the lockdown period (March 9 to May 4, 2020) with those of the same period of 2019 (control group).

Author: Valeria D'Ovidio, Cristina Lucidi, Giovan... **Publish Year:** 2020

[Impact of COVID-19 on colorectal cancer disparities and ...](#)

<https://www.sciencedirect.com/science/article/pii/S0016510720344680>

Oct 01, 2020 · The coronavirus disease 2019 (COVID-19) has led to a global pandemic, with over 7.5 million infected and 420,000 deaths. 1 This healthcare crisis has also underscored persistent inequities, including the highest rates of COVID-19 infections and deaths in African American and Hispanic communities. 2, 3 Although minimizing morbidity and mortality from the disease remains the top ...

Cited by: 2**Author:** Sophie Balzora, Rachel B. Issaka, Adjoa An...**Publish Year:** 2020