

3 Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 52382

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Diverting colostomy is an effective and reversible option for severe hemorrhagic radiation proctopathy

Yuan ZX *et al.* Diverting colostomy for radiation proctitis

Zi-Xu Yuan, Qi-Yuan Qin, Miao-Miao Zhu, Qing-Hua Zhong, Alessandro Fichera, Hui Wang, Huai-Ming Wang, Xiao-Yan Huang, Wu-Teng Cao, Ye-Biao Zhao, Lei Wang, Teng-Hui Ma

Abstract

BACKGROUND

Match Overview

| | | |
|---|---|-----|
| 1 | Internet 51 words crawled on 26-Jan-2020 www.wjgnet.com | 1% |
| 2 | Internet 14 words crawled on 23-Oct-2015 gut.bmj.com | <1% |
| 3 | Internet 14 words crawled on 16-Nov-2019 f6publishing.blob.core.windows.net | <1% |
| 4 | Crossref 12 words Tenghui Ma, Qinghua Zhong, Wuteng Cao, Qiyuan Qin, Xiaocun Meng, HuaiMing Wang, Jianping Wang, Lei Wang. "Clinic | <1% |



国内版

国际版

Diverting colostomy is an effective and reversible option for severe hemorr



登录



网页

图片

视频

学术

词典

地图

检测到您输入了英文，试试切换到国际版？搜英文结果更丰富更准确



17,100 条结果

时间不限

Radiation Proctopathy - PubMed Central (PMC) [翻译此页](#)

位置: 8600 Rockville Pike, Bethesda, MD

Radiation therapy is a widely utilized treatment modality for pelvic malignancies, including prostate cancer, rectal cancer, and cervical cancer. Given its fixed position in the pelvis, the rectum is at a high risk for injury secondary to ionizing radiation. ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4442718>

Hyperbaric Oxygen Therapy for Radiation Induced ... [翻译此页](#)

Cited by: 86

Author: Marc A. Dall'Era, Neil B. Hampson, R. Ale...

Publish Year: 2006

Purpose. Radiation proctitis is a common complication following external beam radiation therapy and brachytherapy for prostate cancer. While 95% percent of radiation induced proctitis is temporary and self-limiting, up to 5% of patients experience toxicities that are refractory to conservative management.

<https://www.sciencedirect.com/science/article/pii/S0022534706004915>

Radiation Proctitis - an overview | ScienceDirect Topics [翻译此页](#)



Diverting colostomy is an effective and reversible option for se



Sign in

ALL IMAGES VIDEOS

关闭取词

Add Bing Firefox extension >

17,200 Results Any time ▾

Colostomy is a simple and effective procedure for severe ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4917620>

Jun 28, 2016 · In this series, the authors reported their experience that **diverting colostomy** was a **simple, effective and safe procedure for severe hemorrhagic CRP**. Furthermore, they found that **colostomy improved** quality of life and **reduced serious complications** secondary to radiotherapy, while conservative medical and endoscopic treatments did not show efficacy in **severe CRP** patients.

Cited by: 4 **Author:** Zi-Xu Yuan, Teng-Hui Ma, Huai-Ming Wa...

Publish Year: 2016

Radiation Proctopathy - PubMed Central (PMC)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4442718>

Radiation therapy is a widely utilized **treatment modality** for **pelvic malignancies**, including prostate cancer, rectal cancer, and cervical cancer. Given its fixed position in the **pelvis**, the **rectum** is at a high risk for **injury** secondary to **ionizing radiation**.

Radiation Proctopathy | Radiology Key

<https://radiologykey.com/radiation-proctopathy>

Endoscopic demonstration of severe chemical proctitis induced by **formalin enema** treatment for