

### Short-term and long-term outcomes of liver resection for ...

<https://cellandbioscience.biomedcentral.com/articles/10.1186/s13578-019-0285-z>

Mar 06, 2019 · Portal vein tumor thrombosis (PVTT) in hepatocellular carcinoma (HCC) is a sign of advanced stage disease, which is associated with poor prognosis. Liver resection (LR) may provide better prognosis in selected patients. In the present study, we aimed to assess information from HCC patients with PVTT who died within 3 months or 2 years after LR in order to identify preoperative factors ...

Cited by: 3 Author: Lei Huo, Wenxin Wei, Zhenlin Yan, Zheng...

Publish Year: 2019

### Analysis of Prognostic Factors for Survival after ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4380349>

Introduction. Hepatocellular carcinoma (HCC) is a common malignant tumor with high mortality worldwide, especially in East Asian countries. In China, 360,000 incident cases and 350,000 deaths secondary to HCC occur annually []. Although surgical resection and liver transplantation are currently the best curative options to treat HCC, recurrence or metastasis is quite common in patients who have ...

Cited by: 20 Author: Zhi-qiang Cai, Shu-bin Si, Chen Chen, Ya...

Publish Year: 2015

### Long-term prognostic factors of patients with ...

<https://www.researchgate.net/publication/340079141...>

To analyze the prognostic factors of 5-year survival and 10-year survival in hepatocellular carcinoma (HCC) patients, and to explore the reasons for long-term survival and provide choice of ...

### Survival benefits of intra-arterial infusion chemotherapy ...

<https://www.sciencedirect.com/science/article/pii/S1386634605000756>

Jun 01, 2005 · 1. Introduction. Advanced hepatocellular carcinoma (HCC) with portal vein thrombosis (PVT) has a poor prognosis. The majority of patients with advanced HCC live no longer than 6 months from the day of initial diagnosis. The only curative treatment for HCC is surgical resection; however, most patients have unresectable HCC at the time of diagnosis because of advanced tumor stage and/or ...

Cited by: 24 Author: Jae Youn Cheong, Kee Myung Lee, Sung...

Publish Year: 2005

### Prognostic Prediction in Patients with Hepatocellular ...

国内版 国际版

ing

Factors influencing the short-term and long-term survival of hepato



ALL IMAGES VIDEOS

57,300 Results Any time ▾

### Short-term and long-term outcomes of liver resection for ...

<https://cellandbioscience.biomedcentral.com/articles/10.1186/s13578-019-0285-z> ▾

Mar 06, 2019 · **Portal vein tumor thrombosis (PVTT) in hepatocellular carcinoma (HCC)** is a sign of advanced stage disease, which is associated with poor prognosis. Liver resection (LR) may provide better prognosis in selected **patients**. In the present study, we aimed to assess information from HCC **patients** with PVTT who died within 3 months or 2 years after LR in order to identify preoperative **factors** ...

**Cited by:** 3 **Author:** Lei Huo, Wenxin Wei, Zhenlin Yan, Z...  
**Publish Year:** 2019

### Short-term and long-term outcomes of liver resection for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6404349>

Background. Previous study has shown that **patients** with **hepatocellular carcinoma (HCC)** and **portal vein tumor thrombus (PVTT)** have an extremely poor prognosis [].A huge proportion of HCC **patients** (12.5–39.7%) exhibit gross PVTT at the time of diagnosis, while such occurrence of PVTT becomes 44% at the time of death [].In addition, the median survival is 2.7–4.0 months when tumor ...

**Cited by:** 3 **Author:** Lei Huo, Wenxin Wei, Zhenlin Yan, Z...  
**Publish Year:** 2019

### Factors influencing survival in hepatocellular carcinoma ...

<https://europepmc.org/article/MED/16608039> ▾

Mar 01, 2006 · Europe PMC is an archive of life sciences journal literature. **Factors influencing survival in hepatocellular carcinoma patients with macroscopic portal vein tumor thrombosis**

## Hep

Medical

The mc  
chronic

Ra

Ma

Of

Tre

Car

Causec  
mutatio  
upper a  
include  
kill the

## Symp

The ea  
the late

- Uppe
- Weig
- Jaun
- Fluid
- Liver

**Name of Journal:** *World Journal of Gastroenterology*  
**Manuscript NO:** 62325  
**Manuscript Type:** ORIGINAL ARTICLE

**Retrospective Study**

**Factors influencing the short-term and long-term survival of hepatocellular carcinoma patients with portal vein tumor thrombosis underwent chemoembolization**

Ke-Li Chen, Jian Gao

**Abstract**

**BACKGROUND**

The factors affecting the short-term and long-term prognosis of hepatocellular carcinoma (HCC) patients with portal vein tumor thrombosis (PVTT) receiving transcatheter chemoembolization (TACE) are still unclear

**Match Overview**

Match #	Source	Words	Percentage
1	Internet crawled on 21-Oct-2020 www.wjnet.com	164	3%
2	Internet crawled on 29-May-2020 acamb.onlinelibrary.wiley.com	35	1%
3	Internet crawled on 15-Jul-2020 neurotree.org	35	1%
4	Internet crawled on 08-Aug-2020 pesquisa.bvsalud.org	29	1%
5	Crossref Fabio Farinati, "Liver transplantation for hepatocellular carcinoma in clinical practice: the lesson from a 20-year multi-	26	1%
6	Crossref Hongyuan Liang, Feng Cui, Qiyong Guo, Xiaonan Mao, Feng g Wen, Wei Sun, Ming Shan, Zaiming Lu. "Prognostic facto	28	1%
7	Internet crawled on 25-Oct-2020 academic.oup.com	25	<1%

国内版 国际版

Factors influencing the short-term and long-term survival of hepato



ALL IMAGES VIDEOS

58,500 Results Any time ▾

### Short-term and long-term outcomes of liver resection for ...

<https://cellandbioscience.biomedcentral.com/articles/10.1186/s13578-019-0285-z> ▾

Mar 06, 2019 · Portal vein tumor thrombosis (PVTT) in hepatocellular carcinoma (HCC) is a sign of advanced stage disease, which is associated with poor prognosis. Liver resection (LR) may provide better prognosis in selected patients. In the present study, we aimed to assess information from HCC patients with PVTT who died within 3 months or 2 years after LR in order to identify preoperative factors ...

Cited by: 3 Author: Lei Huo, Wenxin Wei, Zhenlin Yan, Zheng...

Publish Year: 2019

### Short-term and long-term outcomes of liver resection for ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6404349>

Background. Previous study has shown that patients with hepatocellular carcinoma (HCC) and portal vein tumor thrombus (PVTT) have an extremely poor prognosis [].A huge proportion of HCC patients (12.5–39.7%) exhibit gross PVTT at the time of diagnosis, while such occurrence of PVTT becomes 44% at the time of death [].In addition, the median survival is 2.7–4.0 months when tumor remains ...

Cited by: 3 Author: Lei Huo, Wenxin Wei, Zhenlin Yan, Zheng...

Publish Year: 2019

### Factors influencing survival in hepatocellular carcinoma ...

<https://europepmc.org/article/MED/16608039> ▾

Mar 01, 2006 · Europe PMC is an archive of life sciences journal literature. Factors influencing survival in hepatocellular carcinoma patients with macroscopic portal vein tumor thrombosis after surgery, with special reference to time dependency: a single-center experience of 381 cases.

Cited by: 22 Author: Jian Zhou, Zhao-You Tang, Zhi-Quan Wu, ...

Publish Year: 2006

### Factors linked to longterm survival of patients with ...

<https://www.researchgate.net/publication/221690330...>

The prognosis in patients with hepatocellular carcinoma (HCC) accompanied by main portal vein tumour thrombus (MPVTT) is poor. The aim of this study was to clarify the factors linked to survival ...

### Short-term and long-term outcomes of liver resection for ...

<https://europepmc.org/article/MED/30886700> ▾