

ALL IMAGES VIDEOS

8,500,000 Results

Any time ▾

COVID-19 inpatients with gastrointestinal onset: sex and ...<https://bmcinfecdis.biomedcentral.com/articles/10.1186/s12879-021-06476-y> ▾

55 minutes ago Background. COVID-19 is characterized by interstitial pneumonia, but a presentation of the disease with digestive symptoms only may occur. This work was aimed at evaluating: (1) the prevalence of presentation with digestive symptoms only in our cohort of COVID-19 inpatients; (2) differences between patients with and without gastrointestinal onset; (3) differences among males ...

Gastrointestinal symptoms, pathophysiology, and treatment ...<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7836435>

Sep 05, 2020 GI symptoms such as diarrhea, nausea and vomiting are frequent COVID-19 illness symptoms and affects a variety of patients (Table 1), although the pathophysiology of COVID-19-associated GI symptoms is unclear. A study of 206 patients with low severity COVID-19 were grouped into digestive symptom alone, both digestive and respiratory symptoms, and respiratory symptoms alone.

Cited by: 2

Author: Jilei Zhang, Shari Garrett, Jun Sun

Publish Year: 2021

Gastrointestinal symptoms common in COVID-19 patients ...[https://med.stanford.edu/news/all-news/2020/04/...](https://med.stanford.edu/news/all-news/2020/04/) ▾

Apr 16, 2021 Fever, cough and shortness of breath are the classic symptoms of COVID-19, but there may be gastrointestinal symptoms, such as nausea and diarrhea, that are getting missed, according to a new Stanford Medicine study. Researchers found that, in addition to upper respiratory symptoms, a significant number of those sick with the new virus also suffered from loss of appetite, nausea, ...


Search Tools

[Turn off Hover Translation \(关闭翻译\)](#)

10-Aug-2021 05:50PM

808 words • 6 matches • 5 sources

FAQ



69397_Auto_Edited.docx

Quotes Excluded
Bibliography Excluded
16%
similarity

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 69397

Manuscript Type: LETTER TO THE EDITOR

Gastrointestinal symptoms in patients with COVID-19: Is there a relationship with mortality and new variations of SARS-CoV-2?

Gastrointestinal symptoms in patients with COVID-19

Igor Braga Ribeiro, Diogo Turiani Hourneaux Moura, Eduardo Guimarães Hourneaux de Moura

Match Overview

1

Crossref 34 words
Camila Sanson Yoshino de Paula, Giovanna Cavros Palandri, Tassine Sirais Fonseca, Thais Cristina Amabile Vendramin et

4%

2

Internet 31 words
crawled on 10-Feb-2021
pesquisa.bvsalut.org

4%

3

Internet 29 words
www.ncbi.nlm.nih.gov

3%

4

Internet 16 words
crawled on 15-Nov-2020
worldwidescience.org

2%

5

Crossref 12 words
Jinzhong Xing, Jiande D.Z. Chen, "Alterations of Gastrointestinal Motility in Obesity", Obesity Research, 2004

1%

1

2

PAGE 1 OF 1

🔍

🔍

📄

🔍

🔄

Text-Only Report

国内版

国际版

Gastrointestinal symptoms in patients with COVID-19: Is there a rel



ALL

IMAGES

VIDEOS

75,000 Results

Any time ▾

[Twelve Months with COVID-19: What Gastroenterologists ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8325547>

At the end of 2019, a new coronavirus named SARS-CoV-2 (severe acute respiratory syndrome) was isolated and the disease related to it was indicated by the acronym COVID-19 (corona virus disease-19). Human-to-human infection was first reported in the Huanan fish market in Wuhan, and then spread to China, leading to a global pandemic.

Author: Giulia Concas, Michele Barone, Ruggi... Publish Year: 2021

[Gastrointestinal symptoms, pathophysiology, and treatment ...](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7836435>

Sep 05, 2020 · Subsequent cohorts have consistently reported digestive symptoms among COVID-19 patients. In one report, diarrhea in 42 (3.8%) and nausea or vomiting in 55 (5.0%) patients out of 1099 patients was described from 552 hospitals in China.²⁴ A study of 1141 confirmed COVID-19 cases observed 183 (16%) patients presented with gastrointestinal symptoms. . These symptoms ...

Cited by: 4 Author: Jilei Zhang, Shari Garrett, Jun Sun
Publish Year: 2021

[Coronavirus Disease-2019 \(COVID-19\) and the Liver](#)

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8111098>

Apr 28, 2021 · The presence of hepatocellular carcinoma (referred to herein as HCC) is associated with poor outcomes, with an increased risk of overall and COVID-19-related mortality in patients with CLD and COVID-19 infection.⁷¹ In addition, the COVID-19 pandemic has also affected the standard of care of patients with HCC. In a large retrospective study, including more than 600 patients, a lower number of patients ...

Cited by: 1 Author: Anshuman Elhence, Manas Vaishnav, Sa...
Publish Year: 2021

[COVID-19-associated gastrointestinal and liver injury ...](#)

<https://www.nature.com/articles/s41392-020-00373-7>

Nov 02, 2020 · Although COVID-19 is mainly a pulmonary disease, gastrointestinal symptoms and signs are prevalent in patients with COVID-19 (Table 1). 4,14,15,16,17,18,19...

Cited by: 30 Author: Peijie Zhong, Jing Xu, Dong Yang, Yue Sh...
Publish Year: 2020