

Effect of acute kidney injury on mortality and hospital ...

https://pubmed.ncbi.nlm.nih.gov/25726708

Results: Among a total of 414 SAP patients admitted to intensive care units (ICU), 287 (69.3%) developed AKI during their ICU stay, with 16.7%, 18.4%, and 34.3% classified as AKI stage I,II, and III, ± Cited by: 23 Author: Jiaojiao Zhou, Yi Li, Yi Tang, Fang Liu, S...


Publish Year: 2015

Risk Factors for Acute Kidney Injury in Acute Pancreatitis ...

https://pubmed.ncbi.nlm.nih.gov/32769851

Objective: The aim of our study was to investigate the risk factors for acute kidney injury (AKI) in patients with acute pancreatitis (AP). Methods: Acute pancreatitis patients were retrospectively...

Author: Bingjun Yu, Wen-Hua He, Nonghua Lu Publish Year: 2020



Feedback

AKI Associated with Acute Pancreatitis | American Society ...

https://cjasn.asnjournals.org/content/14/7/1106 +

Jul 05, 2019 · AKI develops late in the course of acute pancreatitis, usually after failure of other organs (4,5). Remarkably, the kidney was the first organ to fail in only 8.9% of patients with AKI, and only a...

Cited by: 15 Author: Tareq I. Nassar, Wajeh Y. Qunibi Publish Year: 2019

Acute pancreatitis: Trends in outcomes and the role of ...

https://pubmed.ncbi.nlm.nih.gov/30337224





6,310 Results Any time *

Effect of acute kidney injury on mortality and hospital ...

LITER OF ACUTE NATIFY INJULY OF THORTAIN and HOSPITAL ...

https://upbmed.ncbi.nlm.nih,gov/25726708

Alm: Severe acute pancreatitis (SAP) is believed to be a major risk factor leading to acute kidney injury (AKI) among critically ill patients, but little is known about SAP-induced AKI. We study the incidence of AKI defined by the Acute Kidney Injury Network (AKIN) criteria and the risk factors associated with outcomes among SAP-induced AKI patients.

Cited by: 29 Author: Jiaojiao Zhou, Yi Li, Yi Tang, Fang Liu, Shao...
Publish Year: 2015

AKI Associated with Acute Pancreatitis | American Society ...

ANI ASSOCIATED WITH ACUTE Particle attits | Artifetical | Society ... https://cjasn.asnjournals.org/content/14/7/1106
Jul 05, 2019 - 0f these, abdominal compartment is likely the only modifiable risk factor. The mortality rate of patients with AKI and acute pancreatitis varied between 25% and 75% (5,7). However, Devani et al. found a three-fold fall in mortality rate among patients with AKI over the past decade (3).

Cited by: 23 Author: Tareq I. Nassar, Wajeh Y. Qunibi
Publish Year: 2019 Estimated Reading Time: 8 mins

PEOPLE ALSO ASK	
What is the prognosis for AKI in acute pancreatitis?	\vee
What are the effects of severe acute pancreatitis?	~
What are the treatment options for severe acute kidney disease?	\vee

Acute Pancreatitis

Symptoms Diagnosis Causes Treatments >

Acute pancreatitis is a serious condition where the pancreas becomes inflamed over a short period of time. The pancreas is a small organ located behind the stomach and below the ribcage.

Symptoms

The main symptom of acute pancreatitis is a severe, dull pain around the top of your stomach that develops suddenly.

This aching pain often gets steadily worse and can travel along your back or below your left shoulder blade. Eating or drinking...

Read more on NHS

Most cases of acute pancreatitis are closely linked to gallstones or to alcohol consumption, although the exact cause isn't always clear.

Gallstones

Gallstones are hard pieces of stone-like material that form in your gallbladder. They can trigger...



64116_Auto_Edited_check.docx

Quotes Excluded

5%

Name of Journal: World Journal of Gastroenterology Manuscript NO: 64116 Manuscript Type: ORIGINAL ARTICLE

 $Retrospective\ Study$

Effects of acute kidney injury on acute pancreatitis patients' survival rate in intensive care unit: A retrospective study

Shi N ${\it et\,al.}$ AKI on mortality and relevant clinical outcomes in AP patients



Effects of acute kidney injury on acute pancreatitis patients' surviva







ALL

IMAGES

VIDEOS

31,200 Results

Any time ▼

Effect of acute kidney injury on mortality and hospital ...

https://pubmed.ncbi.nlm.nih.gov/25726708

Aim: Severe acute pancreatitis (SAP) is believed to be a major risk factor leading to acute kidney injury (AKI) among critically ill patients, but little is known about SAP-induced AKI. We study the incidence of AKI defined by the Acute Kidney Injury Network (AKIN) criteria and the risk factors associated with outcomes among SAP-induced AKI patients.

Cited by: 29

Author: Jiaojiao Zhou, Yi Li, Yi Tang, Fang Liu, S...

Publish Year: 2015

AKI Associated with Acute Pancreatitis | American Society ...

https://cjasn.asnjournals.org/content/14/7/1106 •

Jul 05, 2019 - Of these, abdominal compartment is likely the only modifiable risk factor. The mortality rate of patients with AKI and acute pancreatitis varied between 25% and 75% (5, 7). However, Devani et al. found a three-fold fall in mortality rate among patients with AKI over the past decade (3).

Cited by: 23 Author: Tareq I. Nassar, Wajeh Y. Qunibi Publish Year: 2019 Estimated Reading Time: 8 mins



Feedback

Effect of AKI on mortality and hospital stay in patient ...

https://www.researchgate.net/publication/272890743...

Acute kidney injury (AKI) is a serious complication of acute pancreatitis (AP), which occurs in up to 70% of patients with severe AP and significantly increases the risk of mortality.