

86268_Auto_Edited.docx

Name of Journal: *World Journal of Gastroenterology*

Manuscript NO: 86268

Manuscript Type: LETTER TO THE EDITOR

**GASTROINTESTINAL MICROBIOME AND CHOLELITHIASIS: PROSPECT IN
THE NERVOUS SYSTEM**

GASTROINTESTINAL MICROBIOME AND CHOLELITHIASIS

Mirella Mancha Chahuara, Leidhy Dhy Maruja Lopez Tufino, Carlos Andrés Mugruza-
Vassallo

Abstract

Dan and colleagues recently published research suggesting that the gastrointestinal microbiome (microorganisms and metabolites) in cholelithiasis. They reviewed gallbladder stones, choledocholithiasis, and asymptomatic gallstones. Finally, their discussion was on the gastrointestinal. We focused on complementing the effect of the S1 protein and neuroinflammatory changes caused by SARS-COV2. Our contribution was about to involve the microbiota and the nervous system. They can have similar functions because they have similar pathways and advantages, bearing in mind GABA in schizophrenia and serotonin in Parkinson's disease. Therefore in the next few years, more research should be encouraged on the microbiota consequences for development, and mobility.

Key Words: Gastrointestinal microbiome; GABA; serotonin

Mr. Editor:

Dan and colleagues recently published research suggesting that the gastrointestinal microbiome (microorganisms and metabolites) in cholelithiasis. They reviewed gallbladder stones, choledocholithiasis, and asymptomatic gallstones. Finally, their discussion was on the gastrointestinal microbiome changes and influences on cholelithogenesis [1]. This letter focuses on complementing the effect of the S1 protein and neuroinflammatory changes caused by SARS-COV2.

In the article by Garza-Velasco, Garza-Manero and Perea-Mejía [2] molecular techniques were used for sequence and nucleic acids. The polymerase chain reaction in real time provided information on the importance of the microbiota in the proper functioning of the human body, i.e. the treatment programs associated with the administration of antibiotics affect the normal microbiota. This treatment causes the loss of sensitive members to the antimicrobial agent. Therefore, this can open the door for pathogens, which sometimes face serious competition for nutrients and oxygen. Also, both the microbiota and the nervous system may have similar functions because they

have similar advantages. They argued that the microbiota may be important for the development, mobility, learning, and memory of the human brain by influencing different neurotransmitters such as serotonin and acid γ -aminobutyric acid (GABA), certain amounts of serotonin are also produced by bacteria such as *Clostridium sporogenes* and *Ruminococcus*. In addition, the microbiota synthesizes vitamins that contribute to the formation of important compounds in the metabolism of intestinal cells, including vitamin B and niacin, which are necessary for the tissues to produce Nicotinamide Adenine Dinucleotide (NAD). On the other hand, a significant part of the primary barrier prevents the free colonization of pathogens, regulates the proliferation of pathogens, and the productivity of antimicrobial agents that harm other species and/or different clones of the same species. Research on *Escherichia coli* colicins, with variants of the same species causing diarrhea. The protection of the intestinal microbiota also includes SCFA, for example, the acetate synthesized by *Bifidobacterium longum* prevents the development of *Pseudomonas aeruginosa*. Therefore together with propionate and butyrate, it prevents the growth of EHEC O157 and *Proteus mirabilis* [2]. Bearing in mind other studies with neurotransmitters involved in brain impairments GABA and serotonin. For example in the brain GABA in schizophrenic patients (modeling in brain areas by Ferrareli and Tononi [4]; auditory cognitive properties by Mugruza-Vassallo and Potter [5]) as well as the linear association reported for the greater serotonin the lower nigral iron in Parkinson's disease patients (Jellen et al.[6]).

Moreover, Swidsinski and Loening-Baucke [3] have shown that intestinal bacterial monocultures are resistant. They can avoid the host's immunological responses that are persistent in harsh environments and have a coordinated response to environmental stressors. The intestine is never completely sterile, and the host never has complete control over bacterial growth. The appearance, composition, and organization of the gut microbiota in each gut segment depended on whether inhibition or segregation predominates. In areas of the intestine where the microbiota was suppressed, the bacteria were sporadically present with variable composition and low concentrations.

1

Complete separation of bacteria from the mucosa and low levels of inhibition leads to the formation of intestinal reservoirs where bacteria can grow and reach high concentrations [3]. Intestinal reservoirs where bacteria can grow and accumulate in high concentrations are formed as a result of complete separation of bacteria from the mucosa and low levels of inhibition [3]. These bacteria are native to these regions of the intestine as well as for development and mobility.

Our contribution to the types of microbiome, the locations and how the microbiome affects or favors humans. Above all, the microbiota and the nervous system can have similar functions because they have similar advantages and pathways, bearing in mind GABA in schizophrenia and serotonin in Parkinson's disease. Therefore in the next few years, more research should be encouraged on the microbiota consequences for development, and mobility.

Mancha Chahuara M, Lopez Tufino LDM, Mugruza-Vassallo CA. GASTROINTESTINAL MICROBIOME AND CHOLELITHIASIS: PROSPECT IN THE NERVOUS SYSTEM. *World J Gastroenterol* 2023; In press

Core Tip: The microbiota and the nervous system can have similar functions because they have similar advantages. Bearing in mind GABA in schizophrenia and serotonin in Parkinson's disease and GABA and serotonin management, we expect in the next few years, more research should be encouraged on the microbiota consequences for development, and mobility.

TO THE EDITOR

Dear editor,

Our objective in this work was to make a contribution to the types of microbiome, the locations and how the microbiome affects or favors us. Above all, the microbiota and the nervous system can have similar functions because they have similar advantages, it is argued that the microbiota can be important for development and mobility. All

authors are in complete agreement with the information stated. The content of this manuscript is our original work and has not been published, in whole or in part, before or simultaneously with this submission.

4%

SIMILARITY INDEX

PRIMARY SOURCES

1

Swidsinski, Alexander, and Vera Loening-Baucke. "Functional Structure of Intestinal Microbiota in Health and Disease", The Human Microbiota How Microbial Communities Affect Health and Disease, 2013.
Crossref

34 words — 4%

EXCLUDE QUOTES	ON	EXCLUDE SOURCES	< 12 WORDS
EXCLUDE BIBLIOGRAPHY	ON	EXCLUDE MATCHES	< 12 WORDS