



检测到您输入了英文，试试切换到国际版？搜英文结果更丰富更准确 >

98,800 条结果 时间不限 ▾

Diabetes mellitus in elderly - PubMed Central (PMC)

翻译此页

位置: 8600 Rockville Pike, Bethesda, MD

2017-1-15 · Taheri Tanjani P, Moradinazar M, Esmail Mottlagh M, Najafi F. The prevalence of **diabetes mellitus (DM) type II among Iranian elderly** population and its association with other age-related diseases, 2012. Arch Gerontol Geriatr. 2015; 60:373-9.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4673801>

Diagnosing Diabetes and Preventing Rehospitalizations

翻译此页

Cited by: 50

Author: Jessica M. Robbins, David A. Webb

Publish Year: 2006

位置: 8600 Rockville Pike, Bethesda, MD

2017-1-23 · **Diabetes** is **associated** with a wide array of acute and chronic complications and comorbid conditions, and patients with **diabetes** frequently are hospitalized. 1, 2 There were 4.9 million hospital discharges with **diabetes** as a listed diagnosis in the United States in 2002, 3 and this rate probably underestimates the true prevalence of **diabetes** in ...

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1618792>

Reasons for hospitalizations in adults with diabetes in ...

翻译此页

Cited by: 4

Author: Afaf M.S. Al-Adsani, Kholouda A. Abdulla

Publish Year: 2015

Reasons for hospitalizations in adults with **diabetes** in Kuwait. ... **Type 2 diabetes** is **associated** with a markedly increased risk of cardiovascular ... This has been attributed to hyperglycemia per se and the high prevalence of CVD risk factors among patients with **diabetes**. The **Diabetes Epidemiology**

Name of Journal: *World Journal of Diabetes*

Manuscript NO: 46457

Manuscript Type: ORIGINAL ARTICLE

Observational Study

Prevalence and associated factors of hospitalization for dysglycemia among elderly type 2 diabetes patients: A nationwide study

Wisit Kaewput, Charat Thongprayoon, Narittaya Varothai, Anupong Sirirungreung,
Ram Rangsin, Tarun Bathini, Michael A Mao, Wisit Cheungpasitporn

Match Overview

1 match

1	Internet 26 words crawled on 25-Jan-2017 pdfs.semanticscholar.org	1%
2	Crossref 22 words Kristin K. Clemens, Niamh O'Regan, Jinnie J. Rhee. "Dia... etes Management in Older Adults With Chronic Kidney Dis	1%
3	Crossref 22 words Wisit Kaewput, Charat Thongprayoon, Mathirut Mungthin, S arawut Jindarat et al. "Temporal trends in optimal diabetic c	1%
4	Internet 21 words crawled on 25-May-2015 www.researchgate.net	1%
5	Internet 20 words crawled on 08-Jul-2016 archinte.jamanetwork.com	1%
6	Crossref 18 words Cheungpasitporn, Wisit, Charat Thongprayoon, Andrew M. Harrison, and Stephen B. Erickson. "Admission hyperuric ...	1%
7	Internet 17 words crawled on 28-Dec-2017 www.dovepress.com	1%



国内版

国际版

Prevalence and associated factors of hospitalization for dysglycemia among elder



All

Images

Videos

翻译成中文

关闭取词

93,800 Results

Any time ▾

30-Day Readmission Among Elderly Medicare Beneficiaries ...

www.ncbi.nlm.nih.gov › [Journal List](#) › [Popul Health Manag](#)

Aug 01, 2015 · This **study** retrospectively assessed rates and risk **factors** for all-cause **hospital** readmission **among elderly** Medicare beneficiaries with **type 2 diabetes** mellitus (T2DM) aged ≥65 years. ... It is important to understand the **factors associated** with the risk of **hospital** readmissions **among elderly patients** with T2DM, which is a highly ...

Cited by: 7

Author: Amit D. Raval, Steve Zhou, Wenhui Wei, ...

Publish Year: 2015

[PDF] Preventable Hospitalization Among Elderly Medicare ...

care.diabetesjournals.org/content/diacare/26/5/1344.full.pdf

Preventable Hospitalization Among Elderly Medicare Beneficiaries With Type 2 Diabetes ... **prevalence among** beneficiaries with **type 2 diabetes** and the complications that re-sult from these conditions (5,10–12). ... perience preventable **hospitalization** than **type 2 diabetes** beneficiaries without COPD. The likelihood of preventable

Cited by: 139

Author: Marlene R. Niefeld, Joel B. Braunstein, Al...

Publish Year: 2003

Preventable Hospitalization Among Elderly ... - Diabetes Care

care.diabetesjournals.org/content/26/5/1344 ▾

May 01, 2003 · The average per capita cost of a **preventable hospitalization** was \$7,935 **among type 2 diabetes** beneficiaries. Total expenditures per capita for **preventable hospitalizations** were far higher **among type 2 diabetes** beneficiaries with CVD comorbidities than for those without CVD comorbidities (\$26,733 vs. \$13,150).

Cited by: 139

Author: Marlene R. Niefeld, Joel B. Braunstein, Al...

Publish Year: 2003