

**Non-invasive risk assessment in patients with chronic ...**

<https://link.springer.com/article/10.1007/s12350-011-9359-y> ▾

Mar 11, 2011 · Chronic kidney disease (CKD) has emerged as a major health global problem with an approximated 10%-16% global prevalence. 1 According to the Center of Disease Control, approximately 26 million adults in the United States are affected by it. 2 The prevalence has increased between 1988-1994 and 1999-2004, from 10% to 13%, while awareness of kidney disease remains very low. 3 The ...

Cited by: 4 Author: Abdul Hakeem, Sabha Bhatti, Alejandro ...  
Publish Year: 2011

**Management of diabetes mellitus in patients with chronic ...**

<https://clindiabetesendo.biomedcentral.com/articles/10.1186/s40842-015-0001-9> ▾

Jun 04, 2015 · Diabetes mellitus is a growing epidemic and is the most common cause of chronic kidney disease (CKD) and kidney failure. Diabetic nephropathy affects approximately 20–40 % of individuals who have diabetes [], making it one of the most common complications related to diabetes. Screening for diabetic nephropathy along with early intervention is fundamental to delaying ...

PEOPLE ALSO ASK

Is diabetes related to chronic kidney disease? ▾

What is the prognosis of diabetes mellitus? ▾

What is diabetic nephropathy? ▾

Does diabetes increase cardiovascular risk? ▾

Feedback

**Linking Kidney and Cardiovascular Complications ... - Diabetes**

<https://diabetes.diabetesjournals.org/content/70/1/39> ▾

Jan 01, 2021 · Diabetes is associated with a two- to fourfold increased risk for atherosclerotic cardiovascular disease (CVD) compared with the background population, and 30–40% with diabetes are affected by chronic kidney disease characterized by increased albuminuria or decreased glomerular

国内版 国际版

Diabetic patients with chronic kidney disease: non-invasive assessm



ALL IMAGES VIDEOS

10,200,000 Results

Any time ▾

Open links in new tab

## Chronic kidney disease in type 2 diabetes: Implications ...

<https://dom-pubs.onlinelibrary.wiley.com/doi/10.1111/dom.13942>

Diabetes is a major risk factor for cardiovascular disease (CVD) and is a leading cause of **chronic kidney disease** (CKD). Diabetes-related nephropathy (also known as diabetic nephropathy 1 or diabeti...

Cited by: 5

Author: Jeffrey W. Stephens, Karen E. Brown, Thi...

Publish Year: 2020

## Kidney Disease and Diabetes | American Heart Association

<https://www.heart.org/.../kidney-disease--diabetes> ▾

Jan 30, 2016 · Also known as **diabetic nephropathy** or **diabetic kidney disease** (DKD), this condition is a result of vascular abnormalities that accompany **diabetes** and increases mortality **risk**. Furthermore,...

### PEOPLE ALSO ASK

How is diabetes related to chronic kidney disease? ▾

Is diabetes a cardiovascular risk equivalent? ▾

How does chronic cardio - renal syndrome affect the heart? ▾

What are the risk factors of end stage renal disease? ▾

Feedback

## Diabetes and Chronic Kidney Disease | National Kidney ...

<https://www.kidney.org/news/newsroom/factsheets/Diabetes-And-CKD> ▾

Some of the signs that diabetics may be developing chronic kidney disease include protein in the **urine**, **high blood pressure**, **leg swelling** or **cramps**, increased need to urinate (especially at night), **abnor...**

Estimated Reading Time: 3 mins

## Non-invasive risk assessment in patients with chronic ...

<https://www.ncbi.nlm.nih.gov/pubmed/21394553>

**Non-invasive risk assessment in patients with chronic kidney disease**. Hakeem A(1), Bhatti S, Trevino AR, Samad Z, Chang SM. Author information: (1)Division of **Cardiovascular** Diseases,...

Cited by: 4

Author: Abdul Hakeem, Sabha Bhatti, Alejandro ...

Publish Year: 2011

**Name of Journal:** *World Journal of Diabetes*

**Manuscript NO:** 62983

**Manuscript Type:** REVIEW

**Diabetic patients with chronic kidney disease: non-invasive assessment of cardiovascular risk**

Piko *et al.* Cardiovascular risk in diabetic patients with CKD

Nejc Piko, Sebastjan Bevc, Robert Ekart, Tadej Petreski, Nina Vodošek Hojs, Radovan Hojs

Match Overview

1	Internet 80 words crawled on 05-Mar-2020 <a href="http://escholarship.org">escholarship.org</a>	1%
2	Internet 67 words crawled on 07-Oct-2010 <a href="http://www.nature.com">www.nature.com</a>	1%
3	Internet 65 words crawled on 08-Oct-2020 <a href="http://care.diabetesjournals.org">care.diabetesjournals.org</a>	1%
4	Internet 63 words crawled on 05-Jul-2020 <a href="http://link.springer.com">link.springer.com</a>	1%
5	Internet 64 words crawled on 19-Jul-2016 <a href="http://dev.revespcardiol.elsevier.es">dev.revespcardiol.elsevier.es</a>	1%
6	Internet 41 words crawled on 13-Apr-2020 <a href="http://medcraveonline.com">medcraveonline.com</a>	1%
7	Crossref 40 words Nejc Piko, Sebastjan Bevc, Radovan Hojs, Franjo Husam Najj, Robert Ekart. "The association between pulse wave a	1%
8	Internet 38 words crawled on 04-Dec-2016 <a href="http://pdfs.semanticscholar.org">pdfs.semanticscholar.org</a>	<1%
9	Internet 36 words crawled on 21-Jan-2021 <a href="http://www.eurjconfer.com">www.eurjconfer.com</a>	<1%



### Chronic kidney disease in type 2 diabetes: Implications ...

<https://dom-pubs.onlinelibrary.wiley.com/doi/10.1111/dom.13942>

Diabetes is a major risk factor for cardiovascular disease (CVD) and is a leading cause of chronic kidney disease (CKD). Diabetes-related nephropathy (also known as **diabetic nephropathy 1** or **diabetic kidney disease [DKD]**) develops in approximately 40% of patients with type 2 diabetes mellitus. 2 Furthermore, between 1990 and 2012, the number of deaths attributed to DKD rose by 94%. 2, 3 The World Health ...

Cited by: 6 Author: Jeffrey W. Stephens, Karen E. Brown, Thi...

Publish Year: 2020

### Diabetes and Chronic Kidney Disease | National Kidney ...

<https://www.kidney.org/news/newsroom/factsheets/Diabetes-And-CKD> ▾

Some of the signs that diabetics may be developing chronic kidney disease include protein in the **urine**, high blood pressure, leg **swelling** or cramps, increased need to urinate (especially at night), abnormal blood tests (glomerular filtration rate, GFR), less need for insulin or **anti-diabetic pills**, **nausea** and **vomiting**, **weakness**, **pallor** and **anemia**, **itching** and **diabetic eye disease**. Treatment for diabetic ...

#### PEOPLE ALSO ASK

Is chronic kidney disease a cardiovascular disease? ▾

Is kidney disease related to diabetes? ▾

What is the global risk of chronic kidney disease? ▾

What is the Citation for diabetes and CKD? ▾

Feedback

### Non-invasive risk assessment in patients with chronic ...

<https://link.springer.com/article/10.1007/s12350-011-9359-y> ▾

Mar 11, 2011 - **Chronic kidney disease (CKD)** has emerged as a major health global problem with an approximated 10%-16% global prevalence. 1 According to the Center of Disease Control, approximately 26 million adults in the United States are affected by it. 2 The prevalence has increased between 1988-1994 and 1999-2004, from 10% to 13%, while awareness of **kidney disease** remains very low. 3