



Whey protein: the "whey" forward for treatment of type 2 diabetes?



网页

图片

新闻

视频

更多 ▾

搜索工具

找到约 1,320,000 条结果 (用时 0.78 秒)

您是不是要找: Whey protein: the "way" forward for treatment of type 2 diabetes?

[PDF] Enhancing the Action of Incretin Hormones: A New Whey ...

www.glucagon.com/pdfs/ENDOWheyDruckerJuly2006.pdf ▾ 翻译此页

Whey Forward? The gastrointestinal ... for the treatment of type 2 diabetes because continuous ad- ... whey protein administration produced a significant reduc-

Enhancing the Action of Incretin Hormones A New Whey ...

www.docstoc.com/.../Enhancing-the-Action-of-Incretin-Hormo... ▾ 翻译此页

2013年12月4日 - Enhancing the Action of Incretin Hormones A New Whey Forward by alice1311 ... may exert ben- for the treatment of type 2 diabetes because continuous ad- ... Both oleic acid and whey protein (WP) enhanced the associated and lunch meals in type 2 diabetic doocrine cells because whey protein failed to ...

Enhancing the action of incretin hormones: a new whey ...

www.ncbi.nlm.nih.gov/pubmed/16777979 ▾ 翻译此页

作者: DJ Drucker - 2006 - 被引用次数: 33 - 相关文章

Enhancing the action of incretin hormones: a new whey forward? ... (1)Department of Medicine and the Banting and Best Diabetes Centre, Toronto ... Animals; Diabetes Mellitus, Type 2/metabolism; Diabetes Mellitus, Type 2/therapy; Gastric ... Insulin; Milk Proteins; Peptides; whey protein; Gastric Inhibitory Polypeptide

Is Whey the Way to Control Type 2 Diabetes? - EmaxHealth

www.emaxhealth.com > Aging > Diabetes Care ▾ 翻译此页

6

Name of journal: World Journal of Diabetes

Manuscript NO.: 20657

Manuscript Type: Review

Whey protein: the "whey" forward for treatment of type 2 diabetes?

Linda E Mignone, Tongzhi Wu, Michael Horowitz, Christopher K Rayner

Abstract

A cost-effective nutritional approach to improve postprandial glycaemia is attractive considering the rising burden of diabetes throughout the world. Whey protein, a by-product of the cheese-making process, can be used to manipulate gut function in order to slow gastric emptying and stimulate incretin hormone secretion, thereby attenuating postprandial glycaemic excursions. The function of the gastrointestinal tract plays a pivotal role in glucose homeostasis, particularly during the postprandial period, and this review will discuss the mechanisms by which whey protein slows gastric emptying and stimulates release of gut peptides, including the incretins. Whey protein is also a rich source of amino acids, and these can directly stimulate beta cells to secrete insulin, which contributes to the reduction in

Match Overview

1	Internet 81 words crawled on 04-Dec-2013 www.ncbi.nlm.nih.gov	1%
2	Internet 58 words crawled on 07-May-2009 www.ajcn.org	1%
3	Internet 46 words crawled on 13-Apr-2011 www.39kf.com	<1%
4	CrossCheck 43 words "Abstracts of the 49th Annual Meeting of the EASD", Diabetologia, 2013.	<1%
5	Internet 36 words crawled on 28-Nov-2014 ajcn.nutrition.org	<1%
6	Internet 34 words crawled on 22-Jun-2015 www.wjgnet.com	<1%
7	CrossCheck 29 words Wu, T., M. J. Bound, B. R. Zhao, S. D. Standfield, M. Bello n, K. L. Jones, M. Horowitz, and C. K. Rayner. "Effects of a	<1%
	CrossCheck 28 words	<1.0%



Whey protein: The "whey" forward for treatment of type 2 diabetes?



网页

新闻

图片

视频

更多

搜索工具

找到约 299,000 条结果 (用时 0.73 秒)

您是不是要找: **Whey protein: The "way" forward for treatment of type 2 diabetes?**

[PDF] **Enhancing the Action of Incretin Hormones: A New Whey ...**

www.glucagon.com/pdfs/ENDOWheyDruckerJuly2006.pdf 翻译此页

Whey Forward? The gastrointestinal ... for the **treatment of type 2 diabetes** because continuous ad- ... **whey protein** administration produced a significant reduc-

Enhancing the action of incretin hormones: a new whey ...

www.ncbi.nlm.nih.gov/pubmed/16777979 翻译此页

作者: DJ Drucker - 2006 - 被引用次数: 35 - 相关文章

Enhancing the action of incretin hormones: a new **whey forward?** ... Animals; **Diabetes Mellitus**, **Type 2/metabolism**; **Diabetes Mellitus**, **Type 2/therapy**; Gastric ... Gastrointestinal Hormones; Hormones; Insulin; Milk **Proteins**; Peptides; **whey** ...

Protein Supplements: Whey - Diabetes Self-Management

www.diabetesselfmanagement.com > Blog > Amy Campbell 翻译此页

2011年7月5日 - Each **type** of **whey protein** contains different amounts of fat, ... I just got diagnosed with **type 2**, 5' 11", 237 lbs., 43 yrs old vegetarian who does eat eggs ... I'm a beer drinker so without giving up too much on that **front**, I've ...

Is Whey the Way to Control Type 2 Diabetes? - EmaxHealth

www.emaxhealth.com > Aging > Diabetes Care 翻译此页

2014年8月7日 - A new study suggests that **whey protein** could be a new way to help control surges in blood sugar levels among people with **type 2 diabetes**. ... For now, the

[网页](#)[新闻](#)[图片](#)[购物](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 283,000 条结果 (用时 0.76 秒)

您是不是要找: **Whey protein: The “way” forward for treatment of type 2 diabetes?**

[PDF] **Enhancing the Action of Incretin Hormones: A New Whey ...**

www.glucagon.com/pdfs/ENDOWheyDruckerJuly2006.pdf ▾ [翻译此页](#)

Whey Forward? The gastrointestinal ... for the **treatment of type 2 diabetes** because continuous ad- ..., **whey protein** administration produced a significant reduc-

Protein Supplements: Whey - Diabetes Self-Management

www.diabetesselfmanagement.com ▸ [Blog](#) ▸ [Amy Campbell](#) ▾ [翻译此页](#)

2011年7月5日 - Each **type** of **whey protein** contains different amounts of fat, ... I just got diagnosed with **type 2**, 5' 11", 237 lbs., 43 yrs old vegetarian who does eat eggs. ... I'm a beer drinker so without giving up too much on that **front**, I've ...

Is Whey the Way to Control Type 2 Diabetes? - EmaxHealth

www.emaxhealth.com ▸ [Aging](#) ▸ [Diabetes Care](#) ▾ [翻译此页](#)

2014年8月7日 - A new study suggests that **whey protein** could be a new way to help control surges in blood sugar levels among people with **type 2 diabetes**. ... For now, the researchers plan to move **forward** with the idea and conduct a long-term clinical trial. ... unsustainable, surgery is promoted as the preferred **treatment**.