

Name of journal: World Journal of Diabetes

ESPS Manuscript NO: 19786

Manuscript Type: REVIEW

New perspectives on exploitation of incretin peptides for the treatment of diabetes and related disorders

Nigel Irwin, Peter R Flatt

Abstract

The applicability of stable gut hormones for the treatment of obesity-related diabetes is now undisputable. This is based predominantly on prominent and

Match Overview

- | Match Number | Source | Words | Similarity |
|--------------|---|-----------|------------|
| 1 | CrossCheck | 374 words | 4% |
| | Irwin, Nigel, and Peter R Flatt. "Enteroendocrine hormones as mimetics for the treatment of obesity and diabetes", Current | | |
| 2 | CrossCheck | 51 words | 1% |
| | Pathak, Varun, Srividya Vasu, Victor A. Gault, Peter R. Flatt, and Nigel Irwin. "Sequential induction of beta cell rest and | | |



New perspectives on exploitation of incretin peptides for the treatment o



网页

新闻

图片

视频

更多 ▾

搜索工具

找到约 44,500 条结果 (用时 0.60 秒)

Google 学术: New perspectives on exploitation of incretin peptides for the treatment of diabetes and related disorders

Gut hormones as mediators of appetite and weight loss ... - le Roux - 被引用次数: 378

Exploiting the antidiabetic properties of incretins to treat ... - Van Gaal - 被引用次数: 64

... treatments in type 2 diabetes: a focus on the incretin- ... - Barnett - 被引用次数: 47

Novel Pharmacological Approaches to the Treatment of ...

pharmrev.aspetjournals.org/content/64/2/188.full ▾

作者: EJ Verspohl - 2012 - 被引用次数: 48 - 相关文章

The associated complications of diabetes, such as cardiovascular disease, peripheral ...

A new perspective, even a paradigm change, has recently been brought ... The effects of GLP-1, the incretin of major importance, are summarized (Fig. To improve the naturally limited intestinal absorption of a peptide, a series of ...

Incretin mimetics and DPP-4 inhibitors: new approach to ...

www.ncbi.nlm.nih.gov/pubmed/19182763 ▾ 翻译此页

作者: NI Siddiqui - 2009 - 被引用次数: 12 - 相关文章

Incretin mimetics and DPP-4 inhibitors: new approach to treatment of type 2 diabetes mellitus. ... Type 2 diabetes constitutes the main bulk (85-90%) of diabetic population. It is ...



学术搜索

找到约 1,070 条结果 (用时0.14秒)

我的著作引用情况



文章

小提示：只搜索中文(简体)结果，可在 学术搜索设置 指定搜索语言

我的图书馆

Gut hormones as mediators of appetite and weight loss after Roux-en-Y gastric bypass

CW le Roux, R Welbourn, M Werling, A Osborne... - *Annals of ...*, 2007 - journals.lww.com

... suggest that satiety gut hormones such as peptide YY (PYY), glucagon-like peptide 1 (GLP-1 ...

7-14 GLP-1 is an incretin releasing insulin in response to calorie ingestion. ... Exclusion criteria

included pregnancy, substance abuse, more than 2 alcoholic drinks per day, and aerobic ...

被引用次数: 405 相关文章 所有 7 个版本 引用 保存

Exploiting the antidiabetic properties of incretins to treat type 2 diabetes mellitus: glucagon-like peptide 1 receptor agonists or insulin for patients with inadequate ...

LF Van Gaal, SW Gutkin, MA Nauck - *European Journal of Endocrinology*, 2008 - EFES

... Wilrijkstraat 10 B-2650 Edegem, Antwerp, Belgium 1 Rete Biomedical Communications Corp.,

Ridgewood, New Jersey, USA ... Incretins in physiologic perspective. ... Therefore, pharmacologic

strategies that exploit the entero-insular axis have centered on GLP-1. Incretin mimetics ...

被引用次数: 66 相关文章 所有 6 个版本 引用 保存

eje-online.org 中的 [HTML]

按相关性排序

按日期排序

搜索所有网页

中文网页

简体中文网页

New treatments in type 2 diabetes: a focus on the incretin - based therapies

AH Barnett - *Clinical endocrinology*, 2009 - Wiley Online Library

... a practical therapy, a number of therapeutic interventions have been developed that exploit the

GLP ... As several of these new agents are now available, it is essential that they are ... If observations

in preclinical studies that the incretin-based therapies can slow the natural decline in ...

被引用次数: 50 相关文章 所有 5 个版本 引用 保存

researchgate.net 中的 [PDF]

☒ 包括专利☐ 包含引用

GPR119 agonists for the treatment of type 2 diabetes

RM Jones, JN Leonard, DJ Buzard, J Lehmann - 2009 - informahealthcare.com

[网页](#) [新闻](#) [图片](#) [视频](#) [更多 ▾](#) [搜索工具](#)

找到约 25,800 条结果 (用时 0.52 秒)

Google 学术: New perspectives on exploitation of incretin peptides for the treatment of diabetes and related disorders

Gut hormones as mediators of appetite and weight loss ... - [le Roux](#) - 被引用次数: 411

Exploiting the antidiabetic properties of incretins to treat ... - [Van Gaal](#) - 被引用次数: 68

... treatments in type 2 diabetes: a focus on the incretin- ... - [Barnett](#) - 被引用次数: 51

Novel Pharmacological Approaches to the Treatment of ...

pharmrev.aspetjournals.org/content/64/2/188.full ▾

作者: [EJ Verspohl](#) - 2012 - 被引用次数: 55 - 相关文章

Gene Therapy with Respect to Glucagon-Like Peptide 1. The associated complications of diabetes, such as cardiovascular disease, peripheral ... A new perspective, even a paradigm change, has recently been brought forward by (2008)

Exploiting the antidiabetic properties of incretins to treat type 2 diabetes mellitus: ...

Incretin mimetics and DPP-4 inhibitors: new approach to ...

www.ncbi.nlm.nih.gov/pubmed/19182763 ▾ [翻译此页](#)

作者: [NI Siddiqui](#) - 2009 - 被引用次数: 12 - 相关文章

Incretin mimetics and DPP-4 inhibitors: new approach to treatment of type 2 diabetes mellitus. ... Type 2 diabetes constitutes the main bulk (85-90%) of diabetic population. It is a chronic metabolic disorder with progressive β -cell dysfunction, ... Gut related peptides, the incretin hormones released after meal following ...

Incretin-Based Therapies

www.ncbi.nlm.nih.gov > ... > [PubMed Central \(PMC\)](#) ▾ [翻译此页](#)

作者: [MA Nauck](#) - 2009 - 被引用次数: 103 - 相关文章

A common feature of all incretin mimetics is that they are peptides and need to be ...

Another method of exploiting the antidiabetic potential of GLP-1 is by Type 2 diabetes