

Name of journal: *World Journal of Diabetes*

ESPS Manuscript NO: 13497

Columns: MINIREVIEWS

Interplay between Rab27a effectors in pancreatic β -cells

Mami Yamaoka, Toshimasa Ishizaki, Toshihide Kimura

Abstract

The small GTPase Rab27a is a member of the Rab family that is involved in membrane trafficking in various kinds of cells. Rab27a has GTP- and GDP-bound forms, and their

Match Overview

1	CrossCheck 359 words Kimura, T., "Rab27a in pancreatic beta-cells, a busy protein in membrane trafficking", <i>Progress in Biophysics and Molecular Biology</i> , 2010	5%
2	CrossCheck 290 words Kimura, T., M. Yamaoka, S. Taniguchi, M. Okamoto, M. Takai, T. Ando, A. Iwamatsu, T. Watanabe, K. Kaibuchi, T. Is	4%
3	CrossCheck 66 words Kimura, T., "Glucose-induced translocation of coronin 3 regulates the retrograde transport of the secretory membrane", <i>Journal of Biological Chemistry</i> , 2010	1%
4	Internet 40 words crawled on 30-May-2009 www.jbc.org	1%
5	Internet 34 words crawled on 05-Mar-2010 jcb.biologists.org	<1%
6	Internet 34 words crawled on 01-Jul-2010 www.ncbi.nlm.nih.gov	<1%
7	CrossCheck 28 words Seegusa, C., "Expression of Rab27B-binding protein Slp1 in pancreatic acinar cells and its involvement in amylase secretion", <i>Journal of Biological Chemistry</i> , 2010	<1%
8	CrossCheck 23 words M. Matsumoto, "Noc2 is essential in normal regulation of exocytosis in endocrine and exocrine cells", <i>Proceedings of the National Academy of Sciences</i> , 2010	<1%
9	CrossCheck 21 words Yasuda, T., "Rim2 Determines Docking and Priming of Insulin Granules in Insulin Granule Exocytosis", <i>Cell Metabolism</i> , 2010	<1%
10	Internet 20 words mch.mssm.edu	<1%



Interplay between Rab27a effectors in pancreatic β -cells



网页

图片

新闻

视频

更多

搜索工具

找到约 39,400 条结果 (用时 0.59 秒)

Google 学术 : Interplay between Rab27a effectors in pancreatic β -cells

... on vesicle docking and priming in pancreatic β -cells - Merrins - 被引用次数 : 33

Docking is not a prerequisite but a temporal constraint ... - Kasai - 被引用次数 : 62

Rab27b is expressed in a wide range of exocytic cells ... - Gomi - 被引用次数 : 61

The GDP-dependent Rab27a effector coronin 3 controls ...

jcs.biologists.org/content/121/18/3092.full 翻译此页

作者 : T Kimura - 2008 - 被引用次数 : 25 - 相关文章

2008年9月15日 - Extracts from the insulin-secreting β -cell line MIN6 were applied to a ... Identification of coronin 3 as a GDP-Rab27a-interacting protein in pancreatic β cells. The interplay between the Rab27A effectors Slp4-a and MyRIP ...

[网页](#)[图片](#)[新闻](#)[视频](#)[更多 ▾](#)[搜索工具](#)

找到约 38,300 条结果（用时 0.52 秒）

Google 学术: Interplay between Rab27a effectors in pancreatic β -cells

... on vesicle docking and priming in pancreatic β -cells - Merrins - 被引用次数: 33

Docking is not a prerequisite but a temporal constraint ... - Kasai - 被引用次数: 62

Rab27b is expressed in a wide range of exocytic cells ... - Gomi - 被引用次数: 61

The GDP-dependent Rab27a effector coronin 3 controls ...

jcs.biologists.org/content/121/18/3092.full ▾ 翻译此页

作者: T Kimura - 2008 - 被引用次数: 25 - 相关文章

2008年9月15日 - Extracts from the insulin-secreting β -cell line MIN6 were applied to a ...

Identification of coronin 3 as a GDP-Rab27a-interacting protein in pancreatic β cells.

The interplay between the Rab27A effectors Slp4-a and MyRIP ...

Abstract - Molecular and Cellular Biology - American Society ...

mcb.asm.org/content/22/15/5518 ▾ 翻译此页

作者: S Torii - 2002 - 被引用次数: 86 - 相关文章

The interplay between the Rab27A effectors Slp4-a and MyRIP controls ... actions on vesicle docking and priming in pancreatic {beta}-cells J. Physiol. November ...

Pancreatic β -Cell Protein Granuphilin Binds Rab3 and Munc ...

www.ncbi.nlm.nih.gov/pmc/articles/PMC1000000/ ▾ 翻译此页